

**MacDon**

**D1 系列  
M 系列割晒机配带式输送割台**


**零部件手册**

**215816 修订版 A**

原始说明的译文

收割专家.

## M 系列割晒机配 D1 系列带式输送割台



出版日期：2021 年 11 月

注：

为了使您的 MacDon 手册保持更新，您可从我们的网站 ([www.macdon.com](http://www.macdon.com)) 或我们的经销商专用网站 (<https://portal.macdon.com>) 上下载 (需要登录)。

本文档提供中文、英语和俄语版本.您可从我们的 MacDon 国际网站 ([www.macdon.com/world](http://www.macdon.com/world)) 或我们的经销商专用网站 (<https://portal.macdon.com>) 上下载 (需要登录).

© 2021 MacDon Industries, Ltd.

本手册中的信息基于印刷时可用且生效的信息.关于本手册中的信息, MacDon Industries, Ltd. 不进行任何形式的陈述或保证, 无论明示还是暗示.MacDon Industries, Ltd. 保留随时进行更改的权利, 恕不另行通知.

## 简介


本零部件手册列出了可为 MacDon M 系列割晒机配 D1 系列带式输送割台订购的所有替换零部件.

订购时, 确保提供完整且正确的零部件号.某些零部件因割台尺寸而异; 请确保为您的装置订购正确的零部件.

粗体字用于显示当前版本中进行的更新.在每个新版手册中, 先前的修订内容回到正常字体.

MacDon 产品上使用的电气连接器也有出售, 但未在本目录中列出。有关这些连接器清单, 请参阅电气连接器零部件手册 (MD #169641)。

在本手册中, 右侧 (RH) 和左侧 (LH) 是从操作员的位置确定的, 即在驾驶室前置位置面向割晒机.有时, 插图中使用箭头来指示前置割台位置, 如下图所示.



## 缩写

A/R – 根据需要 (数量不定)	ASSY – 组件	BHRN – 半圆头颈部滚花
BV – 球阀	CCW – 逆时针	CON – 锥形 ( 弹簧垫圈 )
CSK – 沉头	C/W – 包括	CW – 顺时针
DBLE – 双	DK – 双刀	DR - 双拨禾轮
DT – 扭曲螺纹	FLG – 法兰	GA – 仪表
GR – 级	GS – 草种	HD – 头
HDR – 割台	HFA – 液压前后移动	HH – 六角头
HNBR – 氢化丁腈橡胶	HYD – 液压	I.D.– 内径
IP – 内梅花头	KP – 割刀压力	KR – 割刀回流
LG – 长	LH – 左侧 (从操作员位置确定, 面向割晒机工作方向)	LK – 锁紧
MACH – 机器	MD – MacDon	MFA – 手动前后移动
MY – 型号年份	NC – 美制粗螺纹	NF – 美制细螺纹
NSS – 不单独出售	NT – 窄运输	O.D.– 外径
OPT – 可选	PO – 先导式	PT – 牵引式 (剪草机压裂装置)
RC – 轮链	REF – 参考编号, 手册中的其他地方提到过的零部件号	REG – 常规
RH – 右侧 ( 从操作员位置确定 , 面向割晒机工作方向 )	RHSN – 圆头方颈螺栓	RHSSN – 圆头短方颈螺栓
RTD – 带拨禾齿螺旋滚筒	SAE – 汽车工程师协会 (生产零部件所依据的标准)	SD – 侧边输送带
SER – 锯齿	SK – 单刀	SKT HD – 凹头
SMTH – 光滑	SMV – 低速行驶车辆	SOCK – 套筒
SP – 自走式 ( 割晒机 ) 割台	SPCL – 特殊	SPH – 球形
SPI – 每英寸锯齿数 ( 刀片 )	SR – 单拨禾轮	STL – 钢 ( 不锈钢 )
STR – 标准	STVR – 干草	TFL – 螺纹全长
THD – 螺纹	TR – 三拨禾轮	UCA – 辅助螺旋输送套件
UDK – 非正时联接双刀	UNC – 统一制粗牙螺纹	UNEF – 统一超细螺纹
UNF – 统一细螺纹	UNS – 统一制特殊螺纹系列	VK – 垂直割刀
WF – 宽车架	ZP – 镀锌	

## 系列号分段

系列号旁的破折号 (-) 确定该零件适用于给定序列号“之前”或“之后”的机器.

示例:

- -162249 适用于包括序列号 166249 及其之前的机器
- 166250- 适用于包括序列号 166250 及其之后的机器

## 更改摘要 – D1 系列 ( 215816 版本 A )

本列表涵盖了自上一版本 ( 215378 版本 A ) 以来进行的更改。

章节	更改摘要	仅供内部使用
全文	修订了主题标题以指示割台型号，而不是割台尺寸。	技术手册
1 割台架 - 分禾器和支座 , 页码 1	向列表和图示中新增了防护条安装板套件 MD #335752。将图示从 MD #1033722 更新为 MD #1037275 以显示变更。	ECN 62054
7 割刀组件和割刀驱动杆 , 页码 23	向分段式割刀超粗齿主题中新增了链接。	技术手册
8 分段式割刀 - 单刀割台, 细齿刀片 , 页码 27	为 20–40 英尺割台新增了细齿单刀套件 : MD #335488、MD #335489、MD #335490、MD #335491 和 MD #335492。	ECN 60977
10 分段式割刀 - 单刀割台 , 超粗齿刀片 , 页码 35	新增了主题和图示 1037324。	ECN 60984
11 分段式割刀 - 双刀割台, 粗齿刀片 , 页码 37	为 20–45 英尺割台新增了细齿双刀套件 : MD #335479、MD #335483、MD #335484、MD #335485、MD #335486 和 MD #335487。	ECN 60977
13 分段式割刀 - 双刀割台 , 超粗齿刀片 , 页码 45	新增了主题和图示 1037298。	ECN 60984
23 输送带支承和张紧装置 , 页码 73	为清晰起见 , 更新了 MD #123948 的说明。	营销
23 输送带支承和张紧装置 , 页码 73	为清晰起见 , 更新了 MD #245042 的说明。	营销
23 输送带支承和张紧装置 , 页码 73	从列表中删除了螺钉 MD #165434 和螺母 MD #135626。	零部件
73 ( 选件 ) 向日葵附件 - 基础套件 , 页码 229	向目录中新增了章节。暂时放置图示 1032138 , 直到型号可用。	ECN 61215
74 ( 选件 ) 向日葵附件 - 接盘 , 页码 233	向目录中新增了章节。暂时放置图示 1032138 , 直到型号可用。	ECN 61215
75 ( 选件 ) 向日葵附件 - 导流板 , 页码 235	向目录中新增了章节。暂时放置图示 1032138 , 直到型号可用。	ECN 61215
78 ( 选件 ) 辅助螺旋输送套件 (D125) , 页码 243	用 MD #B9044 取代欧洲产品包 MD #B6584。	ECN 61273
79 ( 选件 ) 辅助螺旋输送套件 - 左端 ( D130、D135 和 D140 ) , 页码 247	用 MD #335719 取代左侧中间螺旋 MD #255881。用 MD #B9011、MD #B9010 和 MD #B9009 取代北美产品包 MD #B6462、MD #B6463 和 MD #B6464。用 MD #B9045、MD #B9046 和 MD #B9047 取代欧洲产品包 MD #B6585、MD #B6586 和 MD #B6587。	ECN 61273
80 ( 选件 ) 辅助螺旋输送套件 - 右端 ( D130、D135 和 D140 ) , 页码 251	用 MD #335592 取代右侧中间螺旋 MD #294928。	ECN 61273
81 ( 选件 ) 辅助螺旋输送套件 - 左端 ( D145 ) , 页码 255	用 MD #335719 取代左侧中间螺旋 MD #255881。用 MD #B9049 取代北美产品包 MD #B6465。用 MD #B9050 取代欧洲产品包 MD #B6588。	ECN 61273

章节	更改摘要	仅供内部使用
82 (选件) 辅助螺旋输送套件 - 右端 (D145), 页码 259	用 MD #335592 取代右侧中间螺旋 MD #294928。	ECN 61273
83 (选件) 辅助螺旋输送套件 - 中间托架维修套件, 页码 263	新增了主题和图示 1037125。	ECN 62111



---


简介 .....	i
缩写 .....	ii
系列号分段 .....	iii
更改摘要 – D1 系列 ( 215816 版本 A ) .....	iv
<b>1 割台架 – 分禾器和支座 .....</b>	<b>1</b>
<b>2 割台架 – 端盖 .....</b>	<b>5</b>
<b>3 护刃器、压紧件和耐磨板 – 单刀、短尖护刃器 .....</b>	<b>9</b>
<b>4 护刃器、压紧件和耐磨板 – 单刀、长尖护刃器和长尖带末端短尖护刃器 .....</b>	<b>11</b>
<b>5 护刃器、压紧件和耐磨板 – 双刀、右端 .....</b>	<b>15</b>
<b>6 护刃器、压紧件和耐磨板 – 双刀、中间和左端 .....</b>	<b>19</b>
<b>7 割刀组件和割刀驱动杆 .....</b>	<b>23</b>
<b>8 分段式割刀 – 单刀割台, 细齿刀片 .....</b>	<b>27</b>
<b>9 分段式割刀 – 单刀割台, 粗齿刀片 .....</b>	<b>31</b>
<b>10 分段式割刀 – 单刀割台 , 超粗齿刀片 .....</b>	<b>35</b>
<b>11 分段式割刀 – 双刀割台, 粗齿刀片 .....</b>	<b>37</b>
<b>12 分段式割刀 – 双刀割台, 粗齿刀片 .....</b>	<b>41</b>
<b>13 分段式割刀 – 双刀割台 , 超粗齿刀片 .....</b>	<b>45</b>
<b>14 割刀驱动装置 – 单刀和非正时联接双刀割台 .....</b>	<b>49</b>
<b>15 割刀驱动装置 – 正时联接双刀割台 .....</b>	<b>53</b>
<b>16 割刀驱动箱 .....</b>	<b>59</b>
<b>17 割刀液压驱动装置 – 单刀 ( <b>D120、D130、D135 和 D140</b> ) .....</b>	<b>61</b>
<b>18 割刀液压驱动装置 – 单刀 ( <b>D125、D130 和 D135</b> ) .....</b>	<b>63</b>
<b>19 割刀液压驱动装置 – 正时联接双刀(<b>D115</b>).....</b>	<b>65</b>
<b>20 割刀液压驱动装置 – 正时联接双刀(<b>D120</b>). ....</b>	<b>67</b>
<b>21 割刀液压驱动装置 – 正时联接双刀 ( <b>D125、D130 和 D135</b> ) .....</b>	<b>69</b>
<b>22 割刀液压驱动装置 – 非正时联接双刀 ( <b>D140 和 D145</b> ) .....</b>	<b>71</b>
<b>23 输送带支承和张紧装置 .....</b>	<b>73</b>
<b>24 输送带导流装置 – 割晒机 .....</b>	<b>81</b>
<b>25 输送带背板导流板 .....</b>	<b>83</b>
<b>26 输送带驱动装置 – 手动输送带支承平移 ( <b>D115 和 D120</b> ) .....</b>	<b>85</b>
<b>27 输送带驱动装置 – 手动输送带支承平移 ( <b>D125、D130、D135 和 D140</b> ) .....</b>	<b>87</b>
<b>28 输送带驱动装置 – 手动输送带支承平移 (<b>D145</b>).....</b>	<b>89</b>
<b>29 输送带驱动装置 – 液压输送带支承平移 (<b>D125</b>) – 2019 年及以前的型号 .....</b>	<b>91</b>
<b>30 输送带驱动装置 – 液压输送带支承平移 (<b>D125</b>) – 2020 年及以后的型号 .....</b>	<b>95</b>
<b>31 输送带驱动装置 – 液压输送带支承平移 ( <b>D130、D135 和 D140</b> ) .....</b>	<b>99</b>
<b>32 输送带支承平移 – 阀门 .....</b>	<b>103</b>
<b>33 捡拾拨禾轮 – 单拨禾轮割台 ( <b>D115、D120、D125、D130 和 D135</b> ) .....</b>	<b>105</b>
<b>34 捡拾拨禾轮 – 双拨禾轮割台 ( <b>D130、D135、D140 和 D145</b> ) .....</b>	<b>111</b>
<b>35 拨禾轮端盖组件 .....</b>	<b>119</b>
<b>36 拨禾轮组件 – 单拨禾轮, 右侧臂 .....</b>	<b>121</b>
<b>37 拨禾轮组件 – 双拨禾轮, 右侧臂 .....</b>	<b>127</b>
<b>38 拨禾轮组件 – 双拨禾轮, 中间臂 .....</b>	<b>131</b>
<b>39 拨禾轮组件 – 单/双拨禾轮, 左侧臂 .....</b>	<b>137</b>

---

40	拨禾轮支撑臂和升降油缸 .....	139
41	拨禾轮液压驱动装置 – 升降和前后移动 – 单拨禾轮 ( D115、D120、D125、D130 和 D135 ) .....	143
42	拨禾轮液压驱动装置 – 升降和前后移动 – 双拨禾轮 ( D130、D135、D140 和 D145 ) .....	147
43	电气组件 .....	151
44	仿形滑动支承 – 两端和中间 .....	155
45	贴标和反光贴标 .....	157
46	产品商标 .....	161
47	贴标 – 法语 .....	163
48	贴标 – 葡萄牙语 .....	165
49	贴标 – 俄语 .....	167
50	贴标 – 西班牙语 .....	169
51	油漆 .....	171
52	(选件) 联合收割机割台连接套件 .....	173
53	(选件) 扶禾器 .....	177
54	(选件) 扶禾器架 .....	179
55	(选件) 适用于 M 系列割晒机的 D1 完善套件 – 电气和机械组件 .....	181
56	(选件) 适用于 M 系列割晒机的 D1 完善套件 – 液压组件 .....	183
57	(选件) 双输送带驱动装置 .....	185
58	(选件) 输送带加长套件 .....	189
59	(选件) 带式输送割台支座 (适用于 M 系列的连接座) .....	191
60	(选件) 多作物拨禾轮快速转换套件 .....	193
61	(选件) 捡拾拨禾轮末端拨禾齿套件 .....	195
62	(选件) 拨禾轮臂加长套件 .....	197
63	(选件) 水稻分禾杆 .....	199
64	(选件) 岩石缓速器套件 .....	201
65	(选件) 适用于中间拨禾轮臂的短支架套件/分禾器闩锁 .....	203
66	(选件) 适用于短拨禾轮臂的短支架套件 – 单拨禾轮 .....	205
67	(选件) 低速运输套件 – 牵引电气装置 .....	207
68	(选件) 低速运输套件 – 运输牵引装置 .....	211
69	(选件) 低速运输套件 – 车轮和支座 .....	215
70	(选件) 稳定轮 .....	223
71	(选件) 辅助稳定轮 .....	225
72	(选件) 短尖护刀器转换套件 .....	227
73	(选件) 向日葵附件 - 基础套件 .....	229
74	(选件) 向日葵附件 - 接盘 .....	233
75	(选件) 向日葵附件 - 导流板 .....	235
76	(选件) 齿管加固套件 .....	237
77	(选件) 辅助螺旋输送套件 ( D115、D120 ) .....	239
78	(选件) 辅助螺旋输送套件 ( D125 ) .....	243
79	(选件) 辅助螺旋输送套件 – 左端 ( D130、D135 和 D140 ) .....	247
80	(选件) 辅助螺旋输送套件 – 右端 ( D130、D135 和 D140 ) .....	251
81	(选件) 辅助螺旋输送套件 – 左端 ( D145 ) .....	255
82	(选件) 辅助螺旋输送套件 – 右端 ( D145 ) .....	259

83	(选件) 辅助螺旋输送套件 - 中间托架维修套件 .....	263
84	(选件) 垂直割刀 - 标准拨禾轮臂 (2018 年及以前的型号) .....	265
85	(选件) 垂直割刀 - 标准拨禾轮臂 , 左端 (2019 年及以后型号) .....	271
86	(选件) 垂直割刀 - 标准拨禾轮臂 , 右端 (2019 年及以后型号) .....	275
87	(选件) 垂直割刀 - 短拨禾轮臂 .....	281
88	(选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 单拨禾轮 .....	287
89	(选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 双拨禾轮 .....	289
90	(选件) 垂直割刀组件 - 维修件 .....	291
	索引 .....	294

# 1 割台架 - 分禾器和支座




1037275

## 割台架 - 分禾器和支座

参考编号	零部件号	说明	数量	系列号
1	245678	左侧防护罩	1	
2	245677	右侧防护罩	1	
3	123660	分禾器 - 焊件 (左侧)	1	
4	123661	分禾器 - 焊件 (右侧)	1	
5	120127	分禾器 - 焊接管件 <sup>1</sup>	2	
6	253499	分禾杆存放支架	1	
7	132420	分禾杆存放锁紧卡舌	1	
8	132266	支座 - 焊件	1	
9	132269	销子 - 双孔, 12.7 MM 方形, 100 MM 长	1	
10	132265	压缩弹簧	1	
11	7642	弹簧销 3/16 DIA X 1.5 LG	2	
12	16087	弹簧销 5/16 DIA X 1.0 LG	1	
13	124399	销子	2	
14	118137	卡环 - Ø50.8 MM	2	
15	133751	直销, 双孔, 147 MM (30-35 DK 单拨禾轮)	1	
	125363	直销, 双孔, 185 MM (35-45 DK/UDK 双拨禾轮)	1	
16	102264	销子 - LYNCH 3/16 X 1 9/16 IN	1	
17	18609	开口销 1/4 DIA X 2 镀锌	1	
18	123751	左侧摆动式驱动箱座套件	1	
	123752	右侧摆动式驱动箱座套件	1	
19	174400	摆动式驱动箱座夹具总成, 15-25 英尺割台 <sup>2</sup>	A/R	
	174391	摆动式驱动箱座夹具总成, 30-45 英尺割台 <sup>2</sup>	A/R	
20	258150	割刀座拼接条 (仅限分开式割台架)	1	
21	255442	割刀座拼接条 (仅限分开式割台架)	1	
22	294671	割刀座维修件套件, 1300 MM <sup>3</sup>	A/R	
	294681	割刀座维修件套件, 4491 MM <sup>3</sup>	A/R	
23	294672	护刃器安装板套件, 1530 MM	A/R	
24	294650	支架套件 - 管式焊件, 30 英尺割台, 右侧 <sup>4</sup>	OPT	
	294664	支架套件 - 管式焊件, 35 英尺割台, 右侧 <sup>4</sup>	OPT	
25	294662	支架套件 - 管式焊件, 40 和 45 英尺割台, 右侧 <sup>4</sup>	OPT	
	294663	支架套件 - 管式焊件, 40 和 45 英尺割台, 左侧 <sup>4</sup>	OPT	
26	335301	卡入式塑料塞 <sup>5</sup>	4	
27	<b>335752</b>	套件 - 防护条安装板 <sup>6</sup>	<b>A/R</b>	

1. 显示标准分禾杆.有关水稻分禾杆, 请参阅 [63 \(选件\) 水稻分禾杆](#), 页码 199 部分.
2. 正确安装摆动式驱动箱座 (MD #123751 或 123752) 需要此组件, 包括说明. 请咨询 MacDon 经销商了解更多信息.
3. 仅限 30-45 英尺割台.
4. 可选支架套件用于维修割台架下方的斜撑.
5. 插入到每端的分禾杆 (MD #120127).
6. 此套件用于替换磨损或损坏的防护条安装板 , 需要焊接。

割台架 - 分禾器和支座




1037275

## 割台架 - 分禾器和支座

参考编号	零部件号	说明	数量	系列号
A	6647	平垫圈		
B	135579	六角头螺栓 3/4-16 UNF		
C	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
D	21383	法兰 (锯齿面) 螺母 .500-13 UNC		
E	21056	六角锁紧螺母 1/2-13 UNC GR 5 ZP		
F	18723	螺栓 - HH 1/2 NC X 1.5 LG GR 5 ZP		
G	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
H	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
J	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
K	113814	螺栓 - HH 7/16 NC X 1.5 LG GR.5 ZP (仅限分开式割台架)		
L	18654	六角螺母 7/16-14 UNC GR 5 ZP (仅限分开式割台架)		
M	117015	螺栓 - RHSSN 5/8 NC X 1.0 GR 5 ZP (仅限分开式割台架)		
N	21941	六角头锁紧螺母 (末端扭曲螺纹) 5/8-11 UNC GR 5 ZP (仅限分开式割台架)		
P	135340	螺栓 - HH 5/8 NC X 1.75 LG GR 8 ZP (仅限分开式割台架)		
Q	134438	六角形扭曲锁紧螺母 5/8-11-GR8-ZP (仅限分开式割台架)		

## 2 割台架 - 端盖



1033721


参考编号	零部件号	说明	数量	系列号
1	255004	左侧护罩, 包括 T 型螺母, 黑色 <sup>7</sup>	1	
	255019	右侧端盖, 包括 T 型螺母, 黑色 <sup>7</sup>	1	
	304601	左侧端盖总成 - 红色, 带黑色条 <sup>7</sup>	1	
	304602	右侧端盖总成 - 红色, 带黑色条 <sup>7</sup>	1	
	165524	反光贴标 - 红色, 230 MM <sup>8</sup>		
1	258199	左侧端盖总成 - 绿色, 带贴标	1	
	258200	右侧端盖总成 - 绿色, 带贴标	1	
2	253624	端盖闩锁销焊件	2	
3	253627	端盖固定件	2	
4	253164	端盖闩锁支座	2	
5	220107	手册收纳箱 (仅限左侧端盖)	1	
	164009	梅花套筒 - TORX PLUS IP 27	A/R	
6	21763	扎带 (黑色)	1	
7	304304	左侧端盖支座	1	346190-
	253297	左侧端盖支座	1	-346189
	253298	右侧端盖支座	1	
8	253299	端盖回转支撑	2	
9	255678	左侧端盖管式焊件	1	
	255679	右侧端盖管式焊件	1	
10	125176	止推轴承	4	
11	253601	左侧端盖闩锁支座	1	
	253602	右侧端盖闩锁支座	1	
12	134003	左侧蝶形闩锁组件	1	
	134002	右侧蝶形闩锁组件	1	
13	255041	端盖闩锁 (20-45 英尺割台)	2	
14	304165	端盖闩锁 (15 英尺割台) <sup>9</sup>	2	
15	165858	端盖闩锁导框 (仅限出口割台)	1	
16	14338	抽芯铆钉, 1/8 X .125 (仅限出口割台)	2	
A	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
B	20535	平垫圈		
C	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
D	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
E	18598	SAE 平垫圈 13/32 I.D.X 13/16 IN.O.D.ZP		
F	184718	垫圈 - 锥形弹簧 M16 STL SAE 1050-1075		

7. 有关端盖贴标, 请参阅 46 产品商标, 页码 161 部分.

8. 请参阅 45 贴标和反光贴标, 页码 157 部分. 此反光贴标 (MD #165524) 仅用于右侧端盖.

9. 仅用于 15 英尺割台. 对于 20-45 英尺割台, 请使用闩锁 (MD #255041).

割台架 - 端盖




1033721

割台架 - 端盖

参考编号	零部件号	说明	数量	系列号
G	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
H	21055	自攻垫圈六角头螺钉 1/4 NC X 1/2		
J	30504	沉头机器螺钉 5/16 NC X 1-1/2 LG GR 5 ZP		
K	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
L	172259	轴肩螺栓 .375-16 UNC		
M	NSS	螺栓 - HH SER FLG 1/4-20 X 0.625-GR5-AA3L		
N	135157	机器螺钉		

### 3 护刃器、压紧件和耐磨板 - 单刀、短尖护刃器



1021167


注:

图示; 顶部: 带金属片压刃器的短尖护刃器, 底部: 带锻造压刃器的短尖护刃器.

参考编号	零部件号	说明	数量	系列号
	B4865	割刀座聚乙烯(耐磨板)套件(20英尺割台) <sup>10</sup>		
	B4838	割刀座聚乙烯(耐磨板)套件(25英尺割台) <sup>10</sup>		
	B4839	割刀座聚乙烯(耐磨板)套件(30英尺割台) <sup>10</sup>		
	B4840	割刀座聚乙烯(耐磨板)套件(35英尺割台) <sup>10</sup>		
	B4841	割刀座聚乙烯(耐磨板)套件(40英尺割台) <sup>10</sup>		
	B5114	割刀座聚乙烯(耐磨板)套件(45英尺割台) <sup>10</sup>		
1	118347	短尖护刃器, 无耐磨条(驱动端)	4	
2	118346	短尖护刃器, 带耐磨条 <sup>11</sup>		
3	118351	金属片压刃器 <sup>12</sup>		
4	129297	聚乙烯耐磨板, 割刀座下方 <sup>13</sup>		
5	165209	导片 - 短尖金属片, 割刀驱动杆末端	2	
6	34359	导向件 <sup>13</sup>		
7	34980	调整片 <sup>13</sup>		
8	220103	割刀开口护盖套件(30-40英尺割台, 短尖) <sup>14</sup>		
	220102	割刀开口护盖套件(20-25英尺割台, 短尖) <sup>14</sup>		
9	140135	护刃器矫直工具焊件	1	
A	120639	RHSN 特种螺栓 7/16 NC X 1.75 LG GR 5 ZP		
B	118193	六角头法兰螺母 .375 UNC		
C	118154	螺栓 - HH 3/8 NC X 5/8 TFL GR 8 ZP		
D	120558	RHSN 特种螺栓 7/16 NC X 1.5 LG GR 5 ZP		
E	18654	六角螺母 7/16-14 UNC GR 5 ZP		
F	18670	SAE 平垫圈 7/16 I.D.X 1.0 In. 外径 ZP		
G	279575	RHSN 特种螺栓 7/16 NC X 2.5 LG GR 5 ZP		
H	50119	螺栓 - HH 3/8 NC X 0.75 不锈钢		
J	50120	螺栓 - HH 3/8 NC X 1 不锈钢		
K	132404	RHSN 特种螺栓 7/16-14 X 2.75-GR5-ZP		
L	18688	SAE 平垫圈 0.74 IN.I.D.X 0.92 IN.O.D.ZP		

10. 包括割刀座耐磨板 (MD #129297) 和紧固件.仅供套件.
11. 整套割刀座数量: 20 英尺割台为 36 个, 25 英尺割台为 46 个, 30 英尺割台为 56 个, 35 英尺割台为 66 个, 40 英尺割台为 76 个.
12. 整套割刀座数量: 20 英尺割台 38 个, 25 英尺割台 48 个, 30 英尺割台 58 个, 35 英尺割台 68 个, 40 英尺割台 78 个.
13. 整套割刀座数量: 20 英尺割台为 40 个, 25 英尺割台为 50 个, 30 英尺割台为 60 个, 35 英尺割台为 70 个, 40 英尺割台为 80 个.
14. 与短尖护刃器和金属片压刃器搭配使用.包括两个护盖、紧固件和说明.

## 4 护刃器、压紧件和耐磨板 - 单刀、长尖护刃器和长尖带末端短尖护刃器



1021179


注:

图示; 顶部: 单刀、长尖护刃器, 底部: 单刀、长尖带末端短尖护刃器.

参考编号	零部件号	说明	数量	系列号
	B4865	割刀座聚乙烯(耐磨板)套件(20英尺割台) <sup>15</sup>		
	B4838	割刀座聚乙烯(耐磨板)套件(25英尺割台) <sup>15</sup>		
	B4839	割刀座聚乙烯(耐磨板)套件(30英尺割台) <sup>15</sup>		
	B4840	割刀座聚乙烯(耐磨板)套件(35英尺割台) <sup>15</sup>		
	B4841	割刀座聚乙烯(耐磨板)套件(40英尺割台) <sup>15</sup>		
	304990	长尖护刃器套件, 25英尺单刀 <sup>16</sup>		
	304991	长尖护刃器套件, 30英尺单刀 <sup>16</sup>		
	304992	长尖护刃器套件, 35英尺单刀 <sup>16</sup>		
	304993	长尖护刃器套件, 40英尺单刀 <sup>16</sup>		
1	118301	左侧外侧护刃器(驱动端)	1	
	118302	右侧外侧护刃器	1	
2	118345	护刃器, 带长尖, 无耐磨板(每端3个)	3	
3	118344	护刃器, 带长尖 <sup>17</sup>		
4	118162	压刃器 <sup>18</sup>		
5	129297	聚乙烯耐磨板, 割刀座下方 <sup>19</sup>		
6	118347	短尖护刃器, 无耐磨条(驱动端)	4	
	118346	短尖护刃器, 带耐磨条	4	
7	165209	导片 - 短尖金属片, 割刀驱动杆末端	2	
8	118351	金属片压刃器	6	
9	220101	割刀开口护盖套件(30-40英尺割台, 长尖) <sup>20</sup>		
	220100	割刀开口护盖套件(20-25英尺割台, 长尖) <sup>20</sup>		
10	140135	护刃器矫直工具焊件	1	

- 
15. 包括割刀座耐磨板(MD #129297)和紧固件.仅供套件.
  16. 用于长尖护刃器的完整割刀座套件. 套件包括外侧护刃器(MD #118301、118302)和护刃器(MD #118344、118345)。
  17. 整套割刀座数量: 20英尺割台为31个, 25英尺割台(末端短尖)为42个, 25英尺割台(长尖)为45个, 30英尺割台(末端短尖)为52个, 30英尺割台(长尖)为55个, 35英尺割台为65个, 40英尺割台为75个.
  18. 整套割刀座数量: 20英尺割台为35个, 25英尺割台(外侧短尖)为21个, 25英尺割台(长尖)为25个, 30英尺割台(外侧短尖)为26个, 30英尺割台(长尖)为30个, 35英尺割台为35个, 40英尺割台为40个.
  19. 整套割刀座数量: 20英尺割台为40个, 25英尺割台为50个, 30英尺割台为60个, 35英尺割台为70个, 40英尺割台为80个.
  20. 与长尖护刃器和锻造压刃器搭配使用.包括两个护盖和紧固件.

护刃器、压紧件和耐磨板 - 单刀、长尖护刃器和长尖带末端短尖护刃器




1021179

护刃器、压紧件和耐磨板 - 单刀、长尖护刃器和长尖带末端短尖护刃器

参考编号	零部件号	说明	数量	系列号
A	120639	RHSN 特种螺栓 7/16 NC X 1.75 LG GR 5 ZP <sup>21</sup>		
	21468	螺栓 - RHSN 7/16 NC X 1.75 LG GR 5 ZP <sup>22</sup>		
B	118193	六角头法兰螺母 .375 UNC		
C	118154	螺栓 - HH 3/8 NC X 5/8 TFL GR 8 ZP		
D	120558	RHSN 特种螺栓 7/16 NC X 1.5 LG GR 5 ZP <sup>21</sup>		
	8218	螺栓 - RHSN 7/16 NC X 1.5 LG GR 5 ZP <sup>22</sup>		
E	18654	六角螺母 7/16-14 UNC GR 5 ZP		
F	18688	SAE 平垫圈 0.74 IN.I.D.X 0.92 IN.O.D.ZP		
G	18670	SAE 平垫圈 7/16 I.D.X 1.0 In. 外径 ZP		

- 
21. 与割刀座耐磨板 (MD #129297) 搭配使用.  
 22. 没有割刀座耐磨板 (MD #129297) 时使用.

## 5 护刃器、压紧件和耐磨板 - 双刀、右端




注:

图示; 顶部: 双刀、分开式割台架右端(长尖), 底部: 双刀, 标准右端(长尖).

参考编号	零部件号	说明	数量	系列号
	B4864	割刀座套件, 聚乙烯(耐磨板) (15 英尺割台) <sup>23</sup>		
	B4865	割刀座聚乙烯(耐磨板) 套件 (20 英尺割台) <sup>23</sup>		
	B4838	割刀座聚乙烯(耐磨板) 套件 (25 英尺割台) <sup>23</sup>		
	B4839	割刀座聚乙烯(耐磨板) 套件 (30 英尺割台) <sup>23</sup>		
	B4840	割刀座聚乙烯(耐磨板) 套件 (35 英尺割台) <sup>23</sup>		
	B4841	割刀座聚乙烯(耐磨板) 套件 (40 英尺割台) <sup>23</sup>		
	B5114	割刀座聚乙烯(耐磨板) 套件 (45 英尺割台) <sup>23</sup>		
	304985	长尖护刃器套件, 25 英尺双刀 <sup>24</sup>		
	304986	长尖护刃器套件, 30 英尺双刀 <sup>24</sup>		
	304987	长尖护刃器套件, 35 英尺双刀 <sup>24</sup>		
	304988	长尖护刃器套件, 40 英尺双刀 <sup>24</sup>		
	304989	长尖护刃器套件, 45 英尺双刀 <sup>24</sup>		
	B5009	短尖护刃器转换套件 (15 英尺割台) <sup>25</sup>		
	B5010	短尖护刃器转换套件 (20 英尺割台) <sup>25</sup>		
	B5011	短尖护刃器转换套件 (25 英尺割台) <sup>25</sup>		
	B5012	短尖护刃器转换套件 (30 英尺割台) <sup>25</sup>		
	B5013	短尖护刃器转换套件 (35 英尺割台) <sup>25</sup>		
1	118302	右侧外侧护刃器	1	
2	118345	护刃器, 带长尖, 无耐磨板(每端 3 个)	3	
3	118344	护刃器, 带长尖 <sup>26</sup>		
4	118162	压刃器 <sup>27</sup>		
5	129297	聚乙烯耐磨板, 割刀座下方 <sup>28</sup>		
6	220114	铰链分体盖(仅限分开式割台架)	1	
7	125418	割刀座连接支承 - 焊件(仅限 40 英尺分开式割台架)	1	
	253552	割刀座连接支承 - 焊件(仅限 45 英尺分开式割台架)	1	

23. 包括割刀座耐磨板 (MD #129297) 和紧固件.仅供套件.
24. 用于长尖护刃器的完整割刀座套件。套件包括外侧护刃器 (MD #118301、118302)、中间护刃器 (MD #124338)、顶部中间导向件 (MD #124344) 和护刃器 (MD #118344、118345)。
25. 双刀割台.有关维修件, 请参阅 [72 \(选件\) 短尖护刃器转换套件](#), [页码 227](#) 部分.仅供套件.
26. 整套割刀座数量: 15 英尺割台为 21 个, 20 英尺割台为 31 个, 25 英尺割台为 41 个, 30 英尺割台为 51 个, 35 英尺割台为 61 个, 40 英尺割台为 71 个, 45 英尺割台为 81 个.
27. 整套割刀座数量: 15 英尺割台为 25 个, 20 英尺割台为 35 个, 25 英尺割台为 45 个, 30 英尺割台为 55 个, 35 英尺割台为 65 个, 40 英尺割台为 39 个, 45 英尺割台为 44 个.
28. 整套割刀座数量: 15 英尺割台为 30 个, 20 英尺割台为 40 个, 25 英尺割台为 50 个, 30 英尺割台为 60 个, 35 英尺割台为 70 个, 40 英尺割台为 80 个, 45 英尺割台为 90 个.


护刃器、压紧件和耐磨板 - 双刀、右端



护刃器、压紧件和耐磨板 - 双刀、右端

参考编号	零部件号	说明	数量	系列号
8	294460	割刀座拼接条 (仅限分开式割台架)	1	
9	220115	割刀座拼接条 (仅限分开式割台架)	1	
10	140135	护刃器矫直工具焊件	1	
A	118193	六角头法兰螺母 .375 UNC		
B	118154	螺栓 - HH 3/8 NC X 5/8 TFL GR 8 ZP		
C	120558	RHSN 特种螺栓 7/16 NC 1.5 LG GR 5 ZP		
D	18654	六角螺母 7/16-14 UNC GR 5 ZP		
E	279575	RHSN 特种螺栓 7/16 NC X 2.5 LG GR 5 ZP		
F	120639	RHSN 特种螺栓 7/16 NC X 1.75 LG GR 5 ZP		
G	21941	六角头锁紧螺母 (末端扭曲螺纹) 5/8-11 UNC GR 5 ZP		
H	103562	螺栓 - RHSN 5/8 NC X 1.25 GR 5 ZP		

## 6 护刃器、压紧件和耐磨板 - 双刀、中间和左端



1021131


注:

图示; 顶部: 双刀、中间 (长尖), 底部: 双刀, 左端 (长尖).

参考编号	零部件号	说明	数量	系列号
	B4864	割刀座套件, 聚乙烯 (耐磨板) (15 英尺割台) <sup>29</sup>		
	B4865	割刀座聚乙烯 (耐磨板) 套件 (20 英尺割台) <sup>29</sup>		
	B4838	割刀座聚乙烯 (耐磨板) 套件 (25 英尺割台) <sup>29</sup>		
	B4839	割刀座聚乙烯 (耐磨板) 套件 (30 英尺割台) <sup>29</sup>		
	B4840	割刀座聚乙烯 (耐磨板) 套件 (35 英尺割台) <sup>29</sup>		
	B4841	割刀座聚乙烯 (耐磨板) 套件 (40 英尺割台) <sup>29</sup>		
	B5114	割刀座聚乙烯 (耐磨板) 套件 (45 英尺割台) <sup>29</sup>		
	304985	长尖护刃器套件 , 25 英尺双刀 <sup>30</sup>		
	304986	长尖护刃器套件 , 30 英尺双刀 <sup>30</sup>		
	304987	长尖护刃器套件 , 35 英尺双刀 <sup>30</sup>		
	304988	长尖护刃器套件 , 40 英尺双刀 <sup>30</sup>		
	304989	长尖护刃器套件 , 45 英尺双刀 <sup>30</sup>		
	B5009	短尖护刃器转换套件 (15 英尺割台) <sup>31</sup>		
	B5010	短尖护刃器转换套件 (20 英尺割台) <sup>31</sup>		
	B5011	短尖护刃器转换套件 (25 英尺割台) <sup>31</sup>		
	B5012	短尖护刃器转换套件 (30 英尺割台) <sup>31</sup>		
	B5013	短尖护刃器转换套件 (35 英尺割台) <sup>31</sup>		
1	118301	左侧外侧护刃器	1	
2	118345	护刃器, 带长尖, 无耐磨板 (每端 3 个)	3	
3	118344	护刃器, 带长尖 <sup>32</sup>		
4	118162	压刃器 <sup>33</sup>		
5	129297	聚乙烯耐磨板, 割刀座下方 <sup>34</sup>		
6	124338	中间长尖护刃器	1	
7	124344	顶部中间导向件	1	
8	34980	调整片	1	

29. 包括割刀座耐磨板 (MD #129297) 和紧固件.仅供套件.
30. 用于长尖护刃器的完整割刀座套件。套件包括外侧护刃器 ( MD #118301、118302 ) 、中间护刃器 (MD #124338)、顶部中间导向件 (MD #124344) 和护刃器 ( MD #118344、118345 )。
31. 双刀割台.有关维修件, 请参阅 [72 \(选件\) 短尖护刃器转换套件](#), [页码 227](#) 部分.仅供套件.
32. 整套割刀座数量: 15 英尺割台为 21 个, 20 英尺割台为 31 个, 25 英尺割台为 41 个, 30 英尺割台为 51 个, 35 英尺割台为 61 个, 40 英尺割台为 71 个, 45 英尺割台为 81 个.
33. 整套割刀座数量 : 15 英尺割台为 25 个, 20 英尺割台为 35 个, 25 英尺割台为 45 个, 30 英尺割台为 55 个, 35 英尺割台为 65 个, 40 英尺割台为 39 个, 45 英尺割台为 44 个。
34. 整套割刀座数量: 15 英尺割台为 30 个, 20 英尺割台为 40 个, 25 英尺割台为 50 个, 30 英尺割台为 60 个, 35 英尺割台为 70 个, 40 英尺割台为 80 个, 45 英尺割台为 90 个.

护刃器、压紧件和耐磨板 - 双刀、中间和左端




1021131

护刃器、压紧件和耐磨板 - 双刀、中间和左端

参考编号	零部件号	说明	数量	系列号
9	140135	护刃器矫直工具焊件	1	
A	118193	六角头法兰螺母 .375 UNC		
B	118154	螺栓 - HH 3/8 NC X 5/8 TFL GR 8 ZP		
C	120558	RHSN 特种螺栓 7/16 NC X 1.5 LG GR 5 ZP		
D	18654	六角螺母 7/16-14 UNC GR 5 ZP		
E	50120	螺栓 - HH 3/8 NC X 1 不锈钢		
F	132404	RHSN 特种螺栓 7/16 NC X 2.75 LG GR 5 ZP		

## 7 割刀组件和割刀驱动杆



1017720

## 割刀组件和割刀驱动杆

注:

图示的顶部显示单刀；底部显示双刀。

注:


要维修割刀总成，请参阅以下部分：

- 8 分段式割刀 – 单刀割台, 细齿刀片, 页码 27
- 9 分段式割刀 – 单刀割台, 粗齿刀片, 页码 31
- 10 分段式割刀 – 单刀割台, 超粗齿刀片, 页码 35
- 11 分段式割刀 – 双刀割台, 粗齿刀片, 页码 37
- 12 分段式割刀 – 双刀割台, 粗齿刀片, 页码 41
- 13 分段式割刀 – 双刀割台, 超粗齿刀片, 页码 45

参考编号	零部件号	说明	数量	系列号
1	279641	粗齿刀片 – 9 SPI (25 个装) <sup>35</sup>		
	174845	粗齿刀片 – 9 SPI (25 个装) <sup>35</sup>	OPT	
	294947	超细齿刀片包 - 4 SPI (25 个装) <sup>35</sup>	OPT	
	279642	细齿刀片 – 14 SPI (25 个装) <sup>35</sup>	OPT	
	118491	细齿刀片 – 14 SPI (25 个装) <sup>35</sup>	OPT	
2	279468	末端刀片, 半个刀片 (10 个装)	2	
3	174857	加固片 (25 个装)	40	
4	132896	左侧驱动杆组件, 5° 角 <sup>36</sup>	1	
5	132897	右侧驱动杆组件, 5° 角 <sup>36</sup>	1	
6	115670	O 型密封环 – 割刀驱动杆	1	
7	113937	密封盖 – 割刀驱动杆	1	
8	100500	滚针轴承 – 割刀驱动杆	1	
9	113222	密封 – 割刀驱动杆 <sup>37</sup>	1	
10	33955	拼接条, 2 件式割刀 <sup>38</sup>	1	
11	120832	割刀驱动杆总成 <sup>39</sup>	2	

- 
- 35. 数量(单个刀片): 15 英尺割台为 57 个, 20 英尺割台为 77 个, 25 英尺割台为 97 个, 30 英尺割台为 117 个, 35 英尺割台为 137 个, 40 英尺割台为 157 个。
  - 36. 仅限 30–45 英尺割台. 包括 O 型密封环 (MD #115670)、密封盖 (MD #113937)、轴承 (MD #100500) 和密封 (MD #113222).
  - 37. 安装时唇口朝外.
  - 38. 35–40 英尺单刀.
  - 39. 仅限 15–25 英尺割台. 包括零件 O 型密封环 (MD #115670)、密封盖 (MD #113937)、轴承 (MD #100500) 和密封 (MD #113222).

## 割刀组件和割刀驱动杆



1017720

## 割刀组件和割刀驱动杆

参考编号	零部件号	说明	数量	系列号
12	279310	粗齿刀片 - 底部沉头孔 9 SPI (10 个装)	2	
	279851	粗齿刀片 - 底部沉头孔 9 SPI (10 个装)	OPT	
	279312	细齿刀片 - 底部沉头孔 14 SPI (10 个装)	OPT	
	279850	细齿刀片 - 底部沉头孔 14 SPI (10 个装)	OPT	
	279996	中间重叠细齿刀片套件 <sup>40</sup>	OPT	
	279997	中间重叠粗齿刀片套件 <sup>41</sup>	OPT	
	335326	中间重叠超粗齿刀片套件 <sup>42</sup>	OPT	
13	279314	粗齿刀片 - 上部沉头孔 9 SPI (10 个装) <sup>43</sup>	4	
	279999	粗齿刀片 - 上部沉头孔 9 SPI (10 个装) <sup>43</sup>	OPT	
	279316	顶部细齿刀片 - CSK 14 SPI (10 个装) <sup>43</sup>	OPT	
	279848	顶部细齿刀片 - CSK 14 SPI (10 个装) <sup>43</sup>	OPT	
14	124880	顶部导板, 左侧割刀	1	
15	124881	耐磨条, 左侧割刀	1	
16	129329	加固片 <sup>44</sup>	1	
A	135628	螺钉 - BHRN #12-24 NC X 0.67 IN. (50 个装) <sup>45</sup>		
B	135626	沉头中心锁紧螺母, #12-24 NC (50 个装) <sup>46</sup>		
C	135630	螺钉 - BHRN, #12-24 NC X 0.920 IN. (50 个装) <sup>47</sup>		
D	135632	螺钉 - BHRN, #12-24 NC X 1.05 IN. (50 个装) <sup>48</sup>		
E	174165	内六角 90° 沉头螺钉, #12-24 NC X 0.5 IN. (50 个装)		

40. 包括四个顶部沉头孔细齿刀片 (14 SPI)、三个底部沉头孔细齿刀片 (14 SPI) 以及所有所需紧固件.

41. 包括四个顶部沉头孔粗齿刀片 (9 SPI)、三个底部沉头孔粗齿刀片 (9 SPI) 以及所有所需紧固件.

42. 包括四个顶部沉头超粗齿刀片 (4 SPI)、三个底部沉头超粗齿刀片 (4 SPI) 以及所有所需紧固件。

43. 对于左侧割刀, 将顶部埋头刀片安装到顶部导板 (MD #124880) 上使锯齿朝下.对于右侧割刀, 安装顶部埋头刀片时使锯齿朝上.

44. 仅限 15–25 英尺割台.


45. 1000 个装 – MD #135629.

46. 2000 个装 – MD #135627.

47. 1000 个装 – MD #135631.

48. 1000 个装 – MD #135633.

## 8 分段式割刀 - 单刀割台, 细齿刀片



1017612

分段式割刀 - 单刀割台, 细齿刀片

注:


6.1–13.7 米 (20–45 英尺) 割台割刀成段出售; 有关整套割刀段 (不含割刀驱动杆), 请参阅下表:

参考编号	零部件号	说明	数量	系列号
		<b>6.1 米 (20 英尺) 割台</b>		
	<b>335488</b>	套件 – 20 英尺细齿单刀 <sup>49</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279399	中间割刀段	1	
3	279400	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>50</sup>	2	
5	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	6	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	6	
		<b>7.6 米 (25 英尺) 割台</b>		
	<b>335489</b>	套件 – 25 英尺细齿单刀 <sup>49</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279399	中间割刀段	1	
3	279401	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>50</sup>	2	
5	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	6	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	6	
		<b>9.1 米 (30 英尺) 割台</b>		
	<b>335490</b>	套件 – 30 英尺细齿单刀 <sup>49</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279399	中间割刀段	2	
3	279402	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>50</sup>	3	
5	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	9	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	9	
		<b>10.7 米 (35 英尺) 割台</b>		
	<b>335491</b>	套件 – 35 英尺细齿单刀 <sup>49</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279399	中间割刀段	2	
3	279403	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>50</sup>	3	
5	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	9	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	9	

49. 完整割刀组件套件。

50. 包括两个拼接条和紧固件。

分段式割刀 - 单刀割台, 细齿刀片




1017612

分段式割刀 - 单刀割台, 细齿刀片

参考编号	零部件号	说明	数量	系列号
		<b>12.2 米 (40 英尺) 割台</b>		
	<b>335492</b>	套件 - 40 英尺细齿单刀 <sup>49</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279399	中间割刀段	3	
3	279404	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>51</sup>	4	
5	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	12	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	12	
A	129299	内六角 90° 沉头螺钉, #12-24 NC X 0.812 IN.		
B	135626	沉头中心锁紧螺母, #12-24 NC (50 个装)		

51. 包括两个拼接条和紧固件.

## 9 分段式割刀 - 单刀割台, 粗齿刀片



1030125

分段式割刀 - 单刀割台, 粗齿刀片

注:

6.1–13.7 米 (20–45 英尺) 割台割刀成段出售; 有关整套割刀段 (不含割刀驱动杆), 请参阅下表:


参考编号	零部件号	说明	数量	系列号
		<b>6.1 米 (20 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279406	中间割刀段	1	
3	279407	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>52</sup>	2	
5	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	6	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	6	
		<b>7.6 米 (25 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279406	中间割刀段	1	
3	279408	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>52</sup>	2	
5	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	6	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	6	
		<b>9.1 米 (30 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279406	中间割刀段	2	
3	279409	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>52</sup>	3	
5	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	9	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	9	
6	294795	套件 – 30 英尺单刀 <sup>53</sup>	A/R	
		<b>10.7 米 (35 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279406	中间割刀段	2	
3	279410	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>52</sup>	3	
5	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	9	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	9	
6	294796	套件 – 35 英尺单刀 <sup>54</sup>	A/R	

52. 包括两个拼接条和紧固件。

53. 套件包括左侧驱动杆割刀段 (MD #279405)、中间割刀段 (MD #279406)、右侧尾端割刀段 (MD #279409)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641)。

54. 套件包括左侧驱动杆割刀段 (MD #279405)、中间割刀段 (MD #279406)、右侧尾端割刀段 (MD #279410)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641)。

分段式割刀 - 单刀割台, 粗齿刀片




1030125

分段式割刀 - 单刀割台, 粗齿刀片

参考编号	零部件号	说明	数量	系列号
		<b>12.2 米 (40 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279406	中间割刀段	3	
3	279411	右侧尾端割刀段	1	
4	129043	MACDON 拼接套件 <sup>52</sup>	4	
5	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	12	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	12	
6	294797	套件 - 40 英尺单刀 <sup>55</sup>	A/R	
A	129299	内六角 90° 沉头螺钉, #12-24 NC X 0.812 IN.		
B	135626	沉头中心锁紧螺母, #12-24 NC (50 个装)		

55. 套件包括左侧驱动杆割刀段 (MD #279405)、中间割刀段 (MD #279406)、右侧尾端割刀段 (MD #279411)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641).

## 10 分段式割刀 - 单刀割台 , 超粗齿刀片



1037324

分段式割刀 - 单刀割台，超粗齿刀片


参考编号	零部件号	说明	数量	系列号
		<b>7.6 米 (25 英尺) 割台</b>		
	<b>335513</b>	套件 - 25 英尺超粗齿单刀 <sup>56</sup>		
1	<b>335533</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
2	<b>335534</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
3	<b>335535</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
4	<b>129043</b>	拼接套件 <sup>58</sup>	<b>2</b>	
5	<b>294947</b>	超粗齿刀片包，4 SPI	<b>1</b>	
		<b>9.1 米 (30 英尺) 割台</b>		
	<b>335514</b>	套件 - 30 英尺超粗齿单刀 <sup>56</sup>		
1	<b>335533</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
2	<b>335534</b>	超粗齿割刀段组件 <sup>57</sup>	<b>2</b>	
3	<b>335536</b>	割刀段组件，4 SPI <sup>57</sup>	<b>1</b>	
4	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>58</sup>	<b>3</b>	
5	<b>294947</b>	超粗齿刀片包，4 SPI	<b>1</b>	
		<b>10.7 米 (35 英尺) 割台</b>		
	<b>335515</b>	套件 - 35 英尺超粗齿单刀 <sup>56</sup>		
1	<b>335533</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
2	<b>335534</b>	超粗齿割刀段组件 <sup>57</sup>	<b>2</b>	
3	<b>335531</b>	尾端割刀段	<b>1</b>	
4	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>58</sup>	<b>3</b>	
5	<b>294947</b>	超粗齿刀片包，4 SPI	<b>1</b>	
		<b>12.2 米 (40 英尺) 割台</b>		
	<b>335516</b>	套件 - 40 英尺超粗齿单刀 <sup>56</sup>		
1	<b>335533</b>	超粗齿割刀段组件 <sup>57</sup>	<b>1</b>	
2	<b>335534</b>	超粗齿割刀段组件 <sup>57</sup>	<b>3</b>	
3	<b>335530</b>	尾端割刀段	<b>1</b>	
4	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>58</sup>	<b>4</b>	
5	<b>294947</b>	超粗齿刀片包，4 SPI	<b>1</b>	
A	<b>129299</b>	90° 内六角沉头螺钉，#12-24 NC X 0.812 IN.		
B	<b>30669</b>	中心锁紧螺母 #12-24		

56. 完整割刀组件套件。

57. 包括紧固件。

58. 包括两个拼接条和紧固件。

## 11 分段式割刀 - 双刀割台, 粗齿刀片



1017613

分段式割刀 - 双刀割台, 粗齿刀片

注:

6.1–13.7 米 (20–45 英尺) 割台割刀成段出售; 有关整套割刀段 (不含割刀驱动杆), 请参阅下表:


参考编号	零部件号	说明	数量	系列号
		<b>4.6 米 (15 英尺) 割台</b>		
	279438	整套割刀, 细齿, 14 SPI (15 英尺割台左侧) <sup>59</sup>	1	
	279439	整套割刀, 细齿, 14 SPI (15 英尺割台右侧) <sup>59</sup>	1	
		<b>6.1 米 (20 英尺) 割台</b>		
	<b>335479</b>	套件 - 20 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279413	左侧尾端割刀段	1	
3	279414	右侧驱动杆割刀段	1	
5	129043	MACDON 拼接套件 <sup>61</sup>	1	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	3	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	3	
		<b>7.6 米 (25 英尺) 割台</b>		
	<b>335483</b>	套件 - 25 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279415	左侧尾端割刀段	1	
3	279412	右侧驱动杆割刀段	1	
4	279416	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>61</sup>	2	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	6	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	6	
		<b>9.1 米 (30 英尺) 割台</b>		
	<b>335484</b>	套件 - 30 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279417	左侧尾端割刀段	1	
3	279412	右侧驱动杆割刀段	1	
4	279418	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>61</sup>	2	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	6	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	6	

59. 15 英尺割台割刀整套出售.

60. 完整割刀组件套件。

61. 包括两个拼接条和紧固件.

分段式割刀 - 双刀割台, 粗齿刀片




1017613

分段式割刀 - 双刀割台, 粗齿刀片

参考编号	零部件号	说明	数量	系列号
		<b>10.7 米 (35 英尺) 割台</b>		
	<b>335485</b>	套件 - 35 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
2	279419	左侧尾端割刀段	1	
3	279412	右侧驱动杆割刀段	1	
4	279420	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>62</sup>	2	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	6	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	6	
		<b>12.2 米 (40 英尺) 割台</b>		
	<b>335486</b>	套件 - 40 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
1a	279399	中间割刀段	2	
2	279421	左侧尾端割刀段	1	
3	279412	右侧驱动杆割刀段	1	
4	279422	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>62</sup>	4	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	12	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	12	
		<b>13.7 米 (45 英尺) 割台</b>		
	<b>335487</b>	套件 - 45 英尺细齿双刀 <sup>60</sup>		
1	279398	左侧驱动杆割刀段	1	
1a	279399	中间割刀段	2	
2	279423	左侧尾端割刀段	1	
3	279412	右侧驱动杆割刀段	1	
4	279424	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>62</sup>	4	
6	279642	KONDEX 细齿刀片, 14 SPI (25 个装)	12	
	118491	BUSATIS 细齿刀片, 14 SPI (25 个装)	12	
A	129299	内六角 90° 沉头螺钉, #12-24 NC X 0.812 IN.		
B	135626	沉头中心锁紧螺母, #12-24 NC (50 个装)		

62. 包括两个拼接条和紧固件.

## 12 分段式割刀 - 双刀割台, 粗齿刀片



1030126

分段式割刀 - 双刀割台, 粗齿刀片

注:

6.1–13.7 米 (20–45 英尺) 割台割刀成段出售; 有关整套割刀段 (不含割刀驱动杆), 请参阅下表:


参考编号	零部件号	说明	数量	系列号
		<b>4.6 米 (15 英尺) 割台</b>		
	279440	整套割刀, 粗齿, 9 SPI (15 英尺割台左侧) <sup>63</sup>	1	
	279441	整套割刀, 粗齿, 9 SPI (15 英尺割台右侧)	1	
		<b>6.1 米 (20 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279425	左侧尾端割刀段	1	
3	279426	右侧驱动杆割刀段	1	
5	129043	MACDON 拼接套件 <sup>64</sup>	1	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	3	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	3	
		<b>7.6 米 (25 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279427	左侧尾端割刀段	1	
3	279428	右侧驱动杆割刀段	1	
4	279429	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>64</sup>	2	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	6	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	6	
		<b>9.1 米 (30 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279430	左侧尾端割刀段	1	
3	279428	右侧驱动杆割刀段	1	
4	279432	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>64</sup>	2	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	6	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	6	
7	294791	套件 - 30 英尺双刀 <sup>65</sup>	A/R	
		<b>10.7 米 (35 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
2	279431	左侧尾端割刀段	1	
3	279428	右侧驱动杆割刀段	1	
4	279433	右侧尾端割刀段	1	

63. 15 英尺割台割刀整套出售.

64. 包括两个拼接条和紧固件。

65. 套件包括左侧驱动杆割刀段 (MD #279405)、左侧尾端割刀段 (MD #279430)、右侧驱动杆割刀段 (MD #279428)、右侧尾端割刀段 (MD #279432)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641).

分段式割刀 - 双刀割台, 粗齿刀片




1030126

分段式割刀 - 双刀割台, 粗齿刀片

参考编号	零部件号	说明	数量	系列号
5	129043	MACDON 拼接套件 <sup>64</sup>	2	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	6	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	6	
7	294792	套件 - 35 英尺双刀 <sup>66</sup>	A/R	
		<b>12.2 米 (40 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
1a	279406	中间割刀段	2	
2	279434	左侧尾端割刀段	1	
3	279428	右侧驱动杆割刀段	1	
4	279435	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>64</sup>	4	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	12	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	12	
7	294793	套件 - 40 英尺双刀 <sup>67</sup>	A/R	
		<b>13.7 米 (45 英尺) 割台</b>		
1	279405	左侧驱动杆割刀段	1	
1a	279406	中间割刀段	2	
2	279436	左侧尾端割刀段	1	
3	279428	右侧驱动杆割刀段	1	
4	279437	右侧尾端割刀段	1	
5	129043	MACDON 拼接套件 <sup>64</sup>	4	
6	279641	KONDEX 粗齿刀片, 9 SPI (25 个装)	12	
	174845	BUSATIS 粗齿刀片, 9 SPI (25 个装)	12	
7	294794	套件 - 45 英尺双刀 <sup>68</sup>	A/R	
A	129299	内六角 90° 沉头螺钉, #12-24 NC X 0.812 IN.		
B	135626	沉头中心锁紧螺母, #12-24 NC (50 个装)		

- 
- 66. 套件包括左侧驱动杆割刀段 (MD #279405)、左侧尾端割刀段 (MD #279431)、右侧驱动杆割刀段 (MD #279428)、右侧尾端割刀段 (MD #279433)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641).
  - 67. 套件包括左侧驱动杆割刀段 (MD #279405)、中间割刀段 (MD #279406)、左侧尾端割刀段 (MD #279434)、右侧驱动杆割刀段 (MD #279428)、右侧尾端割刀段 (MD #279435)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641).
  - 68. 套件包括左侧驱动杆割刀段 (MD #279405)、中间割刀段 (MD #279406)、左侧尾端割刀段 (MD #279436)、右侧驱动杆割刀段 (MD #279428)、右侧尾端割刀段 (MD #279437)、拼接条 (MD #129043) 和 Kondex 粗齿刀片 (MD #279641).

## 13 分段式割刀 - 双刀割台，超粗齿刀片



1037298

## 分段式割刀 - 双刀割台，超粗齿刀片


参考编号	零部件号	说明	数量	系列号
		<b>7.6 米 (25 英尺) 割台</b>		
	<b>335508</b>	套件 - 25 英尺超粗齿双刀 <sup>69</sup>		
1	<b>335525</b>	左侧尾端割刀段	<b>1</b>	
2	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>70</sup>	<b>2</b>	
3	<b>294947</b>	超粗齿刀片包, 4 SPI	<b>1</b>	
4	<b>335520</b>	右侧尾端割刀段	<b>1</b>	
5	<b>335532</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
6	<b>335533</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
		<b>9.1 米 (30 英尺) 割台</b>		
	<b>335509</b>	套件 - 30 英尺超粗齿双刀 <sup>69</sup>		
1	<b>335526</b>	左侧尾端割刀段	<b>1</b>	
2	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>70</sup>	<b>2</b>	
3	<b>294947</b>	超粗齿刀片包, 4 SPI	<b>1</b>	
4	<b>335522</b>	右侧尾端割刀段		
5	<b>335532</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
6	<b>335533</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
		<b>10.7 米 (35 英尺) 割台</b>		
	<b>335510</b>	套件 - 35 英尺超粗齿双刀 <sup>69</sup>		
1	<b>335529</b>	左侧尾端割刀段	<b>1</b>	
2	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>70</sup>	<b>2</b>	
3	<b>294947</b>	超粗齿刀片包, 4 SPI	<b>1</b>	
4	<b>335523</b>	右侧尾端割刀段	<b>1</b>	
5	<b>335532</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
6	<b>335533</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
		<b>12.2 米 (40 英尺) 割台</b>		
	<b>335511</b>	套件 - 40 英尺超粗齿双刀 <sup>69</sup>		
1	<b>335527</b>	左侧尾端割刀段	<b>1</b>	
2	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>70</sup>	<b>4</b>	
3	<b>294947</b>	超粗齿刀片包, 4 SPI	<b>1</b>	
4	<b>335519</b>	右侧尾端割刀段	<b>1</b>	
5	<b>335532</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
6	<b>335533</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
7	<b>335534</b>	超粗齿割刀段组件 <sup>71</sup>	<b>2</b>	

69. 完整割刀组件套件。

70. 包括两个拼接条和紧固件。

71. 包括紧固件。

分段式割刀 - 双刀割台 , 超粗齿刀片




1037298

分段式割刀 - 双刀割台 , 超粗齿刀片

参考编号	零部件号	说明	数量	系列号
		<b>13.7 米 (45 英尺) 割台</b>		
	<b>335512</b>	套件 - 45 英尺超粗齿双刀 <sup>69</sup>		
1	<b>335528</b>	左侧尾端割刀段	<b>1</b>	
2	<b>129043</b>	拼接套件 2 1/8 英寸 <sup>70</sup>	<b>2</b>	
3	<b>294947</b>	超粗齿刀片包 , 4 SPI	<b>1</b>	
4	<b>335521</b>	右侧尾端割刀段	<b>1</b>	
5	<b>335532</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
6	<b>335533</b>	超粗齿割刀段组件 <sup>71</sup>	<b>1</b>	
7	<b>335534</b>	超粗齿割刀段组件 <sup>71</sup>	<b>2</b>	
A	<b>129299</b>	90° 内六角沉头螺钉 , #12-24 NC X 0.812 IN.		
B	<b>30669</b>	中心锁紧螺母 #12-24		

## 14 割刀驱动装置 - 单刀和非正时联接双刀割台



1024537

割刀驱动装置 - 单刀和非正时联接双刀割台


参考编号	零部件号	说明	数量	系列号
1	145706	单刀驱动皮带 <sup>72</sup>	1	
2	100532	驱动装置 - 摆动式驱动箱 <sup>73</sup>	1	
3	132033	金属衬垫 - 摆动式驱动箱定位片 <sup>72</sup>	1	
4	113229	销子 - 割刀驱动杆 <sup>72</sup>	1	
5	21194	润滑油嘴 90° 1/8 NPT <sup>72</sup>	1	
6	174217	割刀驱动马达 <sup>72</sup>	1	
	174304	密封套件		
7	294112	托架 - 马达座, 焊件	1	
8	174270	托架 - 马达座, 焊件, 右侧, 双刀	1	
9	174215	单刀驱动装置皮带轮 <sup>72</sup>	1	
10	21006	开口销 1/8 DIA X 2.0 镀锌 <sup>72</sup>	1	
11	125530	左侧割刀定位托架	1	
12	245943	皮带导轨 <sup>72</sup>	1	
13	102509	防护罩 <sup>72</sup>	1	
14	120141	固定件 - 摆动式驱动箱防护罩 <sup>72</sup>	1	
15	120140	防护罩 - 左侧摆动式驱动箱座	1	
	120194	防护罩 - 右侧摆动式驱动箱座	1	
16	252752	摆动式驱动箱皮带轮组件, 单刀 <sup>72</sup>	1	
17	174992	摆动式驱动箱驱动臂 <sup>72</sup>	1	
18	220009	割刀存放管 , 20 英尺割台 <sup>74</sup>	1	
	220010	割刀存放管 , 25 英尺割台 <sup>74</sup>	1	
	220011	割刀存放管, 30 英尺割台 <sup>74</sup>	1	
	220012	割刀存放管, 35 英尺割台 <sup>74</sup>	1	
	220013	割刀存放管, 40 英尺割台 <sup>74</sup>	1	
	125764	割刀存放管, 40 和 45 英尺双刀割台 <sup>74</sup>	1	
A	120900	六角头螺栓 - L9 5/8-11 UNC X 2.25 LG		
B	120899	六角头螺栓 - L9 5/8-11 UNC X 1.75 LG		
C	120901	硬化平垫圈 5/8 IN. 标号 (L9)		
D	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
E	18697	六角扭曲锁紧螺母 .500-13 UNC		
F	21583	螺栓 - HH 5/8 NC X 3.0 LG GR 5 ZP		
G	18666	六角形扭曲锁紧螺母 5/8-11 UNC ZP		
H	18723	螺栓 - HH 1/2 NC X 1.5 LG GR 5 ZP		
J	21066	螺栓 - RHSN 1/2 NC X 1 GR 5 ZP		

72. 对于非正时联接双刀驱动割台, 数量为两条。

73. 对于非正时联接双刀驱动割台, 数量为两条.有关维修件, 请参阅 [16 割刀驱动箱](#), 页码 [59](#) 部分.

74. 割刀存放管位于割台架的圆形后管内。

割刀驱动装置 - 单刀和非正时联接双刀割台




1024537

割刀驱动装置 - 单刀和非正时联接双刀割台

参考编号	零部件号	说明	数量	系列号
K	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
L	50226	螺栓 - HH 1/2 NC X 6.5 TFL GR 5 ZP		
M	21383	法兰 (锯齿面) 螺母 .500-13 UNC		
N	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
P	18603	SAE 平垫圈 1-1/16 I.D.X 2.0 IN.O.D.ZP		
Q	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
R	21472	螺栓 - RHSN 3/8 NC X 0.75 GR 5 ZP		
S	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
T	21452	法兰 (锯齿面) 螺母 .375-16 UNC		
U	30693	法兰 (锯齿面) 螺栓 .375-16 UNC X 0.50 LG		
V	135157	机器螺钉		
W	21406	螺栓 - HH 5/8 NC X 3.5 GR 5 ZP		

## 15 割刀驱动装置 - 正时联接双刀割台



1030012


割刀驱动装置 – 正时联接双刀割台

参考编号	零部件号	说明	数量	系列号
1	100532	割刀驱动装置 <sup>75</sup>	2	
2	132033	金属衬垫 – 割刀驱动装置定位片	2	
3	252753	割刀驱动装置皮带轮组件 <sup>76</sup>	2	
4	174992	动力输出臂	2	
5	113229	销子 – 割刀驱动杆	2	
6	21194	润滑油嘴, 90°, 1/8 NPT	2	
7	120753	横向传动轴支承管 (15 英尺割台)	1	
	120754	横向传动轴支承管 (20 英尺割台)	1	
	113160	横向传动轴支承管 (25 英尺割台)	1	
	113161	横向传动轴支承管 (30 英尺割台)	1	
	120755	横向传动轴支承管 (35 英尺割台)	1	
8	21010	润滑油嘴, 90°, 1/4 NPT	2	
9	120363	横向传动轴 (15 英尺割台)	1	
	120364	横向传动轴 (20 英尺割台)	1	
	120358	横向传动轴 (25 英尺割台)	1	
	120359	横向传动轴 (30 英尺割台)	1	
	120360	横向传动轴 (35 英尺割台)	1	
10	172809	马达下部支架	1	
11	294385	马达安装支架	1	
12	172812	驱动装置支架	1	
13	232147	液压马达 – 割刀驱动装置, 包括键	1	
	279003	割刀驱动马达密封套件		
	111895	割刀驱动马达方形键		
14	120812	驱动装置皮带轮, 双刀 (仅限 15–25 英尺割台)	1	
	145384	驱动装置皮带轮, 双刀 (仅限 30–35 英尺割台)	1	
15	174502	左侧皮带轮支架	1	
16	174501	右侧皮带轮支架	1	
17	21859	横轴轴承, 1-3/16 英寸内径	2	
18	49306	外部法兰	2	
19	47858	内部法兰	2	

75. 请参阅 16 割刀驱动箱, 页码 59 部分.

76. 包括螺栓 (MD #21406) 和螺母 (MD #18666).

割刀驱动装置 - 正时联接双刀割台



1030012


割刀驱动装置 - 正时联接双刀割台

参考编号	零部件号	说明	数量	系列号
20	120814	正时联接皮带, 双刀 (仅限 15-25 英尺割台)	1	
	120057	传动皮带, 双刀 (仅限 30-35 英尺割台)	1	
21	101853	皮带轮	1	
22	120056	正时联接齿形皮带轮 (72 齿)	2	
23	13298	半圆键, 横向传动轴, 1/4 X 1-1/8 IN.	2	
24	30034	横向传动轴锥形轴套	2	
25	30548	正时联接皮带	2	
26	132415	皮带导轨	2	
27	102509	驱动箱防护罩	2	
28	50187	润滑油嘴, 弯接头	2	
29	120366	润滑油嘴连接器	2	
30	112968	润滑软管	2	
31	120365	润滑油嘴弯接头	2	
32	18598	平垫圈, 13/32 英寸内径	2	
33	50188	润滑油嘴, 1/8 NPT 内螺纹	2	
34	220701	泡沫块	2	
35	220706	泡沫块 <sup>77</sup>		
36	30514	惰轮	2	
37	253517	皮带轮隔套	2	
38	226673	惰轮支架	2	
39	220009	割刀存放管 (20 英尺割台) <sup>78</sup>	1	
	220010	割刀存放管 (25 英尺割台) <sup>78</sup>	1	
	220011	割刀存放管 (30 英尺割台) <sup>78</sup>	1	
	220012	割刀存放管 (35 英尺割台) <sup>78</sup>	1	
	220013	割刀存放管 (40 英尺割台) <sup>78</sup>	1	
	125764	割刀存放管 (40-45 英尺双刀割台) <sup>78</sup>		
40	125530	割刀定位托架	1	
A	120900	六角头螺栓 L9, 5/8 NC X 2-1/4 英寸		
B	120899	六角头螺栓 L9, 5/8 NC X 1-3/4 英寸		
C	120901	硬化平垫圈, L9, 5/8 IN.I.D.		
D	21491	六角头螺栓, 1/2 NC X 1-1/4 英寸, GR 5		
E	18697	扭曲螺纹锁紧螺母 1/2 NC		
F	21583	六角头螺栓, 5/8 NC X 3 英寸, GR 5		
G	18666	扭曲螺纹锁紧螺母 5/8 NC		
H	6647	平垫圈, 19.8 MM 内径 X 50 MM 外径 X 6 MM 厚		

77. 数量: 20 英尺割台 2 块, 25-40 英尺割台 4 块.

78. 割刀存放管位于割台架的圆形后管内.

割刀驱动装置 - 正时联接双刀割台




1030012

## 割刀驱动装置 - 正时联接双刀割台

参考编号	零部件号	说明	数量	系列号
J	21066	螺栓 - RHSN, 1/2 NC X 1 英寸, GR 5		
K	50186	法兰光滑面扭曲螺纹螺母 1/2 NC		
L	18640	锁紧垫圈 3/4 NC I.D.		
M	102636	六角头扭曲螺纹侧边锁紧螺母 3/4 NC		
N	21471	螺栓 - RHSN, 1/2 NC X 1-1/4 英寸, GR 5		
P	112129	六角头扭曲螺纹螺母 3/4 UNF		
Q	21863	螺栓 - RHSN, 3/8 NC X 3/4 英寸, GR 5		
R	30228	法兰光滑面扭曲螺纹螺母 3/8 NC		
S	18637	锁紧垫圈, 3/8 英寸内径		
T	21264	六角头螺栓, 3/8 NC X 1-1/4 英寸, GR 5		
U	30299	六角头螺栓, 1/2 NC X 4 英寸, 全螺纹, GR 5		
V	21383	法兰锯齿面螺母, 1/2 NC		
W	120232	螺栓 - RHSN, 5/2 NC X 2-1/2 英寸, GR 1		
X	21389	锁紧螺母, 1/2 NC		
Y	30693	法兰锯齿面螺栓, 3/8 NC X 1/2 英寸		
Z	18601	平垫圈, 13/16 内径 X 1-1/2 英寸外径		
AA	4761	平垫圈, 13.5 MM 内径 X 35 MM 外径 X 4.5 MM 厚		
AB	18525	螺栓 - RHSN, 5/8 NC X 2-1/2 英寸, GR 5		
AC	50225	法兰扭曲螺母 5/8-11 UNC GR 5 AA1J		
AD	10254	平垫圈		
AE	21452	法兰 (锯齿面) 螺母 .375-16 UNC		
AF	21472	螺栓 - RHSN 3/8-16 X .75, GR 5		
AG	21406	螺栓 - HH 5/8 NC X 3.5 GR 5 ZP		

## 16 割刀驱动箱



1016902



## 割刀驱动箱

注:

组装前, 在动力输出轭 (MD #100706) 和动力输入轴 (MD #100710) 上涂上粘合剂 (Loctite® 603 或等效产品).

参考编号	零部件号	说明	数量	系列号
	100532	割刀驱动装置, 整套	1	
1	100706	动力输出轭	1	
2	100707	动力输出轴油封	1	
3	100708	青铜衬套	1	
4	252423	内六角塞	2	
5	100726	钢质衬套	1	
7	100709	特殊螺母	1	
8	100710	动力输入轴	1	
9	102629	隔套 - 60 MM O.D.	1	
10	100712	O型密封环	1	
11	102630	动力输入轴油封, 60 MM I.D.	1	
12	100714	锥形轴承和轴承外环组件	1	
13	103096	放油塞	2	
14	100715	锁紧螺母, M55 X 2 IN.	1	
15	100716	通气塞, 包括量油尺	1	
16	100717	锥形轴承和轴承外环组件	1	
17	100718	锁紧螺母, M30 X 1.5 IN.	1	
18	100719	防尘盖	1	
19	113152	动力输入轴调整垫片	1	
20	100720	锥形轴承和轴承外环组件	2	
21	100721	枢轴	1	
22	100722	内卡簧	2	
23	100723	青铜衬套	2	
24	113153	凹头螺栓, M10 X 50 MM	8	
25	139003	割刀驱动箱拆卸/组装工具套件	A/R	

## 17 割刀液压驱动装置 - 单刀 (D120、D130、D135 和 D140)



1026964


割刀液压驱动装置 - 单刀 ( D120、D130、D135 和 D140 )

注:

图示; 顶部: 20 英尺, 底部: 40 英尺

参考编号	零部件号	说明	数量	系列号
1	132903	液压软管	1	
2	132904	液压软管	1	
3	255866	护罩焊件 - 刚性割台液压连接件 (仅限 20 英尺割台)	1	
4	30314	90° 液压弯头	1	
5	30610	液压接头	2	
6	30819	1/2 英寸液压直通接头	1	
7	21069	管螺母 37° JIC 1/2 英寸	1	
8	30981	减径液压转接器 1/2" X 3/8"	1	
9	50086	液压 T 型管接头	1	
10	135372	3/4 英寸液压接头, 穿板式, 37° JIC	3	
11	40703	扎带 (蓝色)	1	
12	40704	橙色扎带	1	
13	254109	刚性割台割刀液压驱动连接件护罩 (仅限 40 英尺割台)	1	
14	125722	橡胶防护圈 - 99 毫米内径	2	
15	135240	45° 液压弯头	2	
16	174258	金属液压管 - 40 英尺刚性割台割刀驱动压力油路	1	
17	174259	金属液压管 - 40 英尺刚性单刀割台割刀驱动回油油路	1	
A	50076	螺栓 - 六角头法兰 (锯齿面) 3/8 NC X 0.63 GR 5 ZP		
B	18603	SAE 平垫圈 1 1/16 ID X 2.0 IN OD ZP (仅限 40 英尺割台)		

## **18 割刀液压驱动装置 – 单刀 ( D125、D130 和 D135 )**




1032154

割刀液压驱动装置 – 单刀 ( D125、D130 和 D135 )

参考编号	零部件号	说明	数量	系列号
1	30314	90° 液压弯头	1	
2	30819	1/2 英寸液压直通接头	1	
3	21069	管螺母 37° JIC 1/2 英寸	1	
4	30981	减径液压转接器 1/2" X 3/8"	1	
5	40703	扎带 (蓝色)	1	
6	40704	橙色扎带	1	
7	50086	液压 T 型接管头	1	
8	135182	45° 液压弯头, 包括 O 型密封圈	2	
9	135190	边缘密封保护条	1	
10	135372	3/4 英寸液压接头, 穿板式, 37° JIC	3	
11	120573	液压软管 (仅限 25 英尺割台)	1	
	120574	液压软管 (仅限 30 英尺割台)	1	
	120575	液压软管 (仅限 35 英尺割台)	1	
12	120577	液压软管 (仅限 25 英尺割台)	1	
	174356	液压软管 (仅限 30 英尺割台)	1	
	174357	液压软管 (仅限 35 英尺割台)	1	
13	255506	护罩焊件 – 刚性割台液压连接件 (仅限 25 英尺割台)	1	
	304320	护罩焊件 – 刚性割台液压连接件 (仅限 30 英尺割台)	1	
	304322	护罩焊件 – 割刀液压驱动连接件 (仅限 35 英尺割台)	1	
14	31889	防护圈带 (仅限 30 英尺割台)	1	
15	165417	割刀驱动装置液压软管护罩 (仅限 35 英尺割台)	1	
A	50076	螺栓 – 六角头法兰 (锯齿面) 3/8 NC X 0.63 GR 5 ZP		
B	30693	法兰锯齿面螺栓 .375-16 UNC X 0.50 LG (仅限 35 英尺割台)		
C	18963	平垫圈		

## 19 割刀液压驱动装置 – 正时联接双刀(D115)




1025303

割刀液压驱动装置 – 正时联接双刀(D115)

参考编号	零部件号	说明	数量	系列号
1	21069	管螺母 37° JIC 1/2 英寸	1	
2	30314	90° 液压弯头	1	
3	30981	减径液压转接器 1/2" X 3/8"	1	
4	40703	扎带 (蓝色)	1	
5	40704	橙色扎带	1	
6	50050	T型液压直通支管接头, 包括 O型密封环	1	
7	50098	45° 液压弯头, 包括 O型密封圈	1	
8	50175	90° 液压弯头	1	
9	120377	安全阀	1	
10	255764	托架, 包括贴标 <sup>79</sup>	1	
11	132396	金属管	1	
12	135255	液压接头, 包括 O型密封环	1	
13	135380	液压内螺纹接头	1	
14	252520	液压 T型管接头	1	
	44210	O型密封环 - #10 ORB		
15	255253	液压金属管	1	
16	135204	连接件 – 液压母接头, 3/4 英寸, 平面, 穿板式	1	
17	135205	连接件 – 液压公接头, 3/4 英寸, 平面, 穿板式	1	
18	135206	连接件 – 液压母接头, 1/2 英寸, 平面, 穿板式	1	
19	135213	连接件 – 液压母接头, 3/8 英寸, 平面, 穿板式	1	

79. 包括贴标 (MD #184422).

## 20 割刀液压驱动装置 – 正时联接双刀(D120)




1026965

割刀液压驱动装置 – 正时联接双刀(D120)

参考编号	零部件号	说明	数量	系列号
1	21069	管螺母 37° JIC 1/2 英寸	1	
2	30981	减径液压转接器 1/2" X 3/8"	1	
3	120377	安全阀	1	
4	135255	液压接头, 包括 O 型密封环	1	
5	40703	扎带 (蓝色)	1	
6	40704	橙色扎带	1	
7	21801	90° 液压弯头	1	
8	30819	1/2 英寸液压直通接头	1	
9	30970	90° 液压弯头	1	
10	50086	液压 T 型管接头	1	
11	108268	液压 T 型管接头	1	
12	255866	护罩焊件 – 刚性割台液压连接件	1	
13	132903	液压软管	1	
14	132904	液压软管	1	
15	135372	3/4 英寸液压接头, 穿板式, 37° JIC	3	
16	135612	长液压弯头	1	
17	255211	液压软管	1	
A	50076	螺栓 – 六角头法兰 (锯齿面) 3/8 NC X 0.63 GR 5 ZP		

## 21 割刀液压驱动装置 – 正时联接双刀 (D125、D130 和 D135)




1032155

割刀液压驱动装置 – 正时联接双刀 ( D125、D130 和 D135 )

参考编号	零部件号	说明	数量	系列号
1	21801	90° 液压弯头	1	
2	21830	液压接头	2	
3	30819	1/2 英寸液压直通接头	1	
4	21069	管螺母 37° JIC 1/2 英寸	1	
5	30981	减径液压转接器 1/2" X 3/8"	1	
6	50086	液压 T 型管接头	1	
7	108268	液压 T 型管接头	1	
8	135190	边缘密封保护条	1	
9	120377	安全阀	1	
10	135255	液压接头, 包括 O 型密封环	1	
11	135372	3/4 英寸液压接头, 穿板式, 37° JIC	3	
12	40703	扎带(蓝色)	1	
13	40704	橙色扎带	1	
14	120573	液压软管(仅限 25 英尺割台)	1	
	120574	液压软管(仅限 30 英尺割台)	1	
	120575	液压软管(仅限 35 英尺割台)	1	
15	120577	液压软管(仅限 25 英尺割台)	1	
	174356	液压软管(仅限 30 英尺割台)	1	
	174357	液压软管(仅限 35 英尺割台)	1	
16	255311	液压软管(仅限 25 英尺割台)	1	
	254047	液压软管(仅限 30 英尺割台)	1	
	254044	液压软管(仅限 35 英尺割台)	1	
17	255506	护罩焊件 – 刚性割台液压连接件(仅限 25 英尺割台)	1	
	304320	护罩焊件 – 刚性割台液压连接件(仅限 30 英尺割台)	1	
	304322	护罩焊件 – 割刀液压驱动连接件(仅限 35 英尺割台)	1	
18	31889	防护圈带(仅限 30 英尺割台)	1	
19	165417	割刀驱动装置液压软管护罩(仅限 35 英尺割台)	1	
A	50076	螺栓 – 六角头法兰(锯齿面) 3/8 NC X 0.63 GR 5 ZP		
B	30693	法兰锯齿面螺栓 .375-16 UNC X 0.50 LG(仅限 35 英尺割台)		
C	18963	平垫圈		

## 22 割刀液压驱动装置 - 非正时联接双刀 (D140 和 D145)




1016495

割刀液压驱动装置 – 非正时联接双刀 ( D140 和 D145 )

参考编号	零部件号	说明	数量	系列号
1	30376	液压接头	1	
2	30610	液压接头	4	
3	30819	1/2 英寸液压直通接头	1	
4	21069	管螺母, 37° JIC 1/2 英寸	2	
5	30981	减径液压转接器 1/2" X 3/8"	2	
6	50086	液压 T 型管接头	1	
7	50104	90° 液压弯头	1	
8	108268	液压 T 型管接头	1	
9	125670	金属液压管 – 左侧/右侧割刀驱动油路	1	
10	125672	液压软管 (仅限 40 英尺割台)	1	
	165294	液压软管 (仅限 45 英尺割台)	1	
11	125722	橡胶防护圈 – 99 毫米内径, 131 毫米外径	3	
12	135240	45° 液压弯头	2	
13	135372	3/4 英寸液压接头, 穿板式, 37° JIC	3	
14	135685	45° 液压弯头	1	
15	174256	液压软管 (仅限 40 英尺割台)	1	
	165294	液压软管 (仅限 45 英尺割台)	1	
16	165297	金属直管 – 直径 3/4 英寸, 4220, 45 RH 压力	1	
17	174258	金属液压管 – 刚性割台割刀驱动压力油路 (仅限 40 英尺割台)	1	
	294996	金属液压管 – 刚性割台割刀驱动压力油路 (仅限 45 英尺割台)	1	
18	174260	金属液压管 – 刚性割台右侧割刀驱动回油油路	1	
19	174300	壳体回油液压软管 – 柔性和刚性割台 (仅限 40 英尺割台)	1	
	174299	壳体回油液压软管 – 柔性和刚性割台 (仅限 45 英尺割台)	1	
20	254109	刚性割台割刀液压驱动连接件护罩	1	
21	40703	扎带 (蓝色)	3	
22	40704	扎带 (橙色)	1	
A	18603	SAE 平垫圈 1-1/16 ID X 2.0 IN OD ZP		
B	50076	螺栓 – 六角头法兰 (锯齿面) 3/8 NC X 0.63 GR 5 ZP		

## 23 输送带支承和张紧装置



1026942

输送带支承和张紧装置


参考编号	零部件号	说明	数量	系列号
1	294472	输送带支承焊件 – 包括贴标 (15 英尺割台, 左侧)	1	
	294473	输送带支承焊件 – 包括贴标 (15 英尺割台, 右侧)	1	
	245023	输送带支承焊件 – 包括贴标 (20 英尺割台, 左侧)	1	
	245025	输送带支承焊件 – 包括贴标 (20 英尺割台, 右侧)	1	
	245027	输送带支承焊件 – 包括贴标 (25 英尺割台, 左侧)	1	
	245029	输送带支承焊件 – 包括贴标 (25 英尺割台, 右侧)	1	
	245031	输送带支承焊件 – 包括贴标 (30 英尺割台, 左侧)	1	
	245033	输送带支承焊件 – 包括贴标 (30 英尺割台, 右侧)	1	
	245035	输送带支承焊件 – 包括贴标 (35 英尺割台, 左侧)	1	
	245037	输送带支承焊件 – 包括贴标 (35 英尺割台, 右侧)	1	
	245039	输送带支承焊件 – 包括贴标 (40 英尺割台, 左侧)	1	
	245041	输送带支承焊件 – 包括贴标 (40 英尺割台, 右侧)	1	
2	123949	输送带支承焊件 – 内侧 (45 英尺, 左侧)	1	
	123948	输送带支承焊件 – 内侧 (40 英尺右侧分开式割台架和 45 英尺右侧 )	1	
3	<b>245042</b>	输送带支承焊件 – 外侧 (40 英尺右侧分开式割台架 )	<b>1</b>	
	125602	输送带支承焊件 – 外侧 (45 英尺, 左侧)	1	
	125607	输送带支承焊件 – 外侧 (45 英尺, 右侧)	1	
4	220936	液压马达 220 DANFOSS 2.44 CI	2	
	123306	半圆键 (1/4 X 1 NOM.)		
	220944	密封套件		
5	145148	左侧辊支撑臂	1	
	120058	右侧辊支撑臂	1	
6	255410	肋辊组件 , 带螺钉 <sup>80</sup>	2	
7	165735	输送带辊销组件 <sup>81</sup>	6	
8	120845	NILOS LSTO 钢制圆盘密封	10	
9	132607	双列滚珠轴承 52 MM O.D.25 MM I.D.	6	
10	255416	左侧输送带支承平移臂焊件	1	
	255417	右侧输送带支承平移臂焊件	1	
11	174714	惰辊组件 <sup>82</sup>	2	
12	145122	后部支撑臂	2	
13	145106	辊支撑臂	2	
14	220183	左侧稳定构件焊件	1	
	220184	右侧稳定构件焊件	1	
15	220181	直角曲柄焊件	2	

80. 包括钢制圆盘密封 (MD #120845)、输送带辊销组件 (MD #165735) 和两颗固定螺钉 (MD #132451)。

81. 包括双列滚珠轴承 (MD #132607)。

82. 包括钢制圆盘密封 (MD #120845) 和输送带辊销组件 (MD #165735)。

## 输送带支承和张紧装置



1026942

## 输送带支承和张紧装置

参考编号	零部件号	说明	数量	系列号
16	120462	压力支撑焊件	2	
17	145593	调节杆焊件, 驱动端	2	
18	145345	调节杆焊件, 从动端	2	
19	145357	从动臂托架	2	
20	145428	指示器	2	
21	145548	钢板弹簧 (张紧装置)	2	
22	304783	固定板	2	
23	125588	左侧背板延长板	1	
	125589	右侧背板延长板	1	
24	132531	隔套 - 12.95 毫米内径, 19.05 毫米外径, 15 毫米长	2	
25	132532	隔套 - 9.75 毫米内径, 12.7 毫米外径, 12 毫米长	2	
26	18604	开口销 3/32 DIA X 3/4 ZP	2	
27	145840	背板导片 <sup>83</sup>	2/4	
28	132096	固定片 (仅限 25–45 英尺割台)	1	
29	220634	输送带 - 15 英尺, WCCO <sup>84</sup>	2	
	220635	输送带 - 20 英尺, WCCO <sup>84</sup>	2	
	220636	输送带 - 25 英尺, WCCO <sup>84</sup>	2	
	220637	输送带 - 30 英尺, WCCO <sup>84</sup>	2	
	172195	输送带 - 30 英尺, LEGG (选件) <sup>84</sup>	2	
	220638	输送带 - 35 英尺, WCCO <sup>84</sup>	2	
	172196	输送带 - 35 英尺, LEGG (选件) <sup>84</sup>	2	
	220639	输送带 - 40 英尺/40 英尺分开式, WCCO <sup>84</sup>	2	
	172197	输送带 - 40 英尺/40 英尺分开式, LEGG (选件) <sup>84</sup>	2	
	220640	输送带 - 45 英尺, WCCO <sup>84</sup>	2	
	172198	输送带 - 45 英尺, LEGG (选件) <sup>84</sup>	2	
	220642	输送带 - 150 英尺大卷	A/R	
	220641	输送带 - 维修套件 <sup>85</sup>	A/R	
30	120009	输送带支承托架 (铸件) <sup>86</sup>	4/10	
31	129913	输送带支承托架 (铸件) <sup>87</sup>	2/4	
32	220176	支承 - 带螺纹孔 <sup>88</sup>	4	
33	18867	滚珠轴承 - CYL, 包括两个密封圈 <sup>88</sup>	4	
34	132692	安装条焊件 (仅限 45 英尺割台)	2	
35	125622	输送带支承中心托架 (仅限 45 英尺割台)	1	

83. 数量: 25 和 45 英尺割台 2 个, 30–40 英尺割台 4 个.

84. 包括板条连接器套件 MD #132777.


85. 包括 20 英寸输送带材料和两个连接器板条.

86. 数量: 20–40 英尺割台 4 个, 45 英尺割台 10 个.

87. 数量: 25–30 英尺割台 2 个, 35–40 英尺割台 4 个.

88. 不包括 45 英尺割台.

## 输送带支承和张紧装置



1026942

## 输送带支承和张紧装置


参考编号	零部件号	说明	数量	系列号
36	220418	下部输送带轨道托架 (30 FT RG)	2	
	220264	下部输送带轨道托架 (35 FT RG)	2	
	220391	下部输送带轨道托架 (40-45 FT RG)	2	
37	132777	板条连接器套件 <sup>89</sup>	A/R	
	172710	输送带连接紧固件套件 <sup>90</sup>	A/R	
38	294858	锥形输送带耐磨卡 , 25 个装 <sup>91</sup>	A/R	
	294859	方形输送带耐磨卡 , 25 个装 <sup>91</sup>	A/R	
A	30441	硬化垫圈		
B	145249	螺栓 - HH 5/8 NF X 1.0 LG GR 5 ZP		
C	132451	六角凹头固定螺钉 PT 3/8 NC X 3/8 LG		
D	172259	轴肩螺栓 .375-16 UNC		
E	145361	特殊螺母		
F	18598	SAE 平垫圈 13/32 I.D.X 13/16 IN.O.D.ZP		
G	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
H	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
J	19966	螺栓 - RHSN 3/8 NC X 1.25 LG GR 5 ZP		
K	21471	螺栓 - RHSN 1/2 NC X 1.25 GR 5 ZP		
L	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
M	135157	机器螺钉		
N	18590	六角头螺母 3/8, 16 UNC GR 5 ZP		
P	135906	螺栓 - HH 5/8 NC X 7.5 LG TFL GR 5 ZP		
Q	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
R	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
S	137727	六角扭曲锁紧螺母 1/2-13 UNC GR 5 ZP		
T	42592	平垫圈		
U	19965	螺栓 - RHSN 3/8 NC X 1.0 GR 5 ZP		
V	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
W	21066	螺栓 - RHSN 1/2 NC X 1 GR 5 ZP		
X	20535	平垫圈		
Y	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
Z	30693	法兰 (锯齿面) 螺母 .375-16 UNC X 0.50 LG		
AA	101897	六角头垫圈滚轧螺纹螺钉 3/8 NC X 3/4		
AB	18697	六角扭曲锁紧螺母 .500-13 UNC		

89. 包括两条方管和连接紧固件。

90. 包括 25 个螺丝和螺母。

91. 此套件包含 25 个耐磨卡 (NSS) 和说明。对于 15–25 英尺割台，每个输送带需要一个套件，对于 30–45 英尺割台，每个输送带需要两个套件。

## 输送带支承和张紧装置



1026942


输送带支承和张紧装置

参考编号	零部件号	说明	数量	系列号
AC	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
AD	172363	垫圈 - BELLEVILLE 3/8 <sup>92</sup>		

---

92. 仅限 45 英尺割台.

## 24 输送带导流装置 - 割晒机




1025279

输送带导流装置 - 割晒机

参考编号	零部件号	说明	数量	系列号
1	125749	左侧输送带导流装置	1	
	125751	右侧输送带导流装置	1	
2	172327	左侧输送带导流装置托架	1	
	172328	右侧输送带导流装置托架	1	
A	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
B	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		

## 25 输送带背板导流板




1016883

## 输送带背板导流板

参考编号	零部件号	说明	数量	系列号
1	123662	导流板 - 25 英尺	2	
2	123937	导流板 - 30 英尺 (左侧)	2	
	123939	导流板 - 35 英尺 (左侧)	2	
	245114	导流板 - 40 英尺 (左侧)	2	
3	123938	导流板 - 30 英尺 (右侧)	2	
	123940	导流板 - 35 英尺 (右侧)	2	
	245115	导流板 - 40 英尺 (右侧)	2	
A	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
B	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		

## 26 输送带驱动装置 – 手动输送带支承平移 (D115 和 D120)




1025314

输送带驱动装置 - 手动输送带支承平移 ( D115 和 D120 )

参考编号	零部件号	说明	数量	系列号
1	120568	液压软管 (仅限 15 英尺割台)	1	
	159587	液压软管 (仅限 20 英尺割台)	1	
2	120988	液压软管 (仅限 15 英尺割台)	1	
	120570	液压软管 (仅限 20 英尺割台)	1	
3	220491	液压软管 (仅限 15 英尺割台)	1	
	220412	液压软管 (仅限 20 英尺割台)	1	
4	132867	液压软管, 1/2 英寸内径, 3440 毫米长, 金属加固	1	
5	103351	托架	2	
6	245964	软管托架	1	
7	50022	固定夹 - PVC 包裹, 15/16 英寸 <sup>93</sup>		
8	145558	压板 - 输送带支承平移	2	
9	21763	黑色扎带	2	
10	50103	45° 液压弯头, 包括 O 型密封圈	4	
11	50104	90° 液压弯头	1	
A	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
B	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
C	21975	螺栓 - HH FLG (锯齿面) 3/8 NC X 1.0 GR 5 ZP		
D	18600	SAE 平垫圈 21/32 I.D.X 1-5/16 IN.O.D.ZP		
E	21582	六角头螺栓 0.625-11 UNC X 1.75		

93. 数量: 15 英尺割台 1 个, 20 英尺割台 2 个.

## 27 输送带驱动装置 – 手动输送带支承平移 ( D125、D130、D135 和 D140 )




1025315

输送带驱动装置 – 手动输送带支承平移 ( D125、D130、D135 和 D140 )

参考编号	零部件号	说明	数量	系列号
1	159587	液压软管 , 1/4 英寸内径 , 2350 毫米长 , 金属加固	1	
2	120570	液压软管 , 1/2 英寸内径 , 2200 毫米长 , 金属加固	1	
3	220412	液压软管 , 1/2 英寸内径 , 5250 毫米长 , 金属加固	1	
4	132867	液压软管 , 1/2 英寸内径 , 3440 毫米长 , 金属加固	1	
5	132017	塑料隔套	1	
6	103351	托架	2	
7	132870	左侧固定架 , 带防滑条 <sup>94</sup>	1	
	132871	右侧固定架 , 带防滑条 <sup>94</sup>	1	
8	132117	防滑条	4	
9	135725	软管卡箍	1	
10	30639	软管卡箍	1	
11	50022	固定夹 - PVC 包裹 , 15/16 英寸	2	
12	145558	压板 - 输送带支承平移	2	
13	21763	黑色扎带	1	
14	50103	45° 液压弯头 , 包括 O 型密封圈	4	
15	50104	90° 液压弯头	1	
A	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
B	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
C	18600	SAE 平垫圈 21/32 I.D.X 1-5/16 IN.O.D.ZP		
D	21582	六角头螺栓 0.625-11 UNC X 1.75		
E	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		

94. 包括防滑条 (MD #132117)。

## 28 输送带驱动装置 – 手动输送带支承平移 (D145)




1025320

输送带驱动装置 - 手动输送带支承平移 (D145)

参考编号	零部件号	说明	数量	系列号
1	159587	液压软管, 1/4 英寸内径, 2350 毫米长, 金属加固	1	
2	255455	液压软管, 5/8 英寸内径, 2200 毫米长, 金属加固	1	
3	255456	液压软管, 5/8 英寸内径, 5250 毫米长, 金属加固	1	
4	279286	液压软管, 5/8 英寸内径, 3440 毫米长, 金属加固	1	
5	294080	托架	2	
6	245965	软管托架	1	
7	50022	固定夹 - PVC 包裹, 15/16 英寸	2	
8	135443	自粘绑带, 4 英寸长	3	
9	50103	45° 液压弯头, 包括 O 型密封圈	4	
10	50104	90° 液压弯头	1	
A	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
B	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
C	21975	螺栓 – HH FLG (锯齿面) 3/8 NC X 1.0 GR 5 ZP		


## 29 输送带驱动装置 - 液压输送带支承平移 (D125) - 2019 年及以前的型号



参考编号	零部件号	说明	数量	系列号
1	21031	液压接头	2	-371189
2	21843	90° 液压弯头	3	-371189
3	21881	液压接头	2	-371189
4	50103	45° 液压弯头, 包括 O 型密封圈	7	-371189
5	50104	90° 液压弯头	1	-371189
6	102602	柱螺栓	2	-371189
7	100581	止动件	4	-371189
8	103351	托架	2	-371189
9	103738	固定夹 – PVC 包裹, 13/16 英寸管	1	-371189
10	120371	链轮 – RC60B-10T	2	-371189
11	120374	液压马达, 4 螺栓, 左侧输送带支承	1	-371189
	220672	密封套件		-371189
	16605	歧管接口 O 型密封环		-371189
12	120518	液压马达, 4 螺栓, 右侧输送带支承	1	-371189
	132758	密封套件		-371189
13	120563	液压软管, 3/8 英寸内径, 3490 毫米长, 金属加固	1	-371189
14	120566	液压软管, 1/2 英寸内径, 1750 毫米长, 金属加固	1	-371189
15	120584	液压软管, 3/8 英寸内径, 3485 毫米长, 金属加固	1	-371189
16	120588	液压软管, 1/2 英寸内径, 3200 毫米长, 金属加固	2	-371189
17	120589	液压软管, 1/4 英寸内径, 3800 毫米长, 金属加固	1	-371189
18	120989	液压软管, 1/2 英寸内径, 1430 毫米长, 金属加固	1	-371189
19	123982	防护圈 – 53.7 毫米内径	1	-371189
20	125478	右侧输送带支承平移链罩	1	-371189
21	125565	左侧输送带支承平移链罩	1	-371189
22	125566	输送带支承平移链罩	2	-371189
23	125652	左侧输送带支承软管导板焊件	1	-371189
24	132015	软管保护套 (1.75 英寸内径, 2400 毫米长)	1	-371189
25	132017	塑料套管 (1.6 英寸内径, 450 毫米长)	1	-371189
26	132021	链导片垫片	4	-371189
27	132867	液压软管, 1/2 英寸内径, 3440 毫米长, 金属加固	2	-371189
28	135372	3/4 英寸液压长直通管接头, 37° 扩口	1	-371189
29	135725	软管卡箍	1	-371189
30	30639	软管卡箍	1	-371189
31	252942	PVC 包裹固定夹 1 英寸	3	-371189
32	145168	传动链 60	2	-371189
33	145983	二位四通电磁阀 <sup>95</sup>	1	-371189
	132786	密封套件		-371189

95. 有关维修件, 请参阅 32 输送带支承平移 – 阀门, 页码 103.

输送带驱动装置 – 液压输送带支承平移 (D125) – 2019 年及以前的型号




1031529

输送带驱动装置 – 液压输送带支承平移 (**D125**) – 2019 年及以前的型号

参考编号	零部件号	说明	数量	系列号
34	163585	自粘绑带, 可悬挂	4	-371189
35	165040	输送带支承平移链导片	2	-371189
36	172899	防护圈 – 1.75 英寸内径	2	-371189
37	253741	软管防护罩, 包括单卡 <sup>96</sup>	1	-371189
38	253740	防滑条	4	-371189
39	255344	液压输送带支承平移接线, D100	1	-371189
40	135443	自粘绑带, 4 英寸长	1	-371189
A	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
B	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
C	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
D	21345	六角锁紧螺母 5/8-11 UNC GR 5 ZP		
E	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
F	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
G	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
H	30942	螺栓 – HH 1/4 NC X 1.25 LG GR 5 ZP		
J	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
K	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
L	135295	固定六角凹头螺钉 PT 3/8 NC X 3/4 LG		
M	136043	螺栓 – RHSN 5/8-11 X 1.75-GR 5-ZP		
N	135247	凹头螺栓 5/16 NC X 5.5 LG GR 5 ZP		

96. 包括防滑条 (MD #253740).

## 30 输送带驱动装置 - 液压输送带支承平移 (D125) - 2020 年及以后的型号




1031537

参考编号	零部件号	说明	数量	系列号
1	21031	液压接头	2	371190–
2	21843	90° 液压弯头	3	371190–
3	21881	液压接头	2	371190–
4	50103	45° 液压弯头, 包括 O 型密封圈	7	371190–
5	50104	90° 液压弯头	1	371190–
6	102602	柱螺栓	2	371190–
7	100581	止动件	4	371190–
8	103351	托架	2	371190–
9	30753	扎带(黑色), 305 毫米长	1	371190–
10	120371	链轮 – RC60B-10T	2	371190–
11	120374	液压马达, 4 螺栓, 左侧输送带支承	1	371190–
	220672	密封套件		371190–
	16605	歧管接口 O 型密封环		371190–
12	120518	液压马达, 4 螺栓, 右侧输送带支承	1	371190–
	132758	密封套件		371190–
13	120563	液压软管, 3/8 英寸内径, 3490 毫米长, 金属加固	1	371190–
14	120566	液压软管, 1/2 英寸内径, 1750 毫米长, 金属加固	1	371190–
15	120584	液压软管, 3/8 英寸内径, 3485 毫米长, 金属加固	1	371190–
16	120588	液压软管, 1/2 英寸内径, 3200 毫米长, 金属加固	2	371190–
17	120589	液压软管, 1/4 英寸内径, 3800 毫米长, 金属加固	1	371190–
18	120989	液压软管, 1/2 英寸内径, 1430 毫米长, 金属加固	1	371190–
19	123982	防护圈 – 53.7 毫米内径	1	371190–
20	125478	右侧输送带支承平移链罩	1	371190–
21	125565	左侧输送带支承平移链罩	1	371190–
22	125566	输送带支承平移链罩	2	371190–
23	311783	输送带支承软管导板焊件	2	371190–
24	254190	软管保护套 ( 2.17 英寸内径, 1600 毫米长 )	1	371190–
25	254187	软管保护套 ( 1.75 英寸内径, 2000 毫米长 )	1	371190–
26	132021	链导片垫片	4	371190–
27	254131	液压软管, 1/2 英寸内径, 6240 毫米长, 金属加固	1	371190–
28	254132	液压软管, 1/2 英寸内径, 6040 毫米长, 金属加固	1	371190–
29	135372	3/4 英寸液压长直通接管接头, 37° 扩口	1	371190–
30	252942	PVC 包裹固定夹 1 英寸	6	371190–
31	145168	传动链 60	2	371190–
32	145983	二位四通电磁阀 <sup>97</sup>	1	371190–
	132786	密封套件		371190–
33	163585	自粘绑带, 可悬挂	4	371190–

97. 有关维修件 , 请参阅 32 输送带支承平移 – 阀门 , 页码 103。

输送带驱动装置 – 液压输送带支承平移 (D125) – 2020 年及以后的型号




1031537

输送带驱动装置 – 液压输送带支承平移 (**D125**) – 2020 年及以后的型号

参考编号	零部件号	说明	数量	系列号
34	165040	输送带支承平移链导片	2	371190–
35	172899	防护圈 – 1.75 英寸内径	4	371190–
36	253741	软管防护罩，包括单卡 <sup>98</sup>	1	371190–
37	253740	防滑条	4	371190–
38	255344	液压输送带支承平移接线, D100	1	371190–
39	135443	自粘绑带, 4 英寸长	1	371190–
A	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
B	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
C	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
D	21345	六角锁紧螺母 5/8-11 UNC GR 5 ZP		
E	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
F	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
G	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
H	30942	螺栓 – HH 1/4 NC X 1.25 LG GR 5 ZP		
J	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
K	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
L	135295	固定六角凹头螺钉 PT 3/8 NC X 3/4 LG		
M	136043	螺栓 – RHSN 5/8-11 X 1.75-GR 5-ZP		
N	135247	凹头螺栓 5/16 NC X 5.5 LG GR 5 ZP		

98. 包括防滑条 (MD #253740)。

### 31 输送带驱动装置 - 液压输送带支承平移 ( D130、D135 和 D140 )




输送带驱动装置 – 液压输送带支承平移 ( D130、D135 和 D140 )

参考编号	零部件号	说明	数量	系列号
1	21031	液压接头	2	
2	21843	90° 液压弯头	3	
3	21881	液压接头	2	
4	50103	45° 液压弯头, 包括 O 型密封圈	7	
5	50104	90° 液压弯头	1	
6	100581	止动件	4	
7	102602	柱螺栓	2	
8	103351	托架	2	
9	103738	固定夹 – PVC 包裹, 13/16 英寸管	1	
10	120371	链轮 – RC60B-10T	2	
11	120374	液压马达, 4 螺栓, 左侧输送带支承	1	
	220672	密封套件		
	16605	歧管接口 O 型密封环		
12	120518	液压马达, 4 螺栓, 右侧输送带支承	1	
	132758	密封套件		
13	120563	液压软管, 3/8 英寸内径, 3490 毫米长, 金属加固	1	
14	120566	液压软管, 1/2 英寸内径, 1750 毫米长, 金属加固	1	
15	120584	液压软管, 3/8 英寸内径, 3485 毫米长, 金属加固	1	
16	120588	液压软管, 1/2 英寸内径, 3200 毫米长, 金属加固	2	
17	120589	液压软管, 1/4 英寸内径, 3800 毫米长, 金属加固	1	
18	120989	液压软管, 1/2 英寸内径, 1430 毫米长, 金属加固	1	
19	123982	防护圈 – 53.7 毫米内径	1	
20	125478	右侧输送带支承平移链罩	1	
21	125565	左侧输送带支承平移链罩	1	
22	125566	输送带支承平移链罩	2	
23	125652	左侧输送带支承软管导板焊件	1	
24	132015	软管保护套 (1.75 英寸内径, 2400 毫米长)	1	
25	132017	塑料套管 (1.6 英寸内径, 450 毫米长)	1	
26	132021	链导片垫片	4	
27	132867	液压软管, 1/2 英寸内径, 3440 毫米长, 金属加固	2	
28	135443	自粘绑带, 4 英寸长	1	
29	135725	软管卡箍	1	
30	30639	软管卡箍	1	
31	50022	固定夹 - PVC 包裹, 15/16 英寸	3	
32	145168	传动链 60	2	
33	145983	二位四通电磁阀 99	1	
	132786	密封套件		

99. 有关维修件, 请参阅 32 输送带支承平移 – 阀门 , 页码 103.

输送带驱动装置 - 液压输送带支承平移 (D130、D135 和 D140)




1025312

输送带驱动装置 – 液压输送带支承平移 ( D130、D135 和 D140 )

参考编号	零部件号	说明	数量	系列号
34	103738	固定夹 – PVC 包裹, 13/16 英寸管	1	
35	165040	输送带支承平移链导片	2	
36	172899	防护圈 – 1.75 英寸内径	2	
37	132870	左侧固定架, 带防滑条 100	1	
	132871	右侧固定架, 带防滑条 100	1	
38	132117	防滑条	4	
39	255344	液压输送带支承平移接线, D100	1	
A	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
B	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
C	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
D	21345	六角锁紧螺母 5/8-11 UNC GR 5 ZP		
E	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
F	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
G	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
H	30942	螺栓 – HH 1/4 NC X 1.25 LG GR 5 ZP		
J	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
K	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
L	135295	固定六角凹头螺钉 PT 3/8 NC X 3/4 LG		
M	136043	螺栓 – RHSN 5/8-11 X 1.75-GR 5-ZP		
N	135247	凹头螺栓 5/16 NC X 5.5 LG GR 5 ZP		

100. 包括防滑条 (MD #132117).

## 32 输送带支承平移 - 阀门



1029925


输送带支承平移 - 阀门

参考编号	零部件号	说明	数量	系列号
1	145983	二位四通电磁阀 <sup>101</sup>	1	
	132786	密封套件 <sup>102</sup>	1	
2	132782	四通插装阀	2	
3	132783	电子线圈	2	
4	132784	孔塞, ORF1	1	
5	100577	接口塞, PLG6	5	
6	102711	接口塞, PLG4	2	

101. 包括密封套件 (MD #132786)、两个阀门 (MD #132782)、两个电子线圈 (MD #132783) 和塞子 (MD #132782、100577、102711).

102. 一个密封套件用于两个插装阀.

### 33 捡拾拨禾轮 - 单拨禾轮割台 ( D115、D120、D125、D130 和 D135 )



1026974

## 捡拾拨禾轮 - 单拨禾轮割台 (D115、D120、D125、D130 和 D135)

### 重要提示:

窄 (#1) 交错间距和宽 (#2) 交错间距齿管的数量不同; 窄交错间距为 120 mm / 宽交错间距为 196 mm. 请参见图示了解测量位置.

参考编号	零部件号	说明	数量 5/6/9 列	系列号
	B5939	15 英尺割台齿管转换套件, 6 列至 9 列塑料齿 <sup>103</sup>		
	B5654	15 英尺割台齿管转换套件, 6 列至 9 列钢齿 <sup>103</sup>		
	B5940	20 英尺割台齿管转换套件, 6 列至 9 列塑料齿 <sup>103</sup>		
	B5655	20 英尺割台齿管转换套件, 6 列至 9 列钢齿 <sup>103</sup>		
	B5937	25 英尺割台齿管转换套件, 6 列至 9 列塑料齿 <sup>103</sup>		
	B5656	25 英尺割台齿管转换套件, 6 列至 9 列钢齿 <sup>103</sup>		
1	137415	齿管 - 窄交错间距 (15 英尺割台) <sup>104</sup>		
	137568	齿管 - 窄交错间距 (20 英尺割台) <sup>105</sup>		
	137421	齿管 - 窄交错间距 (25 英尺割台) <sup>106</sup>		
	137650	齿管 - 窄交错间距 (30 英尺割台) <sup>107</sup>		
	137642	齿管 - 窄交错间距 (35 英尺割台) <sup>108</sup>		
2	137416	齿管 - 宽交错间距 (15 英尺割台) <sup>109</sup>		
	137569	齿管 - 宽交错间距 (20 英尺割台) <sup>110</sup>		
	137422	齿管 - 宽交错间距 (25 英尺割台) <sup>111</sup>		
	137651	齿管 - 宽交错间距 (30 英尺割台) <sup>112</sup>		
	137643	齿管 - 宽交错间距 (35 英尺割台) <sup>113</sup>		
3	245084	拨禾齿 - 凸轮端	5/6/9	
4	174849	重载塑料齿 (10 个装) <sup>114</sup>		
5	245083	拨禾齿 - 尾端	5/6/9	
6	137519	同心单齿 (左侧) <sup>115</sup>	0/6/9	
7	137285	曲轴臂 - 机加工	5/6/9	
8	137980	齿管塞子	10/12/18	

103. 仅供套件.

104. 数量 (5/6/9 列) : 15 英尺割台钢齿为 3/3/5, 15 英尺割台塑料齿为 3/3/4.

105. 数量 (5/6/9 列) : 20 英尺割台钢齿为 3/3/5, 20 英尺割台塑料齿为 3/3/4.

106. 数量 (5/6/9 列) : 25 英尺割台钢齿为 3/3/5, 25 英尺割台塑料齿为 3/3/4.

107. 数量 (5/6/9 列) : 30 英尺割台钢齿和塑料齿为 3/3/0.

108. 数量 (5/6/9 列) : 35 英尺割台钢齿和塑料齿为 3/3/0.

109. 数量 (5/6/9 列) : 15 英尺割台钢齿为 2/3/4, 15 英尺割台塑料齿为 2/3/5.

110. 数量 (5/6/9 列) : 20 英尺割台钢齿为 2/3/4, 20 英尺割台塑料齿为 2/3/5.

111. 数量 (5/6/9 列) : 25 英尺割台钢齿为 2/3/4, 25 英尺割台塑料齿为 2/3/5.


112. 数量 (5/6/9 列) : 30 英尺割台钢齿和塑料齿为 2/3/0.

113. 数量 (5/6/9 列) : 35 英尺割台钢齿和塑料齿为 2/3/0.

114. 数量 (5/6/9 列) : 15 英尺割台塑料齿为 140/168/252, 20 英尺割台塑料齿为 191/231/348, 25 英尺割台塑料齿为 249/297/444, 30 英尺割台塑料齿为 296/354/0, 35 英尺割台塑料齿为 351/420/0.

115. 仅限钢齿拨禾轮.

捡拾拨禾轮 - 单拨禾轮割台 (D115、D120、D125、D130 和 D135)




1026974

捡拾拨禾轮 - 单拨禾轮割台 (D115、D120、D125、D130 和 D135)

参考编号	零部件号	说明	数量 5/6/9 列	系列号
9	137092	钢齿 <sup>116</sup>		
10	137754	同心单齿(右侧) <sup>117</sup>		
11	137506	臂焊件 - 凸轮端	5/6/9	
12	137535	臂焊件 <sup>118</sup>		
13	137543	臂焊件 - 尾端	5/6/9	
14	220939	两半式衬套 - 齿管(25个装) <sup>119</sup>		
15	137536	扇形件 - 凸轮端, 14 GA(不包括35 FT)	3/3/3	
	164044	扇形件 - 凸轮端, 14 GA(仅限35 FT)	3/3/3	
16	220941	齿管衬套卡, 中心挡(5个装) <sup>120</sup>		
17	137532	凸轮端扇形件连接槽板	3/3/3	
18	137142	扇形件 - 16 GA(不包括35 FT)	3/3/3	
	164046	扇形件 - 16 GA(仅限35 FT)	3/3/3	
19	137277	扇形件 - 18 GA(不包括35 FT) <sup>121</sup>		
	164045	扇形件 - 18 GA(仅限35 FT)	12/12/12	
20	311617	拨禾齿控制臂组件 <sup>122</sup>	5/6/9	396190-
	304955	凸轮控制提升臂 <sup>123</sup>	5/6/9	-396189
21	273347	轴承	15/18/27	396190-
	273265	轴承	15/18/27	-396189
22	273524	凸轮轨道轴承	5/6/9	396190-
	50184	凸轮轨道轴承	5/6/9	-396189
23	273536	外卡簧	5/6/9	396190-
	30523	外卡簧	5/6/9	-396189
24	311615	机械臂组件 <sup>124</sup>	5/6/9	396190-
	304955	凸轮控制提升臂 <sup>123</sup>	5/6/9	-396189

116. 数量(5/6/9列): 15 英尺割台钢齿为 70/84/126, 20 英尺割台钢齿为 93/111/167, 25 英尺割台钢齿为 120/144/216, 30 英尺割台钢齿为 145/174/0, 35 英尺割台钢齿为 170/204/0.
117. 数量(5/6/9列): 15 英尺割台钢齿为 2/3/4, 20 英尺割台钢齿为 3/3/5, 25 英尺割台钢齿为 6/9/12, 30 英尺割台钢齿和塑料齿为 6/9/0.
118. 数量(5/6/9列): 15 英尺割台钢齿和塑料齿为 5/6/9, 20 英尺割台钢齿和塑料齿为 10/12/18, 25 英尺割台钢齿和塑料齿为 15/18/27, 30 英尺割台钢齿和塑料齿为 15/18/0, 35 英尺割台钢齿和塑料齿为 20/24/0.
119. 包括 25 个齿管衬套. 数量(5/6/9列): 15 英尺割台钢齿和塑料齿为 0/36/54, 20 英尺割台钢齿和塑料齿为 0/48/72, 25 英尺割台钢齿和塑料齿为 0/60/90, 30 英尺割台钢齿和塑料齿为 50/0/0, 35 英尺割台钢齿和塑料齿为 60/0/0.
120. 数量(5/6/9列): 15 英尺割台钢齿和塑料齿为 15/18/27, 20 英尺割台钢齿和塑料齿为 20/24/36, 25 英尺割台钢齿和塑料齿为 25/30/45, 30 英尺割台钢齿和塑料齿为 25/30/0, 35 英尺割台钢齿和塑料齿为 30/36/0.
121. 数量(5/6/9列): 15 英尺割台钢齿和塑料齿为 0/3/3, 20 英尺割台钢齿和塑料齿为 0/6/6, 25 英尺割台钢齿和塑料齿为 0/9/9, 30 英尺割台钢齿和塑料齿为 9/0/0.
122. 包括两个轴承(MD #273347)、凸轮轨道轴承(MD #273524)和两个卡簧。对于 2020 年及以前的机器，请订购凸轮控制提升臂(MD #304955)。
123. 包括机械臂组件(MD #311615)、拨禾齿控制臂组件(MD #311617)、连杆柱螺栓(MD #304954)和两个卡簧(MD #273536)。
124. 包括轴承(MD #273347)和卡簧(MD #273536)。对于 2020 年及以前的机器，请订购凸轮控制提升臂(MD #304955)。

捡拾拨禾轮 - 单拨禾轮割台 (D115、D120、D125、D130 和 D135)



1026974


捡拾拨禾轮 - 单拨禾轮割台 ( D115、D120、D125、D130 和 D135 )

参考编号	零部件号	说明	数量 5/6/9 列	系列号
25	273536	外卡簧	5/6/9	396190-
	137523	外卡簧	5/6/9	-396189
26	304954	柱螺栓 - 连杆	5/6/9	396190-
	279700	柱螺栓 - 连杆 (5 个装)	5/6/9	-396189
27	137699	硬垫圈 ASTM F43614-400HV-AB2C (仅限 5 列)	5	
28	137529	垫片 - 曲轴轴承	5/6/9	
29	REF	拨禾轮端盖支座 <sup>125</sup>		
30	137910	15 英尺割台中间管, 包括反光贴标	1	
	137911	20 英尺割台中间管, 包括反光贴标	1	
	137909	25 英尺割台中间管, 包括反光贴标	1	
	137912	30 英尺割台中间管, 包括反光贴标	1	
	137914	35 英尺割台中间管, 包括反光贴标	1	
A	252687	梅花槽螺钉, 48° 双螺旋 1/4 x 2-1/4 ZP		
B	105066	螺栓 - HH FLG (锯齿面) 1/2-NC X 0.75 GR 5 ZP		
C	137118	螺栓 - BHRN 3/8 NC, 带卡簧		
D	105135	机器螺钉		
E	18669	六角形扭曲锁紧螺母 3/8-16 UNC ZP		
F	21469	螺栓 - RHSN 1/2 NC X 1.5 LG GR 5 ZP		
G	137118	圆头螺栓 3/8 NC RIB NK NC		
H	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
J	105136	机器螺钉		
K	105141	轴肩锁紧螺栓		
L	21383	法兰 (锯齿面) 螺母 .500-13 UNC		
M	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
N	113420	梅花槽沉头螺栓 3/8 NC X 3/4 LG <sup>126</sup>		-396189

125. 请参阅 35 拨禾轮端盖组件, 页码 119 部分.

126. 2021 年及以后的机器型号使用卡簧 MD #273536.

## 34 捡拾拨禾轮 - 双拨禾轮割台 ( D130、D135、D140 和 D145 )



1019196

## 捡拾拨禾轮 - 双拨禾轮割台 ( D130、D135、D140 和 D145 )

注:

图示; 顶部: 右侧拨禾轮, 底部: 左侧拨禾轮.

**重要提示:**

窄 (#1) 交错间距和宽 (#2) 交错间距齿管的数量不同; 窄交错间距为 120 mm / 宽交错间距为 196 mm. 请参见图示了解测量位置.

参考编号	零部件号	说明	数量 5/6/9 列	系列号
	B5657	30 英尺割台双拨禾轮齿管转换套件 , 6 列至 9 列钢齿 , 6 英寸间隔 <sup>127</sup>		
	B5938	30 英尺割台双拨禾轮齿管转换套件 , 5 列至 6 列塑料齿 , 6 英寸间隔 <sup>127</sup>		
	B5674	35 英尺割台双拨禾轮齿管转换套件 , 5 列至 6 列塑料齿 , 6 英寸间隔 <sup>127</sup>		
	B6347	30 英尺割台双拨禾轮齿管转换套件 , 6 列至 9 列塑料齿 , 4 英寸间隔 <sup>127</sup>		
	B6344	30 英尺割台双拨禾轮齿管转换套件 , 5 列至 4 列塑料齿 , 6 英寸间隔 <sup>127</sup>		
	B6345	35 英尺割台双拨禾轮齿管转换套件 , 5 列至 4 列塑料齿 , 6 英寸间隔 <sup>127</sup>		
		<b>2018 年及以后的型号 (4 英寸拨禾齿间隔)</b>		
1	255749	齿管 - 窄交错间距 (30 英尺割台) <sup>128</sup>	6/6/10	321190-
	255716	齿管 - 窄交错间距 (35 英尺割台) <sup>129</sup>	6/6/10	321190-
	255908	齿管 - 窄交错间距 (40 英尺割台) <sup>129</sup>	6/6/0	321190-
	255738	齿管 - 窄交错间距 (45 英尺割台) <sup>130</sup>	6/0/0	321190-
2	255746	齿管 - 宽交错间距 (30 英尺割台) <sup>128</sup>	4/6/8	321190-
	255712	齿管 - 宽交错间距 (35 英尺割台) <sup>129</sup>	4/6/8	321190-
	255905	齿管 - 宽交错间距 (40 英尺割台) <sup>129</sup>	4/6/0	321190-
	255735	齿管 - 宽交错间距 (45 英尺割台) <sup>130</sup>	4/0/0	321190-
		<b>2017 年及以前的型号 (6 英寸拨禾齿间隔)</b>		
1	137415	齿管 - 窄交错间距 (30 英尺割台) <sup>128</sup>	6/6/10	-321189
	137570	齿管 - 窄交错间距 (35 英尺割台) <sup>131</sup>	6/6/10	-321189
	245266	齿管 - 窄交错间距 (35 英尺割台) <sup>132</sup>	6/6/10	-321189
	137568	齿管 - 窄交错间距 (40 英尺割台) <sup>133</sup>	6/6/0	-321189
	253839	齿管 - 窄交错间距 (45 英尺割台) <sup>131</sup>	6/0/0	-321189

127. 仅供套件。

128. 3 转盘。

129. 3 或 4 转盘/塑料齿。


130. 4 转盘/塑料齿。

131. 3 转盘/钢齿或塑料齿。

132. 4 转盘/钢齿或塑料齿。

133. 3 或 4 转盘/钢齿或塑料齿。

捡拾拨禾轮 – 双拨禾轮割台 ( D130、D135、D140 和 D145 )




1019196

捡拾拨禾轮 - 双拨禾轮割台 ( D130、D135、D140 和 D145 )

参考编号	零部件号	说明	数量 5/6/9 列	系列号
2	137416	齿管 - 宽交错间距 (30 英尺割台) <sup>128</sup>	4/6/8	-321189
	137571	齿管 - 宽交错间距 (35 英尺割台) <sup>131</sup>	4/6/8	-321189
	245267	齿管 - 宽交错间距 (35 英尺割台) <sup>132</sup>	4/6/8	-321189
	137569	齿管 - 宽交错间距 (40 英尺割台) <sup>133</sup>	4/6/0	-321189
	253503	齿管 - 宽交错间距 (45 英尺割台) <sup>131</sup>	4/0/0	-321189
3	174849	重载塑料齿 (10 个装) <sup>134</sup>		
4	245084	拨禾齿 - 凸轮端 (右侧拨禾轮)	5/6/9	
5	164894	拨禾齿 - 尾端 (右侧拨禾轮) <sup>135</sup>		
6	137285	曲轴臂 - 机加工	10/12/18	
7	137980	齿管塞子	20/24/36	
8	137506	臂焊件 - 凸轮端	10/12/18	
9	137535	臂焊件 <sup>136</sup>		
10	137543	臂焊件 - 尾端	10/12/18	
11	220939	两半式衬套 - 齿管 (25 个装)	60/72/108	
12	220941	齿管衬套卡, 中心挡 (5 个装) <sup>137</sup>		
13	137536	扇形件 - 凸轮端, 14 GA	6/6/6	
14	137142	扇形件 - 尾端, 16 GA	6/6/6	
15	137277	扇形件 - 中间, 18 GA	6/6/6	
16	311617	拨禾齿控制臂组件 <sup>138</sup>	10/12/18	396190-
	304955	凸轮控制提升臂 <sup>139</sup>	10/12/18	-396189
17	273347	轴承	30/36/54	396190-
	273265	轴承	30/36/54	-396189
18	273524	凸轮轨道轴承	10/12/18	396190-
	50184	凸轮轨道轴承	10/12/18	-396189

134. 数量, 4 英寸间隔 (5/6/9 列) : 30 英尺割台塑料齿为 428/562/820, 35 英尺割台塑料齿为 516/618/0, 40 英尺割台塑料齿为 606/0/0, 45 英尺割台塑料齿为 638/0/0。  
 数量, 6 英寸间隔 (5/6/9 列) : 30 英尺割台塑料齿为 280/336/504, 35 英尺割台塑料齿为 332/399/598, 40 英尺割台塑料齿为 384/462/0, 45 英尺割台塑料齿为 433/0/0.
135. 数量 (5/6/9 列) : 30–35 英尺割台钢齿和塑料齿为 5/6/9, 40 英尺割台钢齿和塑料齿为 5/6/0, 45 英尺割台塑料齿为 5/0/0.
136. 数量 (5/6/9 列) : 30–35 英尺割台钢齿和塑料齿为 10/12/18, 40 英尺割台钢齿和塑料齿为 10/12/0, 45 英尺割台塑料齿为 10/0/0.
137. 数量 (5/6/9 列) : 30 英尺割台钢齿和塑料齿为 15/18/27.35 英尺割台钢齿和塑料齿为 15/17/27, 40 英尺割台钢齿和塑料齿为 15/18/0, 45 英尺割台塑料齿为 15/0/0.
138. 包括两个轴承 (MD #273347)、凸轮轨道轴承 (MD #273524) 和两个卡簧。对于 2020 年及以前的机器, 请订购凸轮控制提升臂 (MD #304955)。
139. 包括机械臂组件 (MD #311615)、拨禾齿控制臂组件 (MD #311617)、连杆柱螺栓 (MD #304954) 和两个卡簧 (MD #273536)。

捡拾拨禾轮 - 双拨禾轮割台 (D130、D135、D140 和 D145)



1019196

捡拾拨禾轮 - 双拨禾轮割台 (D130、D135、D140 和 D145)

参考编号	零部件号	说明	数量 5/6/9 列	系列号
19	273536	外卡簧	10/12/18	396190-
	30523	外卡簧	10/12/18	-396189
20	311615	机械臂组件 <sup>140</sup>	10/12/18	396190-
	304955	凸轮控制提升臂 <sup>139</sup>	10/12/18	-396189
21	273536	外卡簧	10/12/18	396190-
	137523	外卡簧	10/12/18	-396189
22	304954	柱螺栓 - 连杆	10/12/18	396190-
	279700	柱螺栓 - 连杆 (一盒 5 个)	10/12/18	-396189
23	137529	垫片 - 曲轴轴承	10/12/18	
24	137699	USS 硬化平垫圈 1/2 NOM.I.D. (仅限 5 列) <sup>141</sup>	20/0/0	244010-
25	REF	拨禾轮端盖支座 <sup>142</sup>		
26	137092	双钢齿 <sup>143</sup>		
27	137971	双齿 - 右侧拨禾轮尾端 <sup>144</sup>		
28	137519	同心单齿, 左侧偏移 <sup>145</sup>		
29	137754	同心单齿, 右侧偏移 <sup>146</sup>		
30	164895	拨禾齿 - 凸轮端 (左侧拨禾轮)	5/6/9	
31	245083	拨禾齿 - 尾端 (左侧拨禾轮) <sup>147</sup>		
32	137532	凸轮盘 C 形板 <sup>148</sup>	6/6/6	

140. 包括轴承 (MD #273347) 和卡簧 (MD #273536)。对于 2020 年及以前的机器, 请订购凸轮控制提升臂 (MD #304955)。

141. 2014 年及以后制造的 5 列装置的维修件.对于 2013 年及以前制造的装置, 请订购连接板 MD #220025.

142. 请参阅 [35 拨禾轮端盖组件, 页码 119](#) 部分.

143. 数量 (5/6/9 列) : 30 英尺割台钢齿为 135/162/243, 35 英尺割台钢齿为 156/186/280, 40 英尺割台钢齿为 182/219/0.

144. 数量: 30 英尺割台 3 个, 35 英尺割台 3 个.仅限钢齿拨禾轮上使用.


145. 数量 (5/6/9 列) : 30 英尺割台钢齿为 5/6/9, 35 英尺割台钢齿为 9/12/17, 40 英尺割台钢齿为 11/12/0.

146. 数量 (5/6/9 列) : 30 英尺割台钢齿为 4/6/8, 35 英尺割台钢齿为 3/3/5, 40 英尺割台钢齿为 2/3/0.

147. 数量 (5/6/9 列) : 30–35 英尺割台钢齿和塑料齿为 5/6/9, 40 英尺割台钢齿和塑料齿为 5/6/0, 45 英尺割台塑料齿为 5/0/0.

148. 2014 年及以后的型号.

捡拾拨禾轮 - 双拨禾轮割台 (D130、D135、D140 和 D145)



1019196

捡拾拨禾轮 – 双拨禾轮割台 ( D130、D135、D140 和 D145 )


参考编号	零部件号	说明	数量 5/6/9 列	系列号
33	137910	30 英尺割台左侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	137913	30 英尺割台右侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	137915	35 英尺割台左侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	137916	35 英尺割台右侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	245272	35 英尺割台左侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
	245273	35 英尺割台右侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
	137917	40 英尺割台左侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	137918	40 英尺割台右侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	245276	40 英尺割台左侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
	245277	40 英尺割台右侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
	137968	45 英尺割台左侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	137969	45 英尺割台右侧中间管 , 包括反光贴标 ( 3 转盘拨禾轮 ) <sub>149</sub>	1	
	253514	45 英尺割台左侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
	253515	45 英尺割台右侧中间管 , 包括反光贴标 ( 4 转盘拨禾轮 ) <sub>150</sub>	1	
A	252687	梅花槽固定螺钉, 48° 双螺旋 1/4 X 2-1/4 ZP		
B	21469	螺栓 - RHSN 1/2 NC X 1.5 LG GR 5 ZP		
C	21383	法兰 (锯齿面) 螺母 .500-13 UNC		
D	105066	螺栓 - HH FLG (锯齿面) 1/2 -NC X 0.75 GR 5		
E	18669	六角形扭曲锁紧螺母 3/8-16 UNC ZP		
F	137118	螺栓 - BHRN 3/8 NC, 包括卡簧		
G	105135	梅花槽大圆头机器螺钉, 1/2 X 0.75 IN.LG		
H	105136	梅花槽大圆头机器螺钉, 1/2 X 1.0 IN.LG		
J	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
K	113420	梅花槽沉头螺栓 3/8 NC X 3/4 LG <sup>151</sup>		-396189
L	105141	轴肩螺栓, 5/8-18 UNF, 30 MM LG ZP GR 5		
M	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		

149. 3 转盘。

150. 4 转盘。

151. 2021 年及以后的机器型号使用卡簧 MD #273536.

### 35 拨禾轮端盖组件




1004901

## 拨禾轮端盖组件

参考编号	零部件号	说明	数量 5/6/9 列	系列号
1	164754	端盖 - 5 列分段 5 系列	5	
2	164958	拨禾轮端盖支座	5/6/9	
3	164965	端盖 - 6 列分段 5 系列	6	
	164967	端盖 - 9 列分段 5 系列	9	
A	135157	梅花槽大圆头机器螺钉, 3/8 X .75 IN.		
B	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
C	105136	梅花槽大圆头机器螺钉, 1/2 X 1.0 IN.		
D	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR5		

## 36 拨禾轮组件 - 单拨禾轮, 右侧臂



1026966


参考编号	零部件号	说明	数量	系列号
1	18607	开口销 5/32 DIA X 1.5 镀锌	1	
2	137291	拨禾轮驱动轴	1	
3	137315	保护套	1	
4	137347	RC 60 56 齿加工链轮	1	
5	137352	拨禾轮驱动装置后挡板支座	1	
6	137354	RC 60 19 齿链轮	1	
7	137476	凸轮轴承检修盖板	1	
8	REF	割晒机速度传感器支座 <sup>152</sup>	1	
9	137515	RC-60 76 节铆接环链	1	
10	137721	拨禾轮驱动轴键	2	
11	273258	液压马达, 15.9 CU.IN.506 系列 <sup>153</sup>	1	
	273259	密封套件, 马达 MD #273258		
	137375	有槽锁紧螺母 1.0-20 UNEF		
	273078	液压马达 260 CC, 高负荷轴承 <sup>154</sup>	OPT	
	311620	密封套件, 马达 MD #273078		
	137375	有槽锁紧螺母 1.0-20 UNEF		
12	REF	速度传感器 <sup>152</sup>	1	
13	164213	锥形轴承, 包括密封	2	
14	164750	马达座焊件	1	
15	164817	拨禾轮驱动轮毂, 包括轴承外环	1	
16	18671	黄油嘴 1/4-28 UNF	1	
17	164214	轴承外环	2	
18	164955	拨禾轮驱动装置护盖	1	
19	16681	弹簧销 5/16 DIA X 2.0 LG	1	
20	18725	插销	1	
21	137221	压缩弹簧	1	
22	137626	拨禾轮驱动装置耐磨垫	2	
23	164815	凸轮闩锁销	1	
24	164930	压紧固定件 - 前后移动液压缸	1	
25	164945	隔套	1	
26	164953	拨禾轮驱动轮箍固定压板	1	
27	164933	前后移动液压缸	1	
	113435	密封套件		
28	279979	右侧凸轮支座焊件	1	
29	164887	右臂前后移动支撑铸件	1	

152. 请参阅 55 (选件) 适用于 M 系列割晒机的 D1 完善套件 - 电气和机械组件, 页码 181 部分.

153. 马达用于常规扭矩应用. 随马达 (MD #273258) 提供螺母和键. 允许使用有槽锁紧螺母 (MD #137375) 维修螺母.

154. 马达用于高扭矩应用 (高负荷轴承). 随马达 (MD #273078) 提供螺母和键. 允许使用有槽锁紧螺母 (MD #137375) 替代螺母。

## 拨禾轮组件 - 单拨禾轮, 右侧臂



1026966

拨禾轮组件 - 单拨禾轮, 右侧臂


参考编号	零部件号	说明	数量	系列号
30	123670	右侧防护罩 - 单拨禾轮	1	
31	103738	固定夹 - PVC 包裹, 13/16 英寸管	1	
32	294634	凸轮套件 <sup>155</sup>	1	
33	294631	凸轮调整垫片套件 <sup>156</sup>	A/R	
34	137753	调整垫圈 - 4 螺栓法兰	A/R	
35	164061	轮毂与凸轮间调整垫片	A/R	
36	245199	轮毂与凸轮间调整垫片	A/R	
37	137350	RC 60 21 齿链轮 <sup>157</sup>	OPT	
38	137356	14 齿 3000 PSI 链轮 (仅限倒伏水稻) <sup>157</sup>	OPT	
39	164126	RC 60 13 齿链轮 <sup>157</sup>	OPT	
40	137970	12 齿 2500 PSI 链轮 (仅限倒伏水稻) <sup>157</sup>	OPT	
41	137348	10 齿 2000 PSI 链轮 (仅限倒伏水稻) <sup>157</sup>	OPT	
42	304017	右侧凸轮托架焊件 (仅限出口)	1	
43	18738	插销 (仅限出口)	1	
44	118137	卡环 (仅限出口)	1	
45	18648	开口销 3/16 DIA X 1.25 镀锌	1	
46	50022	固定夹 - PVC 包裹, 15/16英寸	1	
A	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
B	18697	六角扭曲锁紧螺母 .500-13 UNC		
C	21452	法兰 (锯齿面) 螺母 .375-16 UNC		
D	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
E	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
F	21572	六角头螺栓 1/4 NC X 1.25 LG GR 5 ZP		
G	21968	螺栓 - HH FLG (锯齿面) 1/4 NC X 0.5 GR 5 ZP		
H	30027	螺栓 - RHSN 1/2 NC X 2.25 LG GR 5 ZP		
J	31774	平垫圈		
K	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
L	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
M	105069	螺栓 - RHSSN 1/2 NC X 0.75 GR 5 ZP		
N	114233	螺栓 - RHSSN 1/2 NC X 1.25 GR 5 ZP		
P	135157	机器螺钉		
Q	137375	有槽锁紧螺母 1.0 IN-20 UNEF-ZN PL		
R	137503	凹头螺栓 1/2 NC X 1.75 GR.5 ZP		
S	137702	螺母 - 1/4-20 金属片		

155. 包括凸轮调整垫片套件 (MD #294631).

156. 包括四个调整垫片 (MD #164061)、两个调整垫圈 (MD #137753) 和调整垫片 (MD #245199).

157. 仅限高扭矩、钢齿拨禾轮.具有较低拨禾轮驱动压力的联合收割机上需要.

拔禾轮组件 - 单拔禾轮, 右侧臂




1026966

拨禾轮组件 - 单拨禾轮, 右侧臂

参考编号	零部件号	说明	数量	系列号
T	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
U	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
V	30209	螺栓 - HH 1/2 NC X 4.5 LG GR 5 ZP		
W	273304	凸轮闩锁垫圈		
X	30035	螺栓 - HH 3/8 NC X 2.75 LG GR 5 ZP		
Y	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
Z	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
AA	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
AB	40915	平垫圈		

## 37 拨禾轮组件 - 双拨禾轮, 右侧臂



1024650


拨禾轮组件 - 双拨禾轮, 右侧臂

参考编号	零部件号	说明	数量	系列号
1	18648	开口销 3/16 DIA X 1.25 镀锌	1	
2	137315	保护套	1	
3	137451	右侧拨禾轮驱动轴	1	
4	137476	凸轮轴承检修盖板	1	
5	140250	防尘盖	1	
6	164213	锥形轴承, 包括密封	2	
7	164821	右侧拨禾轮轮毂, 包括轴承外环	1	
8	18671	黄油嘴 1/4-28 UNF	1	
9	164214	轴承外环	2	
10	16681	弹簧销 5/16 DIA X 2.0 LG	1	
11	18725	插销	1	
12	137221	压缩弹簧	1	
13	137626	拨禾轮驱动装置耐磨垫	2	
14	137456	凸轮闩锁销	1	
15	164930	压紧固定件 - 前后移动液压缸	1	
16	164945	隔套	1	
17	164953	拨禾轮驱动轮箍固定压板	1	
18	164933	前后移动液压缸	1	
	113435	密封套件		
19	279979	右侧凸轮支座焊件	1	
20	164887	右臂前后移动支撑铸件	1	
21	123627	右侧防护罩 - 双拨禾轮 (右侧拨禾轮上的右侧臂)	1	
22	294634	凸轮套件 <sup>158</sup>	1	
23	294631	凸轮调整垫片套件 <sup>159</sup>	A/R	
24	164061	轮毂与凸轮间调整垫片 (1.2 MM)	A/R	
25	137753	调整垫圈 - 4 螺栓法兰	A/R	
26	245199	轮毂与凸轮间调整垫片 (0.6 MM)	A/R	
27	304017	右侧凸轮托架焊件 (仅限出口)	1	
28	18624	插销 (仅限出口)	1	
29	118137	卡环 (仅限出口)	1	
30	18648	开口销 3/16 DIA X 1.25 镀锌	1	
A	18697	六角扭曲锁紧螺母 .500-13 UNC		
B	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
C	30027	螺栓 - RHSN 1/2 NC X 2.25 LG GR 5 ZP		
D	31774	平垫圈		

158. 包括凸轮调整垫片套件 (MD #294631).

159. 包括四个调整垫片 (MD #164061)、两个调整垫圈 (MD #137753) 和调整垫片 (MD #245199).

拔禾轮组件 - 双拨禾轮, 右侧臂




1024650

拨禾轮组件 - 双拨禾轮, 右侧臂

参考编号	零部件号	说明	数量	系列号
E	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
F	137375	有槽锁紧螺母 1.0 IN.-20 UNEF-ZN PL		
G	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
H	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
J	30209	螺栓 - HH 1/2 NC X 4.5 LG GR 5 ZP		
K	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
L	273304	凸轮闩锁垫圈		
M	20055	螺栓 - HH 3/8 NC X 2.25 LG GR 5 ZP		
N	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
P	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
Q	40915	平垫圈		

## **38 拨禾轮组件 – 双拨禾轮, 中间臂**



1033727

拨禾轮组件 - 双拨禾轮, 中间臂

参考编号	零部件号	说明	数量	系列号
1	18648	开口销 3/16 DIA X 1.25 镀锌	1	
2	137291	拨禾轮驱动轴	1	
3	137315	保护套	1	
4	137347	RC 60 56 齿加工链轮	1	
	164141	RC 60 48 齿加工链轮 <sup>160</sup>	1	
5	137352	拨禾轮驱动装置后挡板支座	1	
6	137354	RC 60 19 齿链轮	1	
7	137476	凸轮轴承检修盖板	1	
8	REF	割晒机速度传感器支座 <sup>161</sup>	1	
9	137515	RC-60 76 节铆接环链	1	
	164109	RC-60 70 节铆接环链 <sup>160</sup>	1	
10	137691	拨禾轮驱动万向节	1	
	137825	十字轴颈组件		
	137826	法兰轭, 4 螺栓		
	137827	法兰轭, 6 螺栓		
11	137721	拨禾轮驱动轴键	2	
12	273258	液压马达, 15.9 CU.IN.506 系列 <sup>162</sup>	1	
	273259	密封套件, 马达 MD #273258		
	137375	有槽锁紧螺母 1.0-20 UNEF		
	273078	液压马达 260 CC, 高负荷轴承 <sup>163</sup>	OPT	
	311620	密封套件, 马达 MD #273078		
	137375	有槽锁紧螺母 1.0-20 UNEF		
13	REF	速度传感器 <sup>161</sup>	1	
14	164213	锥形轴承, 包括密封	2	
15	164750	马达座焊件	1	
16	164817	拨禾轮驱动轮毂, 包括轴承外环	1	
17	18671	黄油嘴 1/4-28 UNF	1	
18	164214	轴承外环	2	
19	164947	拨禾轮驱动装置上半部分防护罩	1	
20	164948	双拨禾轮驱动装置下半部分防护罩	1	
21	16681	弹簧销 5/16 DIA X 2.0 LG	1	
22	18725	插销	1	
23	137221	压缩弹簧	1	
24	137626	拨禾轮驱动装置耐磨垫	2	


160. 仅限双拨禾轮、高扭矩、高速拨禾轮割台。

161. 请参阅 [55 \(选件\) 适用于 M 系列割晒机的 D1 完善套件 – 电气和机械组件 , 页码 181](#) 部分.

162. 马达用于常规扭矩应用。随马达 (MD #273258) 提供螺母和键。允许使用有槽锁紧螺母 (MD #137375) 维修螺母.

163. 马达用于高扭矩应用 (高负荷轴承)。随马达 (MD #273078) 提供螺母和键。允许使用有槽锁紧螺母 (MD #137375) 替代螺母。

## 拨禾轮组件 - 双拨禾轮, 中间臂



1033727

拨禾轮组件 - 双拨禾轮, 中间臂


参考编号	零部件号	说明	数量	系列号
25	164815	凸轮闩锁销	1	
26	164855	前后移动液压缸压紧固定件 - 铸件	1	
27	164933	前后移动液压缸	1	
	113435	密封套件		
28	253092	双拨禾轮驱动装置支座焊件	1	
29	164885	前后移动中间臂铸件	1	
30	103738	固定夹 - PVC 包裹, 13/16 英寸管	1	
31	164858	软管固定件	1	
32	294065	前后移动液压软管护罩 - 双拨禾轮驱动装置	1	
33	294634	凸轮套件 <sup>164</sup>	1	
34	294631	凸轮调整垫片套件 <sup>165</sup>	A/R	
35	164061	轮毂与凸轮间调整垫片 (1.2 MM)	A/R	
36	137753	调整垫圈 - 4 螺栓法兰	A/R	
37	245199	轮毂与凸轮间调整垫片 (0.6 MM)	A/R	
38	137350	RC 60 21 齿链轮 <sup>166</sup>	OPT	
39	137356	14 齿 3000 PSI 链轮 (仅限倒伏水稻) <sup>166</sup>	OPT	
40	164126	RC 60 13 齿链轮 <sup>166</sup>	OPT	
41	137970	12 齿 2500 PSI 链轮 (仅限倒伏水稻) <sup>166</sup>	OPT	
42	137348	10 齿 2000 PSI 链轮 (仅限倒伏水稻) <sup>166</sup>	OPT	
43	304018	中间凸轮托架焊件 (仅限出口)	1	
44	18624	插销 (仅限出口)	1	
45	118137	卡环 (仅限出口)	1	
46	18648	开口销 3/16 DIA X 1.25 镀锌	1	
A	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
B	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
C	18697	六角扭曲锁紧螺母 .500-13 UNC		
D	21452	法兰 (锯齿面) 螺母 .375-16 UNC		
E	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
F	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
G	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
H	21572	六角头螺栓 1/4 NC X 1.25 LG GR 5 ZP		
J	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
K	21968	螺栓 - HH FLG (锯齿面) 1/4 NC X 0.5 GR 5 ZP		
L	30027	螺栓 - RHSN 1/2 NC X 2.25 LG GR 5 ZP		

164. 包括凸轮调整垫片套件 (MD #294631).

165. 包括四个调整垫片 (MD #164061)、两个调整垫圈 (MD #137753) 和调整垫片 (MD #245199).

166. 仅限高扭矩、钢齿拨禾轮.具有较低拨禾轮驱动压力的联合收割机上需要.

#### 拨禾轮组件 - 双拨禾轮, 中间臂




1033727

拨禾轮组件 - 双拨禾轮, 中间臂

参考编号	零部件号	说明	数量	系列号
M	31774	平垫圈		
N	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
P	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
Q	105069	螺栓 - RHSSN 1/2 NC X 0.75 GR 5 ZP		
R	114233	螺栓 - RHSSN 1/2 NC X 1.25 GR 5 ZP		
S	135157	梅花槽大圆头机器螺钉, 3/8 IN., .75 IN LG		
T	137375	有槽锁紧螺母 1.0 IN-20 UNEF-ZN PL		
U	137503	凹头螺栓1/2 NC X 1.75 GR.5 ZP		
V	137702	螺母 - 1/4-20 金属片		
W	273304	凸轮闩锁垫圈		
X	20055	螺栓 - HH 3/8 NC X 2.25 LG GR 5 ZP		
Y	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
Z	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
AA	40915	平垫圈		

### 39 拨禾轮组件 - 单/双拨禾轮, 左侧臂




1024652

拨禾轮组件 - 单/双拨禾轮, 左侧臂

参考编号	零部件号	说明	数量	系列号
1	18605	开口销 1/8 DIA X 1 镀锌	1	
2	18648	开口销 3/16 DIA X 1.25 镀锌	2	
3	18624	插销	1	
4	30520	防尘盖	1	
5	103879	插销	1	
6	105364	尾端轴	1	
7	137626	拨禾轮驱动装置耐磨垫	4	
8	164216	锥形轴承, 包括密封	2	
9	164780	左侧臂前后移动油缸支座, 内侧	1	
10	164781	左侧臂前后移动油缸支座, 外侧	1	
11	164945	隔套	1	
12	164934	前后移动液压缸	1	
	113435	密封套件		
13	253290	尾部支座, 包括轴承外环	1	
14	18671	黄油嘴 1/4-28 UNF	1	
15	164215	滚柱轴承外环	2	
16	304019	左侧凸轮托架焊件 (仅限出口)	1	
17	118137	卡环 (仅限出口)	1	
A	5512	六角形开槽螺母 .750-16 UNF ZN PL		
B	16235	平垫圈		
C	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
D	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
E	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
F	30209	螺栓 - HH 1/2 NC X 4.5 LG GR 5 ZP		
G	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
H	21589	螺栓 - HH 1/2 NC X 4.0 LG GR 5 ZP		
J	18591	六角螺母 1/2-13 UNC GR 5 ZP		
K	30027	螺栓 - RHSN 1/2 NC X 2.25 LG GR 5 ZP		

## 40 拨禾轮支撑臂和升降油缸




1021009

拨禾轮支撑臂和升降油缸

参考编号	零部件号	说明	数量	系列号
1	18626	插销	2	
2	18648	开口销 3/16 DIA X 1.25 镀锌	4	
3	20312	插销	2	
4	304222	拨禾轮安全撑杆	2	
5	255282	外侧臂, 包括贴标 <sup>167</sup>	2	
	255788	外侧臂, 包括贴标(仅限出口) <sup>167</sup>	2	
6	304314	U形连接	2	
7	245992	左侧液压油缸	1	
	132474	密封套件		
	245993	右侧液压油缸	1	
	132475	密封套件		
8	172158	斜撑隔套(仅限单拨禾轮)	2	
9	174333	隔套(仅限单拨禾轮)	2	
10	172155	斜撑(仅限单拨禾轮)	2	
	255831	短斜撑(仅限出口单拨禾轮)	2	
11	304228	控制杆焊件 - 拨禾轮中间支撑臂安全支撑(仅限双拨禾轮)	1	
12	18349	压缩弹簧(仅限双拨禾轮)	1	
13	18609	开口销 1/4 DIA X 2 ZP(仅限双拨禾轮)	1	
14	49341	插销(仅限双拨禾轮)	1	
15	145461	斜撑隔套(仅限双拨禾轮)	2	
16	253412	连接叉焊件(仅限双拨禾轮)	1	
17	245671	液压油缸 - 中间臂(仅限双拨禾轮)	1	
	132476	密封套件		
18	164773	中间臂 - 焊件(仅限双拨禾轮)	1	
19	125435	左侧拨禾轮支撑臂支架(仅限双拨禾轮)	1	
	164825	右侧短支架(仅限出口双拨禾轮)	1	
20	125433	右侧拨禾轮支撑臂支架(仅限双拨禾轮)	1	
	164800	左侧短支架(仅限出口双拨禾轮)	1	
A	18600	SAE 平垫圈 21/32 ID X 1 5/16 IN OD ZP		
B	21484	螺栓 - RHSN 3/8-16 X 1.5-GR5-ZP		
C	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
D	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR5		
E	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
F	135367	法兰光滑面扭曲锁紧螺母 0.75-10 UNC GR.G		
G	151192	螺栓 - RHSSN 1/2 NC X 3.5 LG GR 5 ZP		

167. 包括贴标(MD #131393、174632).

拔禾轮支撑臂和升降油缸




1021009

拨禾轮支撑臂和升降油缸

参考编号	零部件号	说明	数量	系列号
H	172922	螺栓 - HH 5/8 NC X 4.125 LG GR 5 ZP		
J	176009	垫圈 - NORDLOCK 3/4 IN.SP		
K	30512	六角头螺栓 3/4-10 X 2.0 GR5-AA1J (仅限单拨禾轮)		
L	30824	螺栓 - RHSN 1/2 NC X 4.0 LG GR 5 ZP (仅限单拨禾轮)		
	129847	螺栓 - RHSN 1/2 NC X 4.5 LG GR 5 ZP (仅限出口单拨禾轮)		
N	18592	六角螺母 5/8-11 UNC GR 5 ZP (仅限双拨禾轮)		
P	18666	六角形扭曲锁紧螺母 5/8-11 UNC ZP (仅限双拨禾轮)		
Q	18688	SAE 平垫圈 0.47 IN.ID X 0.92 IN OD ZP (仅限双拨禾轮)		
R	30549	六角头螺栓 3/4-10 X 5.5 GR5-AA1J (仅限双拨禾轮)		
S	30209	螺栓 - HH 1/2 NC X 4.5 LG GR 5 ZP (仅限双拨禾轮)		
T	30441	硬化垫圈 (仅限双拨禾轮)		
U	102636	六角形扭曲侧边锁紧螺母 .750-10 UNC (仅限双拨禾轮)		
V	135737	轴肩凹头螺栓-3/4 X 2.25 LG (仅限双拨禾轮)		
W	174858	平垫圈 (仅限双拨禾轮)		
X	18770	平垫圈 (仅限出口单拨禾轮)		

## 41 拨禾轮液压驱动装置 – 升降和前后移动 – 单拨禾轮 ( D115、D120、D125、D130 和 D135 )




1031833

拨禾轮液压驱动装置 – 升降和前后移动 – 单拨禾轮 ( D115、D120、D125、D130 和 D135 )

参考编号	零部件号	说明	数量	系列号
1	106708	液压软管, 0.25 英寸内径, 970 毫米长	1	
2	132911	液压软管, 0.25 英寸内径, 1700 毫米长	1	
3	220849	液压软管, 0.25 英寸内径, 1480 毫米长	1	
4	220676	液压软管, 0.25 英寸内径, 1300 毫米长	1	
5	172978	液压软管, 0.5 英寸内径, 3000 毫米长	2	
6	165267	液压软管, 0.25 英寸内径, 1830 毫米长	2	
7	253815	液压弯曲金属管, 3/8 英寸直径	1	
8	220861	液压软管, 0.25 英寸内径, 1400 毫米长 (仅限 15 FT)	1	
	172220	液压软管, 0.25 英寸内径, 2564 毫米长 (仅限 20 FT)	1	
	172221	液压软管, 0.25 英寸内径, 3326 毫米长 (仅限 25 FT)	1	
	172222	液压软管, 0.25 英寸内径, 4088 毫米长 (仅限 30 FT)	1	
	172223	液压软管, 0.25 英寸内径, 4850 毫米长 (仅限 35 FT)	1	
9	172228	液压软管, 0.25 英寸内径, 4500 毫米长 (仅限 15 FT)	1	
	172184	液压软管, 0.25 英寸内径, 5261 毫米长 (仅限 20 FT)	1	
	172183	液压软管, 0.25 英寸内径, 6023 毫米长 (仅限 25 FT)	1	
	172185	液压软管, 0.25 英寸内径, 6785 毫米长 (仅限 30 FT)	1	
	172186	液压软管, 0.25 英寸内径, 7547 毫米长 (仅限 35 FT)	1	
10	123677	液压金属管, 3/8 英寸直径, 3950 毫米长 (仅限 15 FT)	2	
	123663	液压金属管, 3/8 英寸直径, 5480 毫米长 (仅限 20 FT)	2	
	123676	液压金属管, 3/8 英寸直径, 3500 毫米长 (仅限 25 FT)	4	
	123702	液压金属管, 3/8 英寸直径, 4243 毫米长 (仅限 30 FT)	4	
	123701	液压金属管, 3/8 英寸直径, 5005 毫米长 (仅限 35 FT)	4	
11	172986	液压软管, 0.25 英寸内径, 1913 毫米长 (仅限 25 FT)	1	
	120552	液压软管, 0.25 英寸内径, 2675 毫米长 (仅限 30 FT)	1	
	172988	液压软管, 0.25 英寸内径, 3437 毫米长 (仅限 35 FT)	1	
12	172981	液压软管, 0.5 英寸内径, 1900 毫米长 (仅限 25 FT)	2	
	172982	液压软管, 0.5 英寸内径, 2662 毫米长 (仅限 30 FT)	2	
	172983	液压软管, 0.5 英寸内径, 3424 毫米长 (仅限 35 FT)	2	
13	103738	固定夹 – PVC 包裹, 13/16 英寸管	1	
14	135234	PVC 包裹双软管固定卡	2	
15	30282	90° 液压弯头	5	
16	30375	液压接头	3	
17	50103	45° 液压弯头, 包括 O 型密封环	2	
18	30284	45° 液压弯头, 包括 O 型密封环	1	
19	125722	防护圈 – 橡胶	2	
20	172877	防护圈 – 2.38 英寸内径 (仅限 20 英尺割台)	1	
	172993	防护圈 (仅限 25-35 英尺割台)	1	
21	21763	黑色扎带	3	

拨禾轮液压驱动装置 - 升降和前后移动 - 单拨禾轮 (D115、D120、D125、D130 和 D135 )




1031833

拨禾轮液压驱动装置 – 升降和前后移动 – 单拨禾轮 ( D115、D120、D125、D130 和 D135 )

参考编号	零部件号	说明	数量	系列号
22	49227	绿色扎带	2	
23	135443	自粘绑带, 4 英寸长	2	
24	40701	黄色扎带 (仅限 25-35 FT)	4	
25	40702	红色扎带 (仅限 25-35 FT)	3	
26	50022	固定夹 - PVC 包裹, 15/16 英寸	1	
27	294607	软管支架	1	
28	136410	PVC 包裹固定夹 3/8 英寸	2	
A	21447	螺栓 – HH LG FLG (锯齿面) 3/8 NC X 1.0 GR 5 ZP		
B	21472	螺栓 – RHSN 3/8 NC X 0.75 GR 5 ZP		
C	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
D	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
E	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
F	21821	六角法兰锯齿头螺栓 3/8-16 X 0.75 GR5-AA1J		

## **42 拨禾轮液压驱动装置 – 升降和前后移动 – 双拨禾轮 ( D130、D135、D140 和 D145 )**




1031834

拨禾轮液压驱动装置 – 升降和前后移动 – 双拨禾轮 ( D130、D135、D140 和 D145 )

参考编号	零部件号	说明	数量	系列号
1	36849	液压软管, 0.25 英寸内径, 780 毫米长	1	
2	120552	液压软管, 0.25 英寸内径, 2675 毫米长	1	
3	132911	液压软管, 0.25 英寸内径, 1700 毫米长	1	
4	132912	液压软管, 0.25 英寸内径, 1270 毫米长	2	
5	220676	液压软管, 0.25 英寸内径, 1300 毫米长	1	
6	172897	液压软管, 0.25 英寸内径, 300 毫米长	1	
7	174407	液压软管, 0.5 英寸内径, 2150 毫米长	2	
8	174408	液压软管, 0.25 英寸内径, 2150 毫米长	1	
9	220849	液压软管, 0.25 英寸内径, 1480 毫米长	1	
10	172978	液压软管, 0.5 英寸内径, 3000 毫米长	2	
11	165267	液压软管, 0.25 英寸内径, 1830 毫米长	2	
12	172985	液压软管, 0.25 英寸内径, 2017 毫米长	1	
13	120996	液压软管, 0.25 英寸内径, 2200 毫米长	1	
14	253815	液压弯曲金属管, 3/8 英寸直径	1	
15	123702	液压金属管, 3/8 英寸直径, 4243 毫米长 (仅限 30 FT)	2	
	123701	液压金属管, 3/8 英寸直径, 5005 毫米长 (仅限 35 FT)	2	
	113881	液压金属管, 3/8 英寸直径, 5230 毫米长 (仅限 40 FT)	2	
	220675	液压金属管, 3/8 英寸直径, 4470 毫米长 (仅限 45 FT)	2	
16	123702	液压金属管, 3/8 英寸直径, 4243 毫米长 (仅限 30 FT)	4	
	123701	液压金属管, 3/8 英寸直径, 5005 毫米长 (仅限 35 FT)	4	
	123598	液压金属管, 3/8 英寸直径, 5767 毫米长 (仅限 40 FT)	4	
	123703	液压金属管, 3/8 英寸直径, 6529 毫米长 (仅限 45 FT)	4	
17	172175	液压软管, 0.25 英寸内径, 733 毫米长 (仅限 40 FT)	2	
	172146	液压软管, 0.25 英寸内径, 2250 毫米长 (仅限 45 FT)	2	
18	123620	液压软管, 0.25 英寸内径, 4438 毫米长 (仅限 40 FT)	1	
	123673	液压软管, 0.25 英寸内径, 5200 毫米长 (仅限 45 FT)	1	
19	135234	PVC 包裹双软管固定卡	3	
20	30282	90° 液压弯头	9	
21	30284	45° 液压弯头, 包括 O 型密封环	2	
22	30375	液压接头	2	
23	50103	45° 液压弯头, 包括 O 型密封环	2	
24	125722	橡胶防护圈 – 99 毫米内径	2	
25	172877	防护圈 – 2.38 英寸内径	1	
26	174149	防护圈 – 1.50 英寸内径	2	
27	172993	防护圈	1	
28	135443	自粘绑带, 4 英寸长	6	

拨禾轮液压驱动装置 – 升降和前后移动 – 双拨禾轮 (D130、D135、D140 和 D145)



1031834

拨禾轮液压驱动装置 – 升降和前后移动 – 双拨禾轮 ( D130、D135、D140 和 D145 )


参考编号	零部件号	说明	数量	系列号
29	135444	自粘绑带, 6 英寸长	4	
30	21763	黑色扎带 <sup>168</sup>		
31	40701	黄色扎带	4	
32	40702	红色扎带 <sup>169</sup>		
33	49227	绿色扎带 <sup>170</sup>		
34	30753	自粘绑带, 305 毫米长	6	
35	123599	中间拨禾轮臂液压软管固定架	1	
36	294607	软管支架	1	
37	136410	PVC 包裹固定夹 3/8 英寸	2	
A	21447	螺栓 – HH LG FLG (锯齿面) 3/8 NC X 1.0 GR 5 ZP		
B	21472	螺栓 – RHSN 3/8 NC X 0.75 GR 5 ZP		
C	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
D	20078	螺栓 – HH 3/8 NC X 1.75 LG GR 5 ZP		
E	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
F	21821	六角法兰锯齿头螺栓 3/8-16 X 0.75 GR5-AA1J		

168. 数量: 30–35 英尺割台 6 个, 40–45 英尺割台 8 个.

169. 数量: 30–35 英尺割台 5 个, 40–45 英尺割台 6 个.

170. 数量: 30–35 英尺割台 4 个, 40–45 英尺割台 6 个.

## 43 电气组件



1030018

## 电气组件

注:

有关特定电缆零部件, 请参阅电连接器零部件手册 (MD #169641).


参考编号	零部件号	说明	数量	系列号
1	304389	主电缆, D115	1	
	304390	主电缆, D120	1	
	304391	主电缆, D125	1	
	304392	主电缆, D130	1	
	304393	主电缆, D135	1	
	304394	主电缆, D140	1	
	304395	主电缆, D145	1	
2	255426	拨禾轮外部电缆, D100	1	
3	203547	示宽灯	2	
	139630	灯壳 - 琥珀色		
4	294874	托架总成, 包括反光贴标 <sup>171</sup>	2	
5	21218	电缆卡	5	
6	172142	电缆托架	1	
7	143875	速度传感器	2	
8	136410	PVC 包裹固定夹 3/8 英寸	1	
9	136655	杉树型固定座, 带扎带	4	
10	135443	自粘绑带, 4 英寸长	1	
11	255344	HDS 电缆, D100 (单拨禾轮/双拨禾轮 25-40 英尺割台)	1	
12	254218	插头 - 割台 ID, 15 英尺	1	
	254219	插头 - 割台 ID, 20/25 英尺, 单刀	1	
	254220	插头 - 割台 ID, 20/25 英尺, 双刀	1	
	254179	插头 - 割台 ID, 30 英尺 (仅限单拨禾轮/双拨禾轮 30 英尺割台)	1	
	254180	插头 - 割台 ID, 35 英尺 (仅限单拨禾轮/双拨禾轮 35 英尺割台)	1	
	254181	插头 - 割台 ID, 40/45 英尺 (双拨禾轮 40-45 英尺割台)	1	
13	135233	双软管绝缘固定卡 (单拨禾轮/双拨禾轮 30-45 英尺割台)	3	
14	172899	防护圈 - 1.75 英寸内径 (单拨禾轮/双拨禾轮 30-45 英尺割台)	2	
15	135444	自粘绑带, 6 英寸长 (单拨禾轮/双拨禾轮 30-45 英尺割台)	1	
16	21763	扎带 (黑色), 160 毫米长 <sup>172</sup>	1	
17	30753	扎带 (黑色), 305 毫米长	3	
18	134443	隔套 - 双鞍, H.T.型 DSWS5 (单拨禾轮/双拨禾轮 25-45 英尺割台) <sup>173</sup>		
19	135234	双软管绝缘固定卡 (单拨禾轮/双拨禾轮 30-45 英尺割台)	1	

171. 包括反光贴标 (MD #115145、115146 和 115147) .

172. 数量: 20-25 英尺割台 2 个, 30-35 英尺割台 3 个, 40-45 英尺割台 2 个.

173. 数量: 30 英尺单拨禾轮和 40-45 英尺双拨禾轮割台 1 个, 25 英尺单拨禾轮和 35 英尺单/双拨禾轮割台 2 个.

电气组件



1030018



## 电气组件

参考编号	零部件号	说明	数量	系列号
20	134954	防尘盖, 3 位, DTM <sup>174</sup>	A/R	
21	134741	防尘盖, DEUTSCH, DT, 2 位 <sup>175</sup>	A/R	
A	137727	六角扭曲锁紧螺母 1/2-13 UNC GR 5 AA1J		
B	18599	SAE 平垫圈 17/32 ID X 1 1/16 IN OD ZP		
C	18596	SAE 平垫圈 9/32 ID X 5/8 IN OD ZP		
D	21760	六角头螺栓 1/2-13 X 2.5 GR 5 AA1J		
E	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
F	21489	螺栓 - RHN 1/2 NC X 2.5 LG GR 5 AA1J		
G	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
H	134010	螺母 - 面板, HD30, 尺寸 24		
J	134011	垫圈 - 锁紧弹簧, DEUTSCH HD, 尺寸 24		
K	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
L	21573	六角头螺栓 1/4 NC X 1.0 LG GR 5 ZP		
M	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
N	109089	螺栓 - HH 1/4 NF X 0.75 GR 5 ZP		
P	18635	规则锁紧垫圈 1/4 IN.NOM.ID ZP		

174. 在未安装拨禾轮速度传感器时, 需要使用防尘盖来盖住插座.

175. 出口配置无需安装灯, 因此需要使用防尘盖盖住左侧和右侧灯插座插脚 (P521 和 P520) .

## 44 仿形滑动支承 – 两端和中间



1026978

## 仿形滑动支承 - 两端和中间

参考编号	零部件号	说明	数量	系列号
	B4963	外侧仿形滑动支承套件 (聚乙烯) <sup>176</sup>	1	
	B5615	内侧仿形滑动支承套件 (聚乙烯) <sup>176</sup>	2	
	B6583	仿形滑动支承套件 (钢制) <sup>176</sup>	1	
1	172133	左侧滑动支承焊件 (仅限聚乙烯)	1	
	172134	右侧滑动支承焊件 (仅限聚乙烯)	1	
2	313875	左侧滑动支承焊件 (仅限钢制)	1	
	313873	右侧滑动支承焊件 (仅限钢制)	1	
3	165188	左侧滑动支承塑料耐磨板 (仅限聚乙烯)	1	
	165386	右侧滑动支承塑料耐磨板 (仅限聚乙烯)	1	
4	165727	支座 - 外部滑动支承焊件	2	
5	50193	环形销	6	
6	165722	接合杆	2	
7	245396	中间滑动支承套件 <sup>177</sup>	4	
	245397	中间滑动支承紧固件套件 <sup>178</sup>	A/R	
8	125393	中间滑动支承 (仅限聚乙烯)	4	
9	313871	中间滑动支承焊件 (仅限钢制)	4	
10	NSS	凸耳 (仅限聚乙烯) <sup>179</sup>	8	
11	165429	滑动支承托架	8	
12	165168	左侧接合杆	4	
	165588	右侧接合杆	4	
A	21281	螺栓 - RHSN 5/16 NC X 0.75 GR 5 ZP		
B	21403	法兰 (锯齿面) 螺母 5/16 NC GR 5 ZP		
C	135448	BELLEVILLE 弹簧垫圈		
D	18666	六角形扭曲锁紧螺母 5/8-11 UNC ZP		
E	18523	螺栓 - RHSN 5/8 NC X 1.5 GR 5 ZP		
F	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
G	19965	螺栓 - RHSN 3/8 NC X 1.0 GR 5 ZP		
H	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
J	21561	螺栓 - HH 3/8 NC X 1.5 LG GR 5 ZP		
K	18669	六角形扭曲锁紧螺母 3/8-16 UNC ZP		
L	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		

176. 仅供套件。

177. 包括滑动支承 (MD #125393)、两个凸耳 (不单独出售) 和紧固件 (MD #21561, 18669)。

178. 包括两个凸耳 (不单独出售) 和紧固件 (MD #21561, 18669)。

179. 不单独出售；要维修此零部件，请订购中间滑动支承紧固件套件 (MD #245397)。



参考编号	零部件号	说明	数量	系列号
1	174632	拨禾轮缠住贴标		
2	166466	高压液体贴标		
3	113482	危险贴标		
4	174436	高压液体贴标		
5	220799	运输悬挂销贴标		
6	129313	重要提示贴标: 护刃器 <sup>180</sup>		
7	220084	左侧输送带张力贴标		
	279528	右侧输送带张力贴标		
8	184372	请阅读手册贴标		
9	131391	割台危险贴标		
10	184422	挤、夹危险贴标, EU		
11	174684	垂直割刀贴标		
12	253728	液压垂直割刀贴标		
13	220236	拨禾轮撑杆锁定贴标		
14	125572	双刀润滑点贴标		
	125571	单刀润滑点贴标		
	220673	非正时联接双刀润滑点贴标		
15	131392	拨禾轮危险贴标		
16	131393	拨禾轮危险贴标		
17	109843	一般注意贴标		
18	193034	运输位置时仿形轮高度调整贴标		
19	32070	专利号贴标		
20	220797	警告贴标		
21	220798	警告贴标		
22	245476	左侧割刀驱动皮带张力贴标		
23	245477	右侧割刀驱动皮带张力贴标		
24	304865	请勿提升贴标		
25	279085	警告贴标 - 螺旋输送器		
26	220577	重要提示贴标		
27	302204	加州 65 号提案贴标		
28	294813	辅助螺旋输送套件阀门贴标		
29	23164	润滑贴标 - 25 小时		
	23165	润滑贴标 - 50 小时		
30	158217	拨禾轮位置贴标		
31	111221	轮胎压力贴标		
32	132852	反光贴标 - 琥珀色, 638 MM 长 <sup>181</sup>		

180. 驱动端护刃器因割台上使用的护刃器类型而异.有关驱动端护刃器类型和数量,请参阅 3 护刃器、压紧件和耐磨板 – 单刀、短尖护刃器 , 页码 9 至 6 护刃器、压紧件和耐磨板 – 双刀、中间和左端 , 页码 19.

181. 在拨禾轮中间管上使用.



贴标和反光贴标


参考编号	零部件号	说明	数量	系列号
33	115145	反光贴标 - 荧光橙红色, 230 MM <sup>182</sup>		
	115146	反光贴标 - 琥珀色, 230 MM <sup>182</sup>		
	115147	反光贴标 - 红色, 230 MM <sup>182</sup>		
	165524	反光贴标 - 红色, 230 MM <sup>183</sup>		
	172948	反光贴标 - 红色与橙红色双色		
	172951	反光贴标 - 红色与橙红色双色 <sup>184</sup>		
	132852	反光贴标 - 琥珀色		
	165973	反光贴标 - 琥珀色 <sup>184</sup>		

182. 方角反光贴标.在金属表面上使用.

183. 圆角反光贴标.在塑料表面上使用.

184. 仅限 35 英尺割台.

## 46 产品商标



1030008

## 产品商标

参考编号	零部件号	说明	数量	系列号
1	304126	贴标 - D1 左侧红色条		
	304127	贴标 - D1 右侧红色条		
	304124	贴标 - D1 左侧绿色条		
	304125	贴标 - D1 右侧绿色条		
	304128	贴标 - D1 左侧黄色条		
	304129	贴标 - D1 右侧黄色条		
	304130	贴标 - D1 左侧灰色条		
	304131	贴标 - D1 右侧灰色条		
	304132	贴标 - D1 左侧绿黄色条		
	304133	贴标 - D1 右侧绿黄色条		
	304134	贴标 - D1 左侧黑色条		
	304135	贴标 - D1 右侧黑色条		
2	255014	左侧前面贴标, 红色		
	255021	右侧前面贴标, 红色		
	255131	左侧前面贴标, 绿色		
	255133	右侧前面贴标, 绿色		
	255259	左侧前面贴标, 黄色		
	255260	右侧前面贴标, 黄色		
	255115	左侧前面贴标, 灰色		
	255316	右侧前面贴标, 灰色		
	255116	左侧前面贴标, 绿黄色		
	255317	右侧前面贴标, 绿黄色		
	255117	左侧前面贴标, 黑色		
	255318	右侧前面贴标, 黑色		
3	304138	贴标 - "15"		
4	304139	贴标 - "20"		
5	304140	贴标 - "25"		
6	304141	贴标 - "30"		
7	304142	贴标 - "35"		
8	304143	贴标 - "40"		
9	304144	贴标 - "45"		

## 47 贴标 - 法语



①



②



③



245438

④




245439

⑤



301369

⑥



245441

⑦




⑧

贴标 - 法语

参考编号	零部件号	说明	数量	系列号
1	245428	左侧输送带张力贴标, 法语		
2	245432	右侧输送带张力贴标, 法语		
3	245433	重要提示贴标: 护刃器, 法语		
4	245438	重要提示贴标: 油工作温度, 法语		
5	245439	转接器放油贴标, 法语		
6	301369	转接器油位贴标, 法语		
7	245441	轮胎压力贴标, 法语		
8	245443	仿形轮调整贴标, 法语		

## 48 贴标 - 葡萄牙语



贴标 - 葡萄牙语

参考编号	零部件号	说明	数量	系列号
1	220817	重要提示贴标: 护刃器, 葡萄牙语		
2	220818	重要提示贴标: 油工作温度, 葡萄牙语		
3	220819	转接器放油贴标, 葡萄牙语		
4	301496	转接器油位贴标, 葡萄牙语		
5	220823	仿形轮调整贴标, 葡萄牙语		
6	220824	左侧输送带张力贴标, 葡萄牙语		
7	220836	右侧输送带张力贴标, 葡萄牙语		
8	220885	轮胎压力贴标, 葡萄牙语		

## 49 贴标 - 俄语



1



2




3



4



5




6



7



8




9

贴标 - 俄语

参考编号	零部件号	说明	数量	系列号
1	220831	左侧输送带张力贴标, 俄语		
2	220832	重要提示贴标: 护刀器, 俄语		
3	220833	运输轮高度调整贴标, 俄语		
4	220834	右侧输送带张力贴标, 俄语		
5	220863	仿形轮调整贴标, 俄语		
6	220868	重要提示贴标: 油工作温度, 俄语		
7	220871	转接器放油贴标, 俄语		
8	301497	转接器油位贴标, 俄语		
9	166309	轮胎压力贴标, 俄语		

## 50 贴标 - 西班牙语



贴标 - 西班牙语

参考编号	零部件号	说明	数量	系列号
1	220807	重要提示贴标: 护刃器, 西班牙语		
2	220808	重要提示贴标: 油工作温度, 西班牙语		
3	220809	转接器放油贴标, 西班牙语		
4	301495	转接器油位贴标, 西班牙语		
5	220813	仿形轮调整贴标, 西班牙语		
6	220814	左侧输送带张力贴标, 西班牙语		
7	220835	右侧输送带张力贴标, 西班牙语		
8	220876	轮胎压力贴标, 西班牙语		

# 51 油漆

**PREPARATION: WARNING!** Removal of old paint by sanding, scraping or other means may generate dust or fumes that contain lead. Exposure to lead dust or fumes may cause brain damage or other adverse health effects, especially in children or pregnant women. Controlling exposure to lead or other hazardous substances requires use of proper protective equipment, such as a properly fitted respirator (NIOSH Approved respirator containing lead and dust). For more information, contact the National Lead Information Center at 1-800-424-LEAD (in US) or contact your local health authority.

Surface must be free of grease, rust, dirt and wax. Mask off or protect other areas from overspray. Product should be sprayed in a well-ventilated area. Use at room temperature 21°C (70°F) for best operation.

**FOR BEST RESULT:** Shake until ball inside can rattles. Hold can at top, and swing bottom of can in a circle for at least 2 minutes, making ball rotate around. Stop shaking and hold can vertically for 10 seconds. Repeat procedure for 10 seconds after each minute of spraying. Press spray button firmly, with the can 15-25 cm (6-8 inches) from surface. Apply several thin coats. To prevent clogging, clear the valve by holding can upside down, and spray until only clear gas comes out.

Made in Canada / Fabriqué au Canada  
For Your  
MACDON INDUSTRIES LTD  
WINNIPEG, MANITOBA

**CANADA: CONSUMER CHEMICALS AND CONTAINERS REGULATIONS (CCCR)**

**CONTENTS MAY CATCH FIRE - CONTAINER MAY EXPLODE IF HEATED - MAY IRRITATE EYES - MAY IRRITATE SKIN**  
Do not smoke. Do not puncture or incinerate container. Do not breathe fumes. Do not swallow. Do not get on skin or clothing. Use only in a well-ventilated area. Keep away from flames, such as a pilot light, and any object that sparks, such as an electric motor. Store away from heat. Keep out of reach of children.

**FIRST AID TREATMENT:** Contains Xylene; 1,2,4-trimethylbenzene; Methyl ethyl ketone; Ethylbenzene. If breathed in, move person to fresh air. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water.

**PRÉPARATION: MISE EN GARDE!** L'enlèvement des anciennes peintures par ponçage, dérapage ou toute autre méthode risque de dégager des poussières ou des vapeurs qui peuvent contenir du plomb. L'exposition à ces poussières ou vapeurs peut entraîner un dysfonctionnement du cerveau ou d'autres effets néfastes sur la santé, surtout chez les femmes enceintes et les enfants. L'utilisation d'équipement de protection approprié, tel qu'un appareil respiratoire bien ajusté et homologué par le NIOSH, ainsi que des moyens de confinement adéquats et un nettoyage convenable de ces substances dangereuses. Pour obtenir plus de renseignements, communiquer avec le National Lead Information Center au 1-800-424-5123 (aux É.-U.) ou avec le service local de santé publique.

La surface doit être exempte de graisse, de saleté et de cire. Masquer ou recouvrir les surfaces avoisinantes pour les protéger des surépurations. Le produit doit être vaporisé dans un endroit bien aéré. Pour optimiser les résultats, utiliser à température ambiante 21 °C (70 °F).

**POUR DES RÉSULTATS OPTIMUM:** Agiter le contenu jusqu'à ce que la bille de mélange bouge librement. Ensuite, tenir le pot par le haut et agiter le fond pendant au moins 2 minutes en faisant des mouvements circulaires pour que la bille se déplace autour du fond de la canette. Agiter de haut en bas de temps à autre. Agiter pendant 10 secondes pour chaque minute de vaporisation. Presser fermement sur le bouton de vaporisation et tenir la canette à 15-25 cm (6-8 pouces) de la surface. Appliquer plusieurs couches minces. Pour empêcher le gicleur d'obstruer, le nettoyer en tournant la canette à l'envers et en pressant sur le bouton de vaporisation jusqu'à ce qu'il n'en sorte que du gaz incolore.

Tableau des produits conformes à la réglementation sur les COV de votre région.

**CANADA: RÈGLEMENT SUR LES PRODUITS CHIMIQUES ET LES CONTENANTS DE CONSOMMATION (RPCC)**

**LE CONTENU PEUT S'ENFLAMMER - CE CONTENANT PEUT EXPLOSER SI IL EST CHAUFFÉ - PEUT IRITER LES YEUX - PEUT IRITER LA PEAU**  
Ne pas fumer. Ne pas percer le contenant. Ne pas brûler le contenant. Ne pas respirer les émanations. Ne pas avaler. Eviter tout contact avec les yeux. Eviter tout contact avec la peau ou les vêtements. N'utiliser que dans un endroit bien aéré. Tenir loin des flammes, telle une flamme pilote, et de tout objet produisant des étincelles, tel un moteur électrique. Conserver loin des sources de chaleur. Tenir hors de portée des enfants.

**PREMIERS SOINS:** Contient Xylene; 1,2,4-trimethylbenzene; Methyl ethyl ketone; Ethylbenzene. En cas d'inhalation, transporter à l'air frais la personne expériente. En cas d'ingestion, appeler immédiatement un centre antipoison ou un médecin. Ne pas provoquer le vomissement. En cas de contact avec les yeux, rincer avec de l'eau pendant 15 minutes. En cas de contact avec la peau, bien rincer avec de l'eau.

**USA: CONSUMER PRODUCT SAFETY COMMISSION REGULATIONS (CPSC)**

**CONTENTS MAY CATCH FIRE - CONTAINER MAY EXPLODE IF HEATED - HARMFUL IF ABSORBED THROUGH SKIN - HARMFUL OR FATAL IF SWALLOWED - CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION - MAY CAUSE SEVERE ALLERGIC RESPIRATORY AND SKIN REACTION - CANCER HAZARD - CAN CAUSE CANCER. DEVELOPMENTAL TOXICITY TERATOGENIC EFFECTS.**

**WARNING:** This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. In a fire or if heated, a pressure increase will occur and the container may burst or explode. Can enter lungs and cause damage. Risk of cancer depends on duration and level of exposure. Contains material which can cause birth defects. Contains material which can cause developmental abnormalities. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Use only with adequate ventilation. Do not breathe vapor or mist. Do not swallow. Do not get on skin or clothing. Avoid contact with eyes. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling. Avoid exposure during pregnancy. Keep out of reach of children.

**FIRST AID TREATMENT:** Contains Xylene; 1,2,4-trimethylbenzene; Methyl ethyl ketone; Ethylbenzene. If breathed in, move person to fresh air. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water.

**MD™ GENUINE PARTS**

Quality Parts For All Your MacDon Equipment

## Industrial Touch Up Paint Peinture de retouche industrielle



DANGER!

FLAMMABLE • CONTENTS UNDER PRESSURE  
INFLAMMABLE • CONTENU SOUS PRESSION

Part number / Numéro de pièce

Net weight with paint  
Poids net avec peinture 12 oz./340 g

1

2

**MD™ GENUINE PARTS**  
Quality Parts For All Your MacDon Equipment

## Industrial Paint / Peinture industrielle



DANGER!  
FLAMMABLE / INFLAMMABLE

One US quart

Part number / Numéro de pièce

946 ml

**DIRECTIONS FOR USE**  
THIS PRODUCT IS READY TO USE. NO REDUCE IS NECESSARY.

**MODE D'EMPLOI**  
CE PRODUIT EST PRÊT À L'ÉTUSSAGE, AUCUN DILUANT N'EST NÉCESSAIRE.

**APPLICATION**  
Paint under a pressure of 40 to 55 bar (572 to 786 MPa).

**APPLICATION**  
Peindre à une pression de 40 à 55 bar (572 à 786 MPa).

**USING A PRIMER IS NOT NECESSARY WITH THIS PRODUCT.**  
Spray nozzle wet coat, allow to tack and follow with hot wet coat.

**UTILISATION D'UN APPRÉT N'EST PAS NÉCESSAIRE AVEC CE PRODUIT.**  
Appuyer une couche imprégnante chaude, laisse sécher jusqu'à ce qu'il soit sec et appliquer une couche chaude.

**FOR HIGH PRESSURE AREAS**  
See directions refer to the list of products which may be used as a primer. Follow instructions for high pressure areas. Follow mixing and application instructions in the VOC Compliant Products Chart for your area.

**ENSEIGNEMENT SUR LES COV**  
On devra certainement l'utilisation de produits peinture qui répondent aux exigences de l'ensemble des spécifications dans les règles ou les instructions COV sont exigées. Suivez les recommandations de mélange et d'application indiquées au tableau des produits conformes à la réglementation sur les COV de votre région.

**CANADA: CONSUMER CHEMICALS AND CONTAINERS REGULATIONS (CCCR)**

**CONTENTS MAY CATCH FIRE, MAY EXPLODE IF HEATED - MAY IRRITATE EYES - MAY IRRITATE SKIN**  
Do not smoke. Do not puncture or incinerate container. Do not breathe fumes. Do not swallow. Do not get on skin or clothing. Use only in a well-ventilated area. Keep away from flames, such as a pilot light, and any object that sparks, such as an electric motor. Store away from heat. Keep out of reach of children.

**FIRST AID TREATMENT:** Contains Xylene; 1,2,4-trimethylbenzene; Methyl ethyl ketone; Ethylbenzene. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water.

**USA: CONSUMER PRODUCT SAFETY COMMISSION REGULATIONS (CPSC)**

**FLAMMABLE LIQUID AND VAPOR, HARMFUL IF ABSORBED THROUGH SKIN, HARMFUL OR FATAL IF SWALLOWED, CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION - MAY CAUSE SEVERE ALLERGIC RESPIRATORY AND SKIN REACTION, CANCER HAZARD - CAN CAUSE CANCER. DEVELOPMENTAL TOXICITY TERATOGENIC EFFECTS.**

This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. Can enter lungs and cause damage. Risk of cancer depends on duration and level of exposure. Contains material which can cause birth defects. Contains material which can cause developmental abnormalities. Do not smoke. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Use only with adequate ventilation. Do not breathe vapor or mist. Do not swallow. Do not get on skin or clothing. Avoid contact with eyes. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling. Avoid exposure during pregnancy. Keep out of reach of children.


**FIRST AID TREATMENT:** Contains Xylene; 1,2,4-trimethylbenzene; Methyl ethyl ketone; Ethylbenzene. If swallowed, call a Poison Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 15 minutes. If on skin, rinse well with water.

油漆

参考编号	零部件号	说明	数量	系列号
1	135148	黑色油漆 (55-65 表面光泽度), 喷雾罐, 12 OZ. (340 G) 气溶胶 <sup>185</sup>		
	32879	白色油漆, 喷雾罐, 12 OZ. (340 G) 气溶胶 <sup>185</sup>		
	23950	红色油漆, 喷雾罐, 12 OZ. (340 G) 气溶胶 <sup>185</sup>		
2	25991	黑色油漆 (55-65 表面光泽度), 1 美制夸脱 (946 ML)		
	23957	白色油漆, 1 美制夸脱 (946 ML)		
	32880	红色油漆, 1 美制夸脱 (946 ML)		

185. 仅用于小块修补.

## 52 (选件) 联合收割机割台连接套件




1005137

(选件) 联合收割机割台连接套件

参考编号	零部件号	说明	数量	系列号
	B5747	液压快速接头套件 <sup>186</sup>		
1	30971	O型密封环 (SAE #12)	3	
2	44209	O型密封环 (SAE #8)	1	
3	135474	连接件 - 液压母接头, 1/2 英寸, 平面	1	
4	135565	连接件 - 液压母接头, 3/4 英寸一端平面	1	
5	135566	连接件 - 液压公接头, 3/4 英寸一端平面	1	
6	135312	连接件 - 液压母接头, 3/8 英寸一端平面	1	
7	135204	连接件 - 液压母接头, 3/4 英寸, 平面, 穿板式	1	
8	135205	连接件 - 液压公接头, 3/4 英寸, 平面, 穿板式	1	
9	135236	连接件 - 液压公接头, 1/2 英寸, 平面, 穿板式	1	
10	135237	连接件 - 液压公接头, 3/8 英寸 (一端平面), 穿板式	1	
11	15903	接头 - 3/8 管 37° 扩口 X 9/16-18 ORB	3	
12	21030	接头 - 1/2 管 37° 扩口 X 3/4-16 ORB	2	
13	153151	连接件 - 多路 (割台侧)	1	
	129800	套件 - 护盖		
	129801	套件 - 按钮式锁销		
	129976	连接件 - 1/4 英寸		
	129977	连接件 - 3/8 英寸		
14	125553	托架 - 拨禾轮驱动装置, 多路连接件	1	
15	135238	连接件 - 多接口 (转接器侧)	1	
	111981	密封套件 - 1/4 英寸连接件		
	111982	密封套件 - 3/8 英寸连接件		
	111983	螺钉套件		
	111984	定位销套件		
	111985	连接件 - 3/8 英寸 (长)		
	111986	连接件 - 1/4 英寸		
	294350	连接件 - 3/8 英寸 (短)		
16	135373	接头 - 液压 8 ORB 外螺纹 X 8 JIC SVL 内螺纹	2	
17	135015	液压接头	3	
18	40701	扎带 (黄色)	2	
19	21763	扎带 (黑色)	2	
20	49227	扎带 (绿色)	2	
21	40702	扎带 (红色)	2	
22	40703	扎带 (蓝色)	2	
23	40704	扎带 (橙色)	2	

186. 仅供套件.

(选件) 联合收割机割台连接套件





1005137

(选件) 联合收割机割台连接套件

参考编号	零部件号	说明	数量	系列号
A	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
B	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
C	135397	六角凹头螺栓 5/16 NC X 3/4		

## 53 (选件) 扶禾器



1020487

(选件) 扶禾器

注:


单个套件 (MD #B6411) 包含十个扶禾器 (MD #255929) 和紧固件.

参考编号	零部件号	说明	数量	系列号
	B6411	套件 - 扶禾器 <sup>187</sup>		
1	255929	钢制扶禾器 <sup>188</sup>	A/R	
A	279575	螺栓 - RHSN 7/16-14 X 2.5-GR5-ZP		
B	21761	法兰光滑面螺母 1/16 NC GR 5 ZP		
C	255930	平垫圈		
D	255927	六角连接螺母 7/16-14 20 MM LG		
E	255928	六角连接螺母 7/16-14 11 MM LG		

187. 所需的套件数量根据割台宽度而异.整套割台数量: 30 英尺割台 3 个, 35-40 英尺割台 4 个, 45 英尺割台 5 个.新割台仅供套件.对于现有割台, 请A/R订购钢制扶禾器 (MD #255929) 和紧固件 A-E.

188. 整套割台数量: 30 英尺割台 30 个, 35-40 英尺割台 40 个, 45 英尺割台 50 个.

## 54 (选件) 扶禾器架



1020488


(选件) 扶禾器架

参考编号	零部件号	说明	数量	系列号
	B6376	扶禾器架 <sup>189</sup>		
1	279636	支座 – 扶禾器架焊件	2	
2	279876	支座 – 扶禾器架	4	
A	152863	六角法兰锁紧螺母 STVR M8 X 1.25-10-AA2L		
B	197171	螺栓 – RHSN M8 X 1.25 X 20-8.8-A2L		
C	136209	六角头垫圈螺钉 M10 X 1.5 X 20-450HV-A3L		

---

189. 仅供套件.

## 55 (选件) 适用于 M 系列割晒机的 D1 完善套件 - 电气和机械组件




1030128

(选件) 适用于 **M** 系列割晒机的 **D1** 完善套件 – 电气和机械组件

参考编号	零部件号	说明	数量	系列号
1	220758	软管导杆	1	
2	172142	电缆托架	1	
3	143875	速度传感器	2	
4	21218	电缆卡	5	
5	137509	割晒机速度传感器支座	1	
6	21763	黑色扎带	1	
7	134053	防尘盖, HD30, 尺寸 24	1	
8	REF	主电缆 <sup>190</sup>		
A	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8 (仅限 20–45 英尺割台)		
B	19965	螺栓 – RHSN 3/8-16 X 1-GR5-ZP (仅限 15 英尺割台)		
C	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
D	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
E	109089	螺栓 – HH 1/4 NF X 0.75 GR 5 ZP		
F	18635	规则锁紧垫圈 1/4 IN.NOM.I.D.ZP		
G	18596	SAE 平垫圈 9/32 I.D.X 5/8 IN.O.D.ZP		
H	135157	机器螺钉		
J	18664	六角锁紧螺母 3/8-16 UNC GR 5 ZP		
K	21452	螺母 – 法兰 (锯齿面) .375-16 UNC		
L	21572	六角头螺栓 1/4 NC X 0.625 LG GR 5 ZP		
M	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		

190. 完善套件中不提供.图中显示的电缆仅供参考.有关割台电气组件, 请参阅 [43 电气组件](#), 页码 [151](#) 部分.

## 56 (选件) 适用于 M 系列割晒机的 D1 完善套件 - 液压组件




1025360

(选件) 适用于 M 系列割晒机的 D1 完善套件 - 液压组件

参考编号	零部件号	说明	数量	系列号
1	153151	连接件 - 多路 191	1	
	129800	套件 - 护盖	1	
	129801	套件 - 按钮式锁销	1	
	129976	连接件 - 1/4 英寸	1	
	129977	连接件 - 3/8 英寸	1	
2	125553	托架焊件	1	
3	21030	接头 - 1/2 管 37° 扩口 X 3/4-16 ORB	2	
4	15903	接头 - 3/8 管 37° 扩口 X 9/16-18 ORB	3	
5	135213	液压母接头, 3/8 英寸, 一端平面, 穿板式 (仅限 15 英尺割台)	1	
6	135206	连接件 - 液压母接头, 1/2 英寸, 一端平面 (仅限 15 英尺割台)	1	
7	135205	连接件 - 液压公接头, 3/4 英寸, 一端平面 (仅限 15 英尺割台)	1	
8	135204	连接件 - 液压母接头, 3/4 英寸, 一端平面 (仅限 15 英尺割台)	1	
9	135566	连接件 - 液压公接头, 3/4 英寸, 平面 (仅限 20-45 英尺割台)	1	
10	135565	液压母接头, 3/4 英寸, 平面 (仅限 20-45 英尺割台)	1	
11	135474	液压母接头, 1/2 英寸, 平面 (仅限 20-45 英尺割台)	1	
12	135312	液压母接头, 3/8 英寸, 平面 (仅限 20-45 英尺双刀割台)	1	
13	30971	O 型密封环 - #12 ORB (仅限 20-45 英尺割台)	3	
14	44209	O 型密封环 - #8 ORB (仅限 20-45 英尺双刀割台)	1	
15	49227	绿色扎带	1	
16	40702	扎带 (红色)	1	
17	40701	黄色扎带	1	
18	40704	橙色扎带	1	
19	40703	扎带 (蓝色)	1	
20	21763	黑色扎带	1	
A	135397	六角凹头螺栓 5/16 NC X 3/4		
B	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
C	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		

191. 包括护盖套件 (MD #129800)、按钮式锁销套件 (MD #129801) 和连接件 (MD #129976, 129977).

## 57 (选件) 双输送带驱动装置



1019890

## (选件) 双输送带驱动装置

参考编号	零部件号	说明	数量	系列号
	B6154	双输送带套件 <sup>192</sup>		
1	220936	液压马达, DANFOSS 2.44 CI	2	
	220944	密封套件	2	
2	255410	肋辊组件, 带螺钉 <sup>193</sup>	2	
3	120845	NILOS LSTO 钢制圆盘密封	2	
4	255431	支撑臂 - 焊件	2	
5	174695	支撑	1	
6	174697	软管卡	8	
7	174706	导流装置固定件	1	
8	174707	橡胶导流装置	1	
9	174708	液压软管	1	
10	174709	液压软管	4	
11	50022	PVC 包裹固定夹 15/16 英寸	4	
12	135443	自粘绑带, 4 英寸长	8	
13	174710	可重复使用软管末端接头 <sup>194</sup>	4	
14	21843	90° 液压弯头	4	
15	30556	90° 液压弯头	5	
16	30557	90° 液压弯头	2	
17	135434	45° 旋转弯头, SAE	1	
18	30695	液压接头	2	
19	30873	液压 T 型管接头	2	
20	30875	45° 液压弯头	4	
21	50104	90° 液压弯头	2	
22	220841	液压软管	1	
23	165735	输送带辊销组件	2	
	132607	双列滚珠轴承 52 外径X 25 内径		
	108268	液压 T 型管接头 (图中未显示) <sup>195</sup>	1	
	30981	液压减径接头 1/2 X 3/8 (图中未显示) <sup>196</sup>	1	
A	30441	硬化垫圈		
B	145249	螺栓 - HH 5/8 NF X 1.0 LG GR 5 ZP		
C	172259	轴肩螺栓 .375-16 UNC		
D	120639	RHSN 特种螺栓 7/16 NC X 1.75 LG GR 5 ZP		

192. 仅供套件.


193. 包括钢制圆盘密封 (MD #120845)、输送带辊销组件 (MD #165735) 和两颗固定螺钉 (MD #132451).

194. 随软管 (MD #174709) 提供.

195. 仅与自走式割晒机搭配使用.

196. 仅在正时联接双刀割台上与自走式割晒机搭配使用.

(选件) 双输送带驱动装置




1019890

(选件) 双输送带驱动装置

参考编号	零部件号	说明	数量	系列号
E	135626	沉头中心锁紧螺母, #12-24 NC (50 个装)		
F	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
G	135628	螺钉 – BHRN #12-24 NC X 0.67 IN.LG (50 个装)		
H	135157	机器螺钉		
J	132451	六角凹头滚花固定螺钉 3/8 NC X 3/8 LG		
K	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		

## 58 (选件) 输送带加长套件





(选件) 输送带加长套件

参考编号	零部件号	说明	数量	系列号
	B5407	输送带加长套件 <sup>197</sup>	1	
1	220641	输送带 – 维修套件	2	
2	174528	后部支撑臂	2	
3	174559	内部辊支撑臂	2	
4	174560	外部辊支撑臂	2	
A	19965	螺栓 – RHSN 3/8 NC X 1.0 GR 5 ZP		
B	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		

---

197. 仅供套件.

## 59 (选件) 带式输送割台支座 (适用于 M 系列的连接座)




1025345

(选件) 带式输送割台支座(适用于 M 系列的连接座)

参考编号	零部件号	说明	数量	系列号
1	163088	带式输送割台支座, 焊件	2	
2	42498	橡胶缓冲垫	2	
3	44575	支撑	2	
4	135408	插销	2	
5	13125	发卡销	2	
A	30849	螺栓 – RHSN 1/2 NC X 3.5 LG GR 5 ZP		
B	4761	平垫圈		
C	21389	六角锁紧螺母 .500-13 UNC		

## 60 (选件) 多作物拨禾轮快速转换套件




1026035

(选件) 多作物拨禾轮快速转换套件

参考编号	零部件号	说明	数量	系列号
	B6590	多作物拨禾轮快速转换套件 <sup>198</sup>		
1	294598	托架 - 右侧凸轮	1	
2	294601	托架 - 中间凸轮	1	
3	294599	托架 - 左侧凸轮	1	
4	245362	金属加固液压软管, 0.25 IN ID, 950 MM LG, 100R17	1	
5	18624	插销, 15.71 MM, 70 MM, ZN PL	3	
6	118137	防脱环, 2英寸X.087	3	
7	135233	PVC 包裹双软管固定卡	2	
A	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
B	148798	六角法兰螺栓 M12 X 1.75 X 30-10.9-A3L		
C	136431	六角法兰中心锁紧螺母 M12 X 1.75-10-A3L		
D	40915	平垫圈		

198. 快速转换拨禾轮从当前位置到油菜位置的套件.设计基于直立收割油菜的西欧和北美市场.包括所有列出的零部件和说明.仅供套件.

## 61 (选件) 捡拾拨禾轮末端拨禾齿套件




1005216

(选件) 捡拾拨禾轮末端拨禾齿套件

参考编号	零部件号	说明	数量	系列号
	B4831	捡拾拨禾轮末端拨禾齿套件 <sup>199</sup>		
1	137794	倒伏作物拨禾齿, 凸轮端	3	
2	137795	倒伏作物拨禾齿垫片	3	
3	137924	倒伏作物拨禾齿, 尾端	3	
A	30515	螺栓 – RHSN, 1/2 NC X 1-3/4, GR 5		
B	50186	法兰光滑面锁紧螺母 1/2 NC		
C	30368	法兰头螺栓 1/2 NC X 1-1/4 GR 5		
D	21383	法兰锯齿面锁紧螺母, 1/2 NC		
E	21102	六角头螺栓 3/8 NC X 2-1/2 GR 5		
F	30228	法兰光滑面锁紧螺母 3/8 NC		

199. 仅供套件.

## 62 (选件) 拨禾轮臂加长套件



1024641

(选件) 拨禾轮臂加长套件

注:


拨禾轮臂加长套件 (MD #B6591) 与垂直割刀座 (MD #B6137 和 B6138) 不匹配.

参考编号	零部件号	说明	数量	系列号
	B6591	拨禾轮臂加长套件 (仅限出口) <sup>200</sup>		
1	245926	支撑焊件	2	
2	294598	托架焊件 - 右侧凸轮	1	
3	294601	托架焊件 - 中间凸轮	1	
4	294599	托架焊件 - 左侧凸轮	1	
5	18624	插销, 15.71 MM, 70 MM, ZN PL	3	
6	118137	防脱环, 2英寸X.087	3	
A	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
B	50186	法兰光滑面扭曲锁定螺母 0.500-13 UNC GR 5		
C	40915	平垫圈		

---

200. 此套件为配备短拨禾轮臂的割台提供拨禾轮更大的前后移动范围 (从向前最远到向后最远). 套件包括所有列出的零部件和说明. 仅供套件.

**63 (选件) 水稻分禾杆**



1035123


(选件) 水稻分禾杆

参考编号	零部件号	说明	数量	系列号
	B5609	水稻分禾杆套件201		
1	123681	水稻分禾器左侧管式焊件	1	
	123682	水稻分禾器右侧管式焊件	1	
A	172875	固定螺钉		
B	21056	六角锁紧螺母 1/2-13 UNC GR 5 ZP		

---

201. 仅供套件.

## 64 (选件) 岩石缓速器套件



1009381

(选件) 岩石缓速器套件



参考编号	零部件号	说明	数量	系列号
	B5084	岩石缓速器套件 (25–35 英尺割台) <sup>202</sup>		
	B5085	岩石缓速器套件 (40–45 英尺割台) <sup>202</sup>		
1	129577	支架 – 岩石缓速器夹板 <sup>203</sup>		
2	129578	支架 – 岩石缓速器夹板 <sup>204</sup>	2	
3	129581	支架 – 岩石缓速器, 990 MM 长	3	
	129582	支架 – 岩石缓速器, 913 MM 长	4	
	129584	支架 – 岩石缓速器, 888 MM 长	2	
	129589	支架 – 岩石缓速器, 1066 MM 长	2	
4	REF	割刀座		

202. 仅供套件.

203. 数量: 25–35 英尺割台 32 个, 40–45 英尺割台 40 个.

204. 在挠性接头上使用.

## 65 (选件) 适用于中间拨禾轮臂的短支架套件/分禾器闩锁





(选件) 适用于中间拨禾轮臂的短支架套件/分禾器闩锁

参考编号	零部件号	说明	数量	系列号
	B5605	适用于中间拨禾轮臂的短支架套件 <sup>205</sup>		
1	164825	左侧短支架	1	
2	164800	右侧短支架	1	
A	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
B	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
	B6158	分禾器闩锁套件 <sup>205</sup>		
3	255791	分禾器存放固定角铁 <sup>206</sup>	2	
4	132248	左侧分禾器安全闩锁	1	
	132253	右侧分禾器安全闩锁	1	
5	132773	分禾器闩锁钩	2	
6	120932	左侧闩锁	1	
	120933	右侧闩锁	1	
C	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
D	7674	六角锁紧螺母 3/4-16 UNF GR 5 ZP		
E	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
F	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
G	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
H	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
J	30504	沉头机器螺钉 5/16 NC X 1-1/2 LG GR 5 ZP		

205. 仅供套件.

206. 用于在不使用分禾器时将其存放在割台端架上.有关在割台端架上的安装位置,请参阅 [1 割台架 - 分禾器和支座 , 页码 1](#) 部分.

**66 (选件) 适用于短拨禾轮臂的短支架套件 - 单拨禾轮**





1021014

(选件) 适用于短拨禾轮臂的短支架套件 - 单拨禾轮

参考编号	零部件号	说明	数量	系列号
	B6401	单拨禾轮短支架套件 (仅限出口) <sup>207</sup>		
	255845	单拨禾轮短支架套件 (仅限出口) <sup>208</sup>		
1	255831	短斜撑	2	
A	129847	螺栓 – RHSN 1/2 NC X 4.5 LG GR 5 ZP		
B	18770	平垫圈		
C	50186	法兰光滑面扭曲锁定螺母 0.500-13 UNC GR 5		

- 
207. 此套件为配备短拨禾轮臂的单拨禾轮割台提供外部拨禾轮臂支架。套件包括单拨禾轮短支架套件 (MD #255845)。  
仅供套件。
208. 此套件包括两个短斜撑 (MD #255831)、两个螺栓 (MD #129847)、两个垫圈 (MD #18770)、两个螺母 (MD #50186) 和说明。

## 67 (选件) 低速运输套件 - 牵引电气装置



1031670

(选件) 低速运输套件 - 牵引电气装置

参考编号	零部件号	说明	数量	系列号
	B6606	运输灯和电缆套件 (北美和澳大利亚版) <sup>209</sup>		
	B6607	运输灯和电缆套件 (欧洲版) <sup>209</sup>		
1	244727	支座 - 左侧运输灯	1	
2	274414	带安全贴标的护盖 <sup>210</sup>	1	
3	171068	继电器 - 运输照明模块 <sup>211</sup>	1	
4	138087	刹车灯/转向灯/尾灯 <sup>212</sup>	1	
5	294392	低速运输右后侧灯支座	1	
	115146	反光贴标 - 琥珀色	A/R	
	115147	反光贴标 - 红色	A/R	
6	138086	刹车灯/转向灯/尾灯 <sup>212</sup>	1	
	139630	灯壳 - 琥珀色	1	
	139631	灯壳 - 红色	1	
	139632	灯壳 - 黑色 (不透明)	1	
	139633	灯壳 - 无色 (俄国版)	1	
7	258262	托架总成, 包括 SMV 贴标 <sup>213</sup>	1	
	115148	SMV 贴标 <sup>211</sup>	1	
	258253	速度标识符号支架 (欧洲版) <sup>214</sup>	A/R	
8	174926	SMV 安装支架	1	
9	254175	电缆	1	
10	253500	分禾杆下部支架	1	
11	135233	PVC 包裹双软管固定卡	2	
12	21763	扎带 (黑色)	3	
13	113536	U 形焊件 <sup>211</sup>	1	
14	113561	环形销 <sup>211</sup>	1	
15	118239	悬挂销 <sup>211</sup>	1	
16	193241	SIS 贴标, 30 KM/H	1	
	193243	SIS 贴标, 30 KM/H (小)	1	
	193242	SIS 贴标, 20 英里/小时	1	
	193240	SIS 贴标, 20 英里/小时 (小)	1	
A	136868	抽芯铆钉		
B	21573	六角头螺栓 1/4 NC X 1.0 LG GR 5 ZP		

209. 仅供套件.

210. 包括贴标 (MD #184422).


211. 仅限 B6606.

212. MacDon 不出售转向灯、尾灯和刹车灯灯泡, 可将它们更换为红色 (尾灯/刹车灯) 灯泡 - 1077, 和琥珀色 (转向灯) 灯泡 - 7506.

213. 包括 SMV 贴标 (MD #115148). 仅限 B6606.

214. 仅限 B6607.

(选件) 低速运输套件 - 牵引电气装置




1031670

(选件) 低速运输套件 - 牵引电气装置

参考编号	零部件号	说明	数量	系列号
C	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		
D	21568	螺栓 - HH 3/8 NC X 3.0 LG GR 5 ZP (单拨禾轮)		
	21102	螺栓 - HH 3/8 NC X 2.5 LG GR 5 ZP (双拨禾轮)		
E	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
F	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
G	21472	螺栓 - RHSN 3/8 NC X 0.75 GR 5 ZP		
H	18723	螺栓 - HH 1/2 NC X 1.5 LG TFL GR 5 ZP		
J	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
K	18670	SAE 平垫圈 7/16 内径X 1.0 英寸外径AA1J <sup>215</sup>		

215. 仅适用于 B6606.

## 68 (选件) 低速运输套件 - 运输牵引装置



1026495


(选件) 低速运输套件 - 运输牵引装置

参考编号	零部件号	说明	数量	系列号
	B6145	运输套件 (牵引杆) <sup>216</sup>		
1	144415	L形销组件	1	
2	21404	安全链, 59 节	1	
3	39272	绝缘卡	2	
4	193057	电缆卡, DEUTSCH 连接器	1	
5	193059	运输牵引电缆 (割台端)	1	
6	193058	运输牵引电缆 (牵引端)	1	
7	113566	牵引臂连接座	1	
8	193202	牵引臂 - 焊件 (割台端)	1	
9	193212	牵引臂 - 包括贴标 (牵引端) <sup>217</sup>	1	
11	16010	弹簧销 3/16 DIA X 1.0 LG	1	
12	118137	防脱环	1	
14	294815	割台上的牵引臂存放套件	1	
15	193183	闩锁手柄	2	
16	294807	折弯支座	2	
17	135704	边缘密封保护条	2	
18	193187	橡胶箍带	2	
19	244760	牵引臂支座	2	
20	220326	牵引臂支座	1	
21	193188	左侧端板牵引臂支座	1	
22	279065	右侧端板牵引臂支座	1	
23	118239	悬挂销	1	
24	113561	环形销	1	
A	21558	六角头螺栓 5/16 NC X 0.75 LG GR 5 ZP		
B	19634	螺栓 - HH 5/8 NC X 4.0 LG GR 5 ZP		
C	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
D	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
E	101897	六角头垫圈滚轧螺纹螺钉 3/8 NC X 3/4		
F	21055	自攻垫圈六角头螺钉 1/4 NC X 1/2		
G	135623	螺栓 - RHSN 1/4 NC X 1.25 LG GR 5 ZP		
H	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
J	100456	螺栓 - RHSSN 3/8 NC X 1.0 GR 5 ZP		
K	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
L	135248	法兰光滑面扭曲螺母 1/4-20 NC GR 5 ZP		

216. 仅供套件.

217. 包括贴标 (MD #220797、220798).

(选件) 低速运输套件 - 运输牵引装置




1026495

(选件) 低速运输套件 - 运输牵引装置

参考编号	零部件号	说明	数量	系列号
M	40628	平垫圈		
N	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
P	19966	螺栓 - RSHN 3/8-16 X 1.25 GR 5 ZP		

## **69** (选件) 低速运输套件 – 车轮和支座



(选件) 低速运输套件 - 车轮和支座


参考编号	零部件号	说明	数量	系列号
	B5224	稳定轮套件 <sup>218</sup>		
	B6449	运输支座和轮毂套件 <sup>218</sup>		
1	144378	主轴	4	
2	244722	枢轴焊件	1	
3	41982	轮毂 - 包括轴承外环 <sup>219</sup>	4	
4	50174	润滑油嘴, 压入式 1/4 IN. (CTD 轮毂)	4	
	21887	黄油嘴, 1/8 NPT (ARMSTRONG 轮毂)	4	
5	30517	锥形轴承, 包括密封	4	
6	21376	锥形滚柱轴承 (无密封)	4	
7	18648	开口销 3/16 DIA X 1.25 镀锌	7	
8	30520	防尘盖	4	
9	101007	插销	4	
10	193031	ST 205/75 R15 半钢子午线轮胎	4	
11	144531	轮辋 - 15 X 6 LB	4	
12	21153	气门芯 - 轮胎气门组件 #TR-415	4	
13	18671	黄油嘴 1/4-28 UNF	5	
14	144971	主轴焊件	1	
15	144976	闩锁焊件	1	
16	144742	隔套 - 3/4 英寸外径 X .120 壁厚 X 19 长	1	
17	144741	扭力弹簧	1	
18	REF	电缆 <sup>220</sup>		
19	21010	黄油嘴, 90° 1/4-28 锥形螺纹	2	
20	19927	插销	1	
21	13125	发卡销	1	
22	35694	塑料衬套	2	
23	144374	销轴 - 焊件	1	
24	144577	金属板螺母组件	1	
25	144471	金属片	1	
26	193057	电缆卡, DEUTSCH 连接器	1	
27	144739	托架	1	
28	144873	支座 - 焊件	1	
29	144724	拉伸弹簧	1	
30	144425	吊环螺栓焊件	1	
31	144968	槽板焊件	1	
32	193008	塑料隔套	2	

218. 仅供套件.

219. 包括润滑油嘴 (MD #50174)、轴承外环 (MD #7900) 和轴承外环 (MD #30516).

220. 请参阅 67 (选件) 低速运输套件 - 牵引电气装置 , 页码 207 部分.

(选件) 低速运输套件 – 车轮和支座



(选件) 低速运输套件 - 车轮和支座


参考编号	零部件号	说明	数量	系列号
33	193214	左侧支座(割台右侧使用)	1	
34	193215	右侧支座(割台右侧使用)	1	
35	144899	把手 - 焊件	2	
36	125256	支座 - 焊件	1	
37	294094	轴管, 包括衬套 <sup>221</sup>	1	
38	133992	复合材料衬套	10	
39	156501	塑料衬套	2	
40	294036	左侧枢轴焊件	1	
41	16010	弹簧销 3/16 DIA X 1.0 LG	3	
42	193009	闩锁焊件	1	
43	193016	闩锁	1	
44	144505	扭力弹簧	1	
45	144880	隔套	1	
46	144956	槽板焊件	1	
47	144966	铸件 - 弹簧帽	2	
48	144934	TENNECO 减振器 <sup>222</sup>	2	
49	174922	减振器安装套件	2	
50	220099	输送带支座, 运输	1	
51	144962	压缩弹簧	2	
52	144376	直销	1	
53	16266	弹簧销 1/4 DIA X 1.25 LG	2	
54	244748	枢轴组件, 包括衬套 <sup>223</sup>	1	
55	244671	隔套	2	
56	294091	轴 - 组件, 包括衬套 <sup>223</sup>	1	
57	294037	右侧枢轴焊件	1	
58	193022	隔套	2	
59	144989	L 形销	2	
60	29028	压缩弹簧	2	
61	2148	弹簧销 1/4 DIA X 2.0 LG	2	
62	193014	闩锁焊件	1	
63	144324	托架 - 角铁形焊件	1	
64	144433	闩锁焊件	1	
65	144409	L 形销	1	
66	35618	压缩弹簧	1	
67	7642	弹簧销 3/16 DIA X 1.5 LG	1	
68	144321	割刀座支撑焊件	1	

221. 包括复合材料衬套 (MD #133992) 和塑料衬套 (MD #156501).

222. 包括减振器安装套件 (MD #174922).

223. 包括复合材料衬套 (MD #133992) 和紧固件 (MD #21056, 30833).


(选件) 低速运输套件 - 车轮和支座



## (选件) 低速运输套件 - 车轮和支座

参考编号	零部件号	说明	数量	系列号
69	144415	L 形销组件	3	
70	7900	滚柱轴承外环	4	
71	30516	滚柱轴承外环	4	
72	193216	左侧支座(割台左侧使用)	1	
73	193217	右侧支座(割台左侧使用)	1	
74	125236	输送带支撑保持片	1	
A	4761	平垫圈		
B	6649	六角形有槽螺母 0.625 IN.NC ZN PL		
C	18523	螺栓 – RSHN 5/8 NC X 1.5 GR 5 ZP		
D	18591	六角螺母 1/2-13 UNC GR 5 ZP		
E	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		
F	18600	SAE 平垫圈 21/32 I.D.X 1-5/16 IN.O.D.ZP		
G	18601	SAE 平垫圈 13/16 I.D.X 1.5 IN.O.D.ZP		
H	102636	六角形扭曲侧边锁紧螺母 .750-10 UNC		
J	18697	六角扭曲锁紧螺母 .500-13 UNC		
K	21056	六角锁紧螺母 1/2-13 UNC GR 5 ZP		
L	21066	螺栓 – RSHN 1/2 NC X 1 GR 5 ZP		
M	21576	螺栓 – HH 1/2 NC X 2.0 LG GR 5 ZP		
N	21591	螺栓 – HH 5/8 NC X 7.5 LG GR 5 ZP		
P	21599	螺栓 – HH 3/4 NC X 5.0 LG GR 5 ZP		
Q	100456	螺栓 – RHSSN 3/8 NC X 1.0 GR 5 ZP		
R	21868	螺栓 – RHSSN 1/2 NC X 1.0 GR 5 ZP		
S	21560	螺栓 – HH 1/2 NC X 3.0 LG GR 5 ZP		
T	21941	六角扭曲锁紧螺母 5/8-11 UNC GR 5 ZP		
U	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
V	30441	硬化垫圈		
W	30833	螺栓 – HH 1/2 NC X 2.25 TFL GR 5 ZP		
X	48050	轴肩螺栓 .625-11 UNC		
Y	50186	法兰光滑面扭曲锁紧螺母 0.500-13 UNC GR 5		
Z	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
AA	103562	螺栓 – RSHN 5/8 NC X 1.25 GR 5 ZP		
AB	117015	螺栓 – RHSSN 5/8 NC X 1.0 GR 5 ZP		
AC	193211	六角头螺栓 5/8 NC X 7.5 LG GR 8 ZP		
AD	188467	法兰光滑面扭曲锁紧螺母 .625-18 UNC GR.G		
AE	252305	螺栓 – HH 细牙 5/8-18 X 4.5 GR 8 ZP		
AF	21055	自攻垫圈六角头螺钉 1/4 NC X 1/2		
AG	101898	六角头垫圈滚轧螺纹螺钉 3/8 NC X 5/8		
AH	18599	SAE 平垫圈 17/32 I.D.X 1-1/16 IN.O.D.ZP		


(选件) 低速运输套件 - 车轮和支座



(选件) 低速运输套件 - 车轮和支座

参考编号	零部件号	说明	数量	系列号
AJ	18916	90° 车轮螺栓 9/16 NF X 1.75 OL		
AK	18866	六角形螺母 3/8-24 UNF GR 5 ZP		
AM	21540	硬化垫圈		
AN	50072	螺栓 - HH 1/2 NC X 1.75 LG TFL GR 5 ZP		
AP	21578	螺栓 - HH 1/2 NC X 2.25 LG GR 5 ZP		
AQ	30922	螺栓 - HH 5/8 NC X 2.75 GR 5 ZP		
AS	5512	六角形开槽螺母 .750-16 UNF ZN PL		
AT	50197	螺栓 - RHSN 3/8 NC x 1.75 LG GR 5 ZP		

## 70 (选件) 稳定轮



1005343

## (选件) 稳定轮


参考编号	零部件号	说明	数量	系列号
	C1986	稳定轮套件 (仅限 30–45 英尺割台) <sup>224</sup>		
1	193031	ST 205/75 R15 半钢子午线轮胎	2	
2	144531	轮辋 – 15 X 6 LB	2	
3	21153	气门芯 – 轮胎气门组件 #TR-415	2	
4	144860	轴管, 包括衬套 <sup>225</sup>	2	
5	133992	复合材料衬套	4	
6	144880	隔套	2	
7	193214	左侧支架	2	
8	193215	右侧支架	2	
9	144934	TENNECO 减振器	2	
10	174922	减振器安装套件	2	
11	144935	压缩弹簧	2	
12	144966	铸件 – 弹簧帽	2	
13	144899	把手 – 焊件	2	
14	101007	插销	2	
15	18648	开口销 3/16 DIA X 1.25 镀锌	2	
16	30520	防尘盖	2	
17	144378	主轴	2	
18	41982	轮毂 - 包括轴承外环 <sup>226</sup>	2	
19	30517	内部锥形轴承, 包括密封	2	
20	21376	外部锥形轴承	2	
21	50174	黄油嘴, 压入式 1/4 IN. (CTD 轮毂)	2	
	21887	黄油嘴, 1/8 NPT (ARMSTRONG 轮毂)	2	
22	7900	外部轴承外环	2	
23	30516	内部轴承外环	2	
A	18866	六角形螺母 3/8-24 UNF GR 5 ZP		
B	21577	螺栓 – HH 5/8 NC X 6.5 LG GR 5 ZP		
C	50225	法兰光滑面扭曲锁紧螺母 5/8-11 UNC		
D	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
E	30228	法兰光滑面扭曲锁紧螺母 3/8-16 UNC		
F	21583	螺栓 – HH 5/8 NC X 3.0 LG GR 5 ZP		
G	18916	90° 车轮螺栓 9/16 NF X 1.75 OL		
H	21540	硬化垫圈		
J	5512	六角形开槽螺母 .750-16 UNF ZN PL		

224. 仅供套件.

225. 包括两个衬套 (MD #133992).

226. 包括黄油嘴 (MD #50174 或 21887) 和轴承 (MD #7900, 30516).

## 71 (选件) 辅助稳定轮



1018068


## (选件) 辅助稳定轮

参考编号	零部件号	说明	数量	系列号
	B6179	辅助稳定轮套件 <sup>227</sup>		
1	193031	ST 205/75 R15 半钢子午线轮胎	1	
2	144531	轮辋 - 15 X 6 LB	1	
3	21153	气门芯 - 轮胎气门组件 #TR-415	1	
4	101007	插销	1	
5	18648	开口销 3/16 DIA X 1.25 镀锌	2	
6	30520	防尘盖	1	
7	144378	主轴	1	
8	41982	轮毂 - 包括轴承外环 <sup>228</sup>	1	
9	50174	黄油嘴, 压入式 1/4 IN. (CTD 轮毂)	1	
	21887	黄油嘴, 1/8 NPT (ARMSTRONG 轮毂)	1	
10	7900	外部轴承外环	1	
11	30516	内部轴承外环	1	
12	30517	内部锥形轴承, 包括密封	1	
13	21376	外部锥形轴承	1	
A	18916	90° 车轮螺栓 9/16 NF X 1.75 OL		
B	21540	硬垫圈 ASTM F436 M20-340HV-AB2C		
C	5512	六角形开槽螺母 .750-16 UNF ZN PL		

227. 仅供套件.

228. 包括黄油嘴 (MD #50174 或 21887) 和轴承外环 (MD #7900, 30516).

## 72 (选件) 短尖护刃器转换套件



1019739

(选件) 短尖护刃器转换套件

注:

图示; 显示右端和中间 (左端类似). 仅限双刀、短尖护刃器.

参考编号	零部件号	说明	数量	系列号
	B5009	短尖护刃器转换套件 (D115X 割台) <sup>229</sup>		
	B5010	短尖护刃器转换套件 (D120X 割台) <sup>229</sup>		
	B5011	短尖护刃器转换套件 (D125X 割台) <sup>229</sup>		
	B5012	短尖护刃器转换套件 (30 英尺割台) <sup>229</sup>		
	B5013	短尖护刃器转换套件 (35 英尺割台) <sup>229</sup>		
1	118346	护刃器 <sup>230</sup>		
2	118347	短尖护刃器, 无耐磨板 (每端 4 个)	8	
3	34359	导向件 <sup>231</sup>		
4	34980	调整片 <sup>231</sup>		
5	124775	中间短尖护刃器	1	
6	132405	导流装置固定件	2	
7	NSS	短尖调整工具	1	
A	279575	螺栓 - RHSN 7/16-14 X 2.5-GR5-ZP		
B	132404	RHSN 特种螺栓 7/16 NC X 2.75 LG GR 5 ZP		
C	18654	六角螺母 7/16-14 UNC GR 5 ZP		
D	50119	螺栓 - HH 3/8 NC X 0.75 不锈钢		
E	50120	螺栓 - HH 3/8 NC X 1 不锈钢		

229. 仅供套件。

230. 整套割刀座数量: 15 英尺割台 22 个, 20 英尺割台 36 个, 25 英尺割台 46 个, 30 英尺割台 56 个, 35 英尺割台 66 个。

231. 整套割刀座数量: 15 英尺割台 30 个, 20 英尺割台 40 个, 25 英尺割台 50 个, 30 英尺割台 60 个, 35 英尺割台 70 个。

**73** (选件) 向日葵附件 - 基础套件

Not Available  
at Time  
of Printing

## (选件)向日葵附件 - 基础套件

参考编号	零部件号	说明	数量	系列号
	<b>C2082</b>	套件 - 30 英尺向日葵附件 <sup>232</sup>		
	<b>C2083</b>	套件 - 35 英尺向日葵附件 <sup>232</sup>		
	<b>C2084</b>	套件 - 40 英尺向日葵附件 <sup>232</sup>		
	<b>C2085</b>	套件 - 45 英尺向日葵附件 <sup>232</sup>		
	<b>B7269</b>	基础套件 - 向日葵附件 <sup>233</sup>		
	<b>137626</b>	拨禾轮驱动装置耐磨垫	<b>3</b>	
	<b>119543</b>	护刃器尖部检查工具	<b>1</b>	
	<b>119530</b>	导流板 - 倾斜杆 A	<b>4</b>	
	<b>119506</b>	接盘 - 快速连接	<b>30</b>	
	<b>119460</b>	支座 - 接盘 4 英尺 B	<b>3</b>	
	<b>119457</b>	支座 - 接盘 3 英尺 C	<b>2</b>	
	<b>119455</b>	支座 - 接盘铰链 G	<b>1</b>	
	<b>119454</b>	支座 - 接盘铰链 F	<b>1</b>	
	<b>119447</b>	支座 - 接盘铰链 E	<b>1</b>	
	<b>119446</b>	支座 - 接盘铰链 D	<b>1</b>	
	<b>119442</b>	右侧末端接盘 - 焊件	<b>1</b>	
	<b>119415</b>	支座 - 接盘 5 英尺 A	<b>2</b>	
	<b>119392</b>	左侧末端接盘 - 焊件	<b>1</b>	
	<b>119384</b>	倾斜杆安装支架	<b>4</b>	
	<b>119285</b>	倾斜杆支座	<b>1</b>	
	<b>119284</b>	倾斜杆安装支架焊件	<b>1</b>	
	<b>119282</b>	倾斜杆支座	<b>3</b>	
	<b>119265</b>	倾斜杆安装支架焊件	<b>2</b>	
	<b>119264</b>	拨禾轮支焊件撑臂	<b>2</b>	
	<b>164945</b>	隔套	<b>2</b>	
	<b>102264</b>	销子 - LYNCH 3/16 X 1 9/16 IN	<b>3</b>	
	<b>119555</b>	插销 1/2 X 2	<b>3</b>	
	<b>252179</b>	铆螺母 - M8 X 1.25 HEX0.7-3.8	<b>180</b>	
	<b>136506</b>	螺栓 - RHSSN M10 X 1.5 X 25-8.8-AA1J	<b>8</b>	
	<b>135799</b>	六角法兰中心锁紧螺母 M10 X 1.5-10	<b>32</b>	
	<b>135785</b>	螺栓 - RHSN M10 X 1.5 X 25-8.8-AA1J	<b>24</b>	
	<b>135579</b>	六角头螺栓 3/4-16 X 1.5-GR5-AA1J	<b>2</b>	
	<b>184709</b>	大号平垫圈 M8-200HV	<b>60</b>	

232. 套件包含基础套件 (MD #B7269)、接盘套件 (MD #7273) 和导流板套件 ( MD #7282、7283、7284 或 7285 )。仅供套件。

233. 仅供套件。

Not Available  
at Time  
of Printing

1032138

(选件) 向日葵附件 - 基础套件

参考编号	零部件号	说明	数量	系列号
	<b>184708</b>	平垫圈 – M8-200HV-AA1J	<b>120</b>	
	<b>184652</b>	六角头螺栓 TFL M8 X 1.25 X 25-8.8-AA1J	<b>180</b>	
	<b>50186</b>	法兰扭曲锁紧螺母 1/2-13 UNC GR5 AA1J	<b>12</b>	
	<b>21576</b>	六角头螺栓 1/2-13 X 2.0 GR5-AA1J	<b>2</b>	
	<b>21491</b>	六角头螺栓 1/2-13 X 1.25 GR5-AA1J	<b>12</b>	
	<b>18599</b>	平垫圈 SAE 17/32 ID X 1 1/16 OD AA1J	<b>8</b>	
	<b>6647</b>	平垫圈	<b>2</b>	

**74** (选件) 向日葵附件 - 接盘

Not Available  
at Time  
of Printing

(选件) 向日葵附件 - 接盘

参考编号	零部件号	说明	数量	系列号
	<b>B7273</b>	套件 - 向日葵接盘 (5个接盘) <sup>234</sup>	<b>1</b>	
	<b>119506</b>	接盘 - 快速连接	<b>5</b>	
	<b>252179</b>	铆螺母 - M8 X 1.25 HEX0.7-3.8	<b>30</b>	
	<b>184709</b>	大号平垫圈 M8-200HV		
	<b>184708</b>	平垫圈 - M8-200HV-AA1J		
	<b>184652</b>	六角头螺栓 TFL M8 X 1.25 X 25-8.8-AA1J		

---

234. 此套件包含 5 个接盘。基础套件 (MD #B7269) 包含适用于 30 英尺割台的接盘。35 英尺割台需要 1 个接盘套件，40 英尺割台需要 2 个接盘套件，45 英尺割台需要 3 个接盘套件。仅供套件。

**75** (选件) 向日葵附件 - 导流板



Not Available  
at Time  
of Printing

(选件) 向日葵附件 - 导流板

参考编号	零部件号	说明	数量	系列号
	<b>B7282</b>	套件 - 向日葵导流板 , <b>30</b> 英尺割台		
	<b>B7283</b>	套件 - 向日葵导流板 , <b>35</b> 英尺割台		
	<b>B7284</b>	套件 - 向日葵导流板 , <b>40</b> 英尺割台		
	<b>B7285</b>	套件 - 向日葵导流板 , <b>45</b> 英尺割台		
	<b>119519</b>	导流板 - 倾斜杆 <b>B</b> ( <b>30</b> 英尺和 <b>45</b> 英尺割台 ) <sup>235</sup>		
	<b>119531</b>	导流板 - 倾斜杆 <b>C</b> ( <b>35</b> 英尺割台 )	<b>2</b>	
	<b>119518</b>	导流板 - 倾斜杆 <b>D</b> ( <b>40</b> 英尺割台 )	<b>2</b>	
	<b>119530</b>	导流板 - 倾斜杆 <b>A</b> ( <b>45</b> 英尺割台 )	<b>2</b>	
	<b>119457</b>	支座 - 接盘 <b>3</b> 英尺 <b>C</b> ( <b>35</b> 英尺和 <b>45</b> 英尺割台 )	<b>3</b>	
	<b>119415</b>	支座 - 接盘 <b>5</b> 英尺 <b>A</b> ( <b>40</b> 英尺和 <b>45</b> 英尺割台 )	<b>2</b>	
	<b>135785</b>	螺栓 - RHSN M10 X 1.5 X 25-8.8-AA1J ( <b>45</b> 英尺割台 )		
	<b>135799</b>	六角法兰中心锁紧螺母 M10 X 1.5-10 ( <b>45</b> 英尺割台 )		

235. 数量 : 30 英尺割台 2 个 , 45 英尺割台 4 个

## 76 (选件) 齿管加固套件



1005175

(选件) 齿管加固套件

注:

图示; 顶部: 5 列, 底部: 6 列.


参考编号	零部件号	说明	数量 5/6 列	系列号
	B5825	D60/5 FD70/5 齿管加固套件 (适用于较重拨禾轮载荷条件下的 5 列拨禾轮割台) <sup>236</sup>		
	B5826	D60/5 FD70/5 齿管加固套件 (适用于较重拨禾轮载荷条件下的 6 列拨禾轮割台) <sup>236</sup>		
1	164988	支座 - 焊件	5/6	
2	220939	齿管衬套 (一盒 25 个) <sup>237</sup>	10/12	
3	164993	槽形连接板 (5 列拨禾轮)	5/0	
4	164995	槽形连接板 (6 列拨禾轮)	0/6	
5	220941	齿管衬套卡, 中心挡 (一盒 5 个) <sup>238</sup>	5/6	
A	135450	机器螺钉		
B	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		

236. 仅供套件.

237. 不单件出售; 要维修此零部件, 必须订购一盒 25 个齿管衬套.

238. 不单件出售; 要维修此零部件, 必须订购一盒 5 个齿管衬套卡.

## 77 (选件) 辅助螺旋输送套件 (D115、D120)



1030045

## (选件) 辅助螺旋输送套件 (D115、D120)

参考编号	零部件号	说明	数量	系列号
	B6280	1 系列套件, 15 FT UCA <sup>239</sup>		
	B6281	1 系列套件, 20 FT UCA <sup>239</sup>		
1	294446	螺旋输送器 - UCA HC 焊件 (仅限 D115X )	1	
	294447	螺旋输送器 - UCA HC 焊件 (仅限 D120X )	1	
2	132303	末端轴 - 焊件	1	
	294677	圆盘套件, 21-36 FT UCA (只有圆盘) <sup>240</sup>		
3	296554	托架 - 右侧辅助螺旋输送套件组件 <sup>241</sup>	1	
4	49306	法兰	1	
5	21859	轴承 - 球形外径, 宽内圈, 13/16 英寸孔径	1	
6	172340	垫片	1	
7	30661	法兰	1	
8	253722	轮毂 - UCA HC 马达	1	
9	253446	隔板	1	
10	255829	马达 - UCA	1	
11	296556	托架组件 <sup>242</sup>	1	
12	21810	橡胶衬套	2	
13	279261	UCA 检修盖板	1	
14	279837	液压软管 (仅限 D115X )	1	
	279796	液压软管 (仅限 D120X )	1	
15	279838	液压软管 (仅限 D115X )	1	
	279796	液压软管 (仅限 D120X )	1	
16	304406	液压软管 (仅限 D115X )	1	
	254248	液压软管 (仅限 D120X )	1	
17	135685	45° 液压弯头	1	
18	135647	90° 液压弯头 (仅限 D115X )	1	
19	112184	液压转接器 (仅限 D120X )	1	
20	21801	90° 液压弯头	2	
21	50104	90° 液压弯头	1	
22	252795	扎带 (粉色)	3	
23	252794	扎带 (紫色)	3	
24	30873	液压 T 型管接头	2	
25	108268	液压 T 型管接头	1	
26	30981	减径液压转接器 1/2" X 3/8"	1	


239. 仅供套件.

240. 此套件用于维修轴 (MD #132303) 上的圆盘.

241. 托架包括贴标 (MD #279085).

242. 托架包括两个衬套 (MD #21810) 和贴标 (MD #279085).

(选件) 辅助螺旋输送套件 (D115、D120)




1030045

## (选件) 辅助螺旋输送套件 (D115、D120)

参考编号	零部件号	说明	数量	系列号
27	30376	液压直通接头 (仅限 D120X)	1	
28	103738	固定夹 - PVC 包裹, 13/16 英寸管	7	
29	135443	自粘绑带 (4 英寸长)	3	
	135444	自粘绑带 (6 英寸长)	2	
30	45427	右侧防护圈带 (规格 31886)	1	
A	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
B	19965	螺栓 - RHSN 3/8-16 X 1-GR5-ZP		
C	18638	规则锁紧垫圈 1/2 IN.NOM.ID ZP		
D	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
E	135963	螺栓 - HH FLG (光滑面) 3/8 NC X 0.75 GR 5 ZP		
F	21760	螺栓 - HH 1/2 NC X 2.5 LG GR 5 ZP		
G	137727	螺母 - 六角头锁紧 - DIST THD.1/2-13 UNC GR 5 ZP		
H	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		
J	21069	管螺母 37° JIC 1/2 英寸		
K	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
L	135157	机器螺钉		
M	135966	螺栓 - HH FLG (光滑面) 3/8 NC X 1.0 GR 5 ZP		

## 78 (选件) 辅助螺旋输送套件(D125)



1030046

## (选件)辅助螺旋输送套件(D125)

参考编号	零部件号	说明	数量	系列号
	B6461	1 系列套件, 25 FT UCA (北美) <sup>243</sup>		
	B9044	1 系列欧洲联合收割机套件, 25 FT UCA <sup>243</sup>		
1	294435	螺旋输送器 - UCA HC 焊件, 25 FT	1	
2	294161	左侧中间螺旋	1	
3	294163	右侧中间螺旋	1	
4	294426	左侧支架	6	
5	294427	右侧支架	6	
6	255883	盖板	6	
7	132303	末端轴 - 焊件, 包括圆盘	1	
	294677	圆盘套件, 21-36 FT UCA (只有圆盘) <sup>244</sup>	OPT	
8	296554	托架 - 右侧辅助螺旋输送套件组件 <sup>245</sup>	1	
9	49306	法兰	1	
10	21859	轴承 - 球形外径, 宽内圈, 13/16 英寸孔径	1	
11	172340	垫片	1	
12	30661	法兰	1	
13	45427	右侧防护圈带	1	
14	253722	轮毂 - UCA HC 马达	1	
15	253446	隔板	1	
16	255829	马达 - UCA (130 CC) <sup>246</sup>	1	
	283002	马达 - EATON 2000 (100 CC) <sup>247</sup>	1	
	174304	密封套件		
	137375	有槽锁紧螺母 1.0-20 UNEF		
17	296556	托架组件 <sup>248</sup>	1	
18	21810	橡胶衬套	2	
19	279261	UCA 检修盖板	1	
20	294220	液压软管	2	
21	279716	液压软管, 0.5 英寸内径, 400 毫米长, 100R17, 金属加固	1	
22	279717	液压软管, 0.5 英寸内径, 270 毫米长, 100R17, 金属加固	1	
23	254248	液压软管, 0.25 英寸内径, 900 毫米长, 100R17, 金属加固	1	
24	135685	45° 液压弯头	1	
25	112184	液压接头	1	
26	21801	90° 液压弯头	2	

243. 仅供套件.

244. 此套件用于维修轴 (MD #132303) 上的圆盘.


245. 托架包括贴标 (MD #279085).

246. 用于欧洲市场以外的所有自走式割台和联合收割机割台.

247. 用于欧洲市场, 提高了 UCA 速度.

248. 包括两个衬套 (MD #21810) 和贴标 (MD #279085).

(选件) 辅助螺旋输送套件(D125)




1030046

## (选件)辅助螺旋输送套件(D125)

参考编号	零部件号	说明	数量	系列号
27	50104	90° 液压弯头	1	
28	30873	液压 T 型管接头	1	
29	108268	液压 T 型管接头	1	
30	30981	液压减径接头 1/2 X 3/8 <sup>249</sup>	1	
	21069	管螺母 37° JIC 1/2 英寸	1	
31	30376	液压接头	1	
32	50050	T 型液压直通支管接头, 包括 O 型密封环	2	
33	135240	45° 液压弯头	2	
34	136952	液压减径接头	2	
35	279966	支架 - 球阀座, 刚性割台	1	
36	294263	球阀	1	
37	103738	固定夹 - PVC 包裹, 13/16 英寸管	7	
38	135818	PVC 包裹固定夹 1/2 英寸	1	
39	252795	扎带 (粉色)	5	
40	252794	扎带 (紫色)	5	
41	135443	自粘绑带 (4 英寸长)	3	
	135444	自粘绑带 (6 英寸长)	2	
A	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
B	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
C	19965	螺栓 - RHSN 3/8-16 X 1-GR5-ZP		
D	18638	规则锁紧垫圈 1/2 IN.NOM.I.D.ZP		
E	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
F	135963	螺栓 - HH FLG (光滑面) 3/8 NC X 0.75 GR 5 ZP		
G	21760	螺栓 - HH 1/2 NC X 2.5 LG GR 5 ZP		
H	137727	六角扭曲锁紧螺母 1/2-13 UNC GR 5 ZP		
J	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		
K	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
L	135157	机器螺钉		
M	135966	螺栓 - HH FLG 光滑面 3/8 NC X 1.0 GR 5 ZP		
N	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
P	135248	六角法兰中心锁紧螺母		
Q	136824	螺栓 - RHSSN M8 X 1.25 X 25-8.8-A2L		
R	135337	六角法兰中心锁紧螺母 M8 X 1.25-8-A2L		

249. 包括管螺母 (MD #21069).

## 79 (选件) 辅助螺旋输送套件 - 左端 (D130、D135 和 D140)



1030055

(选件) 辅助螺旋输送套件 - 左端 (D130、D135 和 D140)

参考编号	零部件号	说明	数量	系列号
	<b>B9011</b>	1 系列套件 , 30 FT UCA (北美) <sup>250</sup>		
	<b>B9010</b>	1 系列套件 , 35 FT UCA (北美) <sup>250</sup>		
	<b>B9009</b>	1 系列套件 , 40 FT UCA (北美) <sup>250</sup>		
	<b>B9045</b>	1 系列欧洲联合收割机套件 , 30 FT UCA <sup>250</sup>		
	<b>B9046</b>	1 系列欧洲联合收割机套件 , 35 FT UCA <sup>250</sup>		
	<b>B9047</b>	1 系列欧洲联合收割机套件 , 40 FT UCA <sup>250</sup>		
1	294519	螺旋输送器 - UCA SP 左侧焊件, 30 FT	1	
	294517	螺旋输送器 - UCA SP 左侧焊件, 35 FT	1	
	294516	螺旋输送器 - UCA SP 左侧焊件, 40 FT	1	
	294682	焊件 - UCA 维修套管 <sup>251</sup>	A/R	
2	30934	黄油嘴 - 1/4-28 锥形螺纹	1	
3	<b>335719</b>	左侧中间螺旋	<b>1</b>	
4	294424	左侧支架	6	
5	255883	盖板	3	
6	253446	隔板	1	
7	253722	轮毂 - UCA HC 马达	1	
8	255829	马达 - UCA (130 CC) <sup>252</sup>	1	
	283002	马达 - EATON 2000 (100 CC) <sup>253</sup>	1	
	174304	密封套件		
	137375	有槽锁紧螺母 1.0-20 UNEF		
9	296556	托架组件 <sup>254</sup>	1	
10	21810	橡胶衬套	2	
11	279261	UCA 检修盖板	1	
12	294221	液压软管 (30 FT)	2	
	294222	液压软管 (35 FT)	2	
	294223	液压软管 (40 FT)	2	
13	294226	液压软管, 0.5 英寸内径, 800 毫米长, 100R17, 金属加固	2	
14	279716	液压软管, 0.5 英寸内径, 400 毫米长, 100R17, 金属加固	1	
15	279717	液压软管, 0.5 英寸内径, 270 毫米长, 100R17, 金属加固	1	
16	254248	液压软管, 0.25 英寸内径, 900 毫米长, 100R17, 金属加固	1	
17	135685	45° 液压弯头	1	
18	112184	液压接头	1	
19	21801	90° 液压弯头	2	

250. 仅供套件。


251. 此套件用于维修损坏的螺旋输送器, 需要焊接.

252. 用于欧洲市场以外的所有自走式割台和联合收割机割台.

253. 用于欧洲市场, 提高了 UCA 速度.

254. 包括两个衬套 (MD #21810) 和贴标 (MD #279085).

(选件) 辅助螺旋输送套件 - 左端 (D130、D135 和 D140)




1030055

(选件) 辅助螺旋输送套件 - 左端 (D130、D135 和 D140)

参考编号	零部件号	说明	数量	系列号
20	30873	液压 T 型管接头	1	
21	50050	T 型液压直通支管接头, 包括 O 型密封环	2	
22	50104	90° 液压弯头	1	
23	108268	液压 T 型管接头	1	
24	135240	45° 液压弯头	2	
25	136952	液压减径接头	2	
26	30376	液压接头	1	
27	30981	液压减径接头 1/2 X 3/8 <sup>255</sup>	1	
	21069	管螺母 37° JIC 1/2 英寸	1	
28	294263	球阀	1	
29	279966	支架 - 球阀座, 刚性割台	1	
30	252795	扎带 (粉色)	8	
31	252794	扎带 (紫色)	7	
32	135443	自粘绑带 (4 英寸长)	3	
	135444	自粘绑带 (6 英寸长)	2	
33	103738	固定夹 - PVC 包裹, 13/16 英寸管	7	
34	135818	PVC 包裹固定夹 1/2 英寸	1	
A	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
B	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
C	19965	螺栓 - RHSN 3/8-16 X 1-GR5-ZP		
D	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
E	21760	螺栓 - HH 1/2 NC X 2.5 LG GR 5 ZP		
F	137727	六角扭曲锁紧螺母 1/2-13 UNC GR 5 ZP		
G	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		
H	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
J	135248	六角法兰中心锁紧螺母		
K	135963	螺栓 - HH FLG (光滑面) 3/8 NC X 0.75 GR 5 ZP		
L	136824	螺栓 - RHSSN M8 X 1.25 X 25-8.8-A2L		
M	135337	六角法兰中心锁紧螺母 M8 X 1.25-8-A2L		
N	135157	机器螺钉		
P	135966	螺栓 - HH FLG 光滑面 3/8 NC X 1.0 GR 5 ZP		

255. 包括管螺母 (MD #21069).

## 80 (选件) 辅助螺旋输送套件 - 右端 (D130、D135 和 D140)



1030056

(选件) 辅助螺旋输送套件 - 右端 (D130、D135 和 D140)

参考编号	零部件号	说明	数量	系列号
1	294436	螺旋输送器 - UCA 右侧焊件 (30 FT)	1	
	294437	螺旋输送器 - UCA HC 右侧焊件 (35 FT)	1	
	294438	螺旋输送器 - UCA HC 右侧焊件 (40 FT)	1	
	294682	焊件 - UCA 维修套管 <sup>256</sup>	A/R	
2	<b>335592</b>	右侧中间螺旋	<b>1</b>	
3	294425	右侧支架	6	
4	255883	盖板	3	
5	296554	托架 - 右侧辅助螺旋输送套件组件 <sup>257</sup>	1	
6	30934	黄油嘴 - 1/4-28 锥形螺纹	1	
7	132303	末端轴 - 焊件, 包括圆盘	1	
	294677	圆盘套件, 21-36 FT UCA (只有圆盘) <sup>258</sup>	OPT	
8	174081	六角轴	1	
9	172511	托架 - 中间吊架组件 <sup>259</sup>	1	
10	172507	六角孔滚珠轴承	2	
11	21810	橡胶衬套	2	
12	174082	隔套	1	
13	49306	法兰	1	
14	21859	轴承 - 球形外径, 宽内圈, 13/16 英寸孔径	1	
15	172340	垫片	1	
16	30661	法兰	1	
17	233395	万向节	1	
18	45427	右侧防护圈带	1	
19	174035	中间支座 - 焊件 (仅限 30-35 英尺割台) <sup>260</sup>	1	
A	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
B	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
C	19965	螺栓 - RSHN 3/8-16 X 1-GR5-ZP		
D	18697	六角扭曲锁紧螺母 .500-13 UNC		
E	18638	规则锁紧垫圈 1/2 IN.NOM.I.D.ZP		
F	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
G	21578	螺栓 - HH 1/2 NC X 2.25 LG GR 5 ZP		
H	21354	螺栓 - HH 3/8 NC X 2.0 LG GR 5 ZP		
J	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
K	18724	六角形扭曲锁紧螺母 1/4-20 UNC ZP		

256. 此套件用于维修损坏的螺旋输送器, 需要焊接.


257. 包括贴标 (MD #279085).

258. 此套件用于维修轴 (MD #132303) 上的圆盘.

259. 包括两个轴承 (MD #172507) 和两个衬套 (MD #21810).

260. 仅 30-35 英尺割台需要此支座. 40 英尺割台的支座 (MD #172511) 直接安装在割台架上.

(选件) 辅助螺旋输送套件 - 右端 (D130、D135 和 D140)




1030056

( 选件 ) 辅助螺旋输送套件 - 右端 ( **D130**、**D135** 和 **D140** )

参考编号	零部件号	说明	数量	系列号
L	18596	SAE 平垫圈 9/32 I.D.X 5/8 IN.O.D.ZP		
M	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
N	184589	平垫圈 9/16 X 1.375 AA1J		

# 81 (选件) 辅助螺旋输送套件 - 左端 (D145)



1024840

## (选件)辅助螺旋输送套件 - 左端 (D145)

参考编号	零部件号	说明	数量	系列号
	<b>B9049</b>	1 系列套件 , 45 FT UCA ( 北美 ) <sup>261</sup>		
	<b>B9050</b>	1 系列欧洲联合收割机套件 , 45 FT UCA <sup>261</sup>		
1	294515	螺旋输送器 – UCA SP 左侧焊件, 45 FT	1	
	294682	焊件 – UCA 维修套管 <sup>262</sup>	A/R	
2	30934	黄油嘴 – 1/4-28 锥形螺纹	1	
3	<b>335719</b>	左侧中间螺旋	<b>1</b>	
4	294424	左侧支架	6	
5	255883	盖板	3	
6	253446	隔板	1	
7	255829	马达 – UCA (130 CC) <sup>263</sup>	1	
	283002	马达 – EATON 2000 (100 CC) <sup>264</sup>	1	
	174304	密封套件		
	137375	有槽锁紧螺母 1.0-20 UNEF		
8	174168	托架 – 左侧吊架组件 <sup>265</sup>	1	
9	21810	橡胶衬套	2	
10	279925	左侧支撑臂	1	
11	279775	机加工轴毂	1	
12	294224	液压软管 (45 FT)	2	
13	294225	液压软管 (45 FT)	1	
14	279715	液压软管, 0.5 英寸内径, 500 毫米长, 100R17, 金属加固	2	
15	135647	90° 液压弯头	1	
16	21801	90° 液压弯头	2	
17	50104	90° 液压弯头	1	
18	30873	液压 T 型管接头	1	
19	50050	T 型液压直通支管接头, 包括 O 型密封环	2	
20	108268	液压 T 型管接头	1	
21	30981	液压减径接头 1/2 X 3/8 <sup>266</sup>	1	
	21069	管螺母 37° JIC 1/2 英寸	1	
22	30376	液压接头	1	
23	135240	45° 液压弯头	1	
24	136952	液压减径接头	2	
25	50175	90° 液压弯头	2	

261. 仅供套件。

262. 此套件用于维修损坏的螺旋输送器, 需要焊接.


263. 用于欧洲市场以外的所有自走式割台和联合收割机割台.

264. 用于欧洲市场, 提高了 UCA 速度.

265. 包括两个衬套 (MD #21810) 和贴标 (MD #174682).

266. 包括管螺母 (MD #21069).

(选件) 辅助螺旋输送套件 - 左端 (D145)




1024840

## (选件)辅助螺旋输送套件 - 左端 (D145)

参考编号	零部件号	说明	数量	系列号
26	294263	球阀	1	
27	279834	球阀安装支架	1	
28	252795	扎带 (粉色)	6	
29	252794	扎带 (紫色)	5	
30	135443	自粘绑带 (4 英寸长)	3	
	135444	自粘绑带 (6 英寸长)	4	
31	103738	固定夹 - PVC 包裹, 13/16 英寸管	7	
A	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
B	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
C	101897	六角头垫圈滚轧螺纹螺钉 3/8 NC X 3/4		
D	18697	六角扭曲锁紧螺母 .500-13 UNC		
E	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
F	21760	螺栓 - HH 1/2 NC X 2.5 LG GR 5 ZP		
G	137727	六角扭曲锁紧螺母 1/2-13 UNC GR 5 ZP		
H	135248	六角法兰中心锁紧螺母		
J	135193	六角头垫圈滚轧螺纹螺钉 3/8 NC X 1.0		
K	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
L	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
M	18723	螺栓 - HH 1/2 NC X 1.5 LG TFL GR 5 ZP		
N	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		

## 82 (选件) 辅助螺旋输送套件 - 右端 (D145)



1024833

## (选件)辅助螺旋输送套件 - 右端 (D145)

参考编号	零部件号	说明	数量	系列号
1	294518	螺旋输送器 - UCA SP 右侧焊件, 45 FT	1	
	294682	焊件 - UCA 维修套管 <sup>267</sup>	A/R	
2	<b>335592</b>	右侧中间螺旋	<b>1</b>	
3	294425	右侧支架	6	
4	255883	盖板	3	
5	174176	右侧支座 - 贴标组件 <sup>268</sup>	1	
6	279926	右侧支撑臂	1	
7	30934	黄油嘴 - 1/4-28 锥形螺纹	1	
8	132303	末端轴 - 焊件, 包括圆盘	1	
	294677	圆盘套件, 21-36 FT UCA (只有圆盘) <sup>269</sup>	OPT	
9	174081	六角轴	1	
10	172511	托架 - 中间吊架组件 <sup>270</sup>	1	
11	172507	六角孔滚珠轴承	2	
12	21810	橡胶衬套	2	
13	174082	隔套	1	
14	49306	法兰	1	
15	21859	轴承 - 球形外径, 宽内圈, 13/16 英寸孔径	1	
16	172340	垫片	1	
17	30661	法兰	1	
18	233395	万向节	1	
19	45427	右侧防护圈带	1	
A	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
B	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
C	19965	螺栓 - RHSN 3/8-16 X 1-GR5-ZP		
D	101897	六角头垫圈滚轧螺纹螺钉 3/8 NC X 3/4		
E	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
F	18697	六角扭曲锁紧螺母 .500-13 UNC		
G	18638	规则锁紧垫圈 1/2 IN.NOM.I.D.ZP		
H	21575	螺栓 - HH 1/2 NC X 1.0 LG GR 5 ZP		
J	21578	螺栓 - HH 1/2 NC X 2.25 LG GR 5 ZP		
K	21354	螺栓 - HH 3/8 NC X 2.0 LG GR 5 ZP		
L	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
M	18596	SAE 平垫圈 9/32 I.D.X 5/8 IN.O.D.ZP		
N	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		


267. 此套件用于维修损坏的螺旋输送器, 需要焊接.

268. 包括贴标 (MD #174682).

269. 此套件用于维修轴 (MD #132303) 上的圆盘.

270. 包括两个轴承 (MD #172507) 和两个衬套 (MD #21810).

(选件) 辅助螺旋输送套件 - 右端 (D145)




1024833

(选件) 辅助螺旋输送套件 - 右端 (D145)

参考编号	零部件号	说明	数量	系列号
P	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
Q	18724	六角形扭曲锁紧螺母 1/4-20 UNC ZP		

## 83 (选件) 辅助螺旋输送套件 - 中间托架维修套件




1037125

## (选件)辅助螺旋输送套件 - 中间托架维修套件

参考编号	零部件号	说明	数量	系列号
	<b>335589</b>	<b>UCA</b> 中间托架维修套件 <sup>271</sup>		
1	<b>21859</b>	轴承 - 球形外径 , 宽内圈 , <b>13/16</b> 英寸孔径	<b>2</b>	
2	<b>30661</b>	法兰	<b>2</b>	
3	<b>49306</b>	法兰	<b>2</b>	
4	<b>233371</b>	护罩 - 焊件	<b>2</b>	
5	<b>233450</b>	隔板	<b>2</b>	
6	<b>233513</b>	万向节	<b>2</b>	
7	<b>233519</b>	轴	<b>1</b>	
8	<b>335615</b>	轴承安装支座焊件	<b>1</b>	
9	<b>233514</b>	<b>UCA</b> 滑动套焊件	<b>2</b>	
10	<b>30934</b>	黄油嘴 - <b>1/4-28</b> 锥形螺纹	<b>2</b>	
11	<b>335610</b>	<b>UCA</b> 中间支座	<b>1</b>	
12	<b>335625</b>	垫片 - <b>UCA</b> 中间支座	<b>2</b>	
13	<b>335622</b>	中间支座焊件 - <b>SR</b>	<b>1</b>	
14	<b>233625</b>	盖板	<b>4</b>	
15	<b>18768</b>	抽芯铆钉 <b>Ø0.188 IN.X 0.251 至 0.375</b> 紧固厚度范围	<b>4</b>	
16	<b>NSS</b>	螺旋输送器 - <b>UCA HC</b> 维修管式焊件	<b>2</b>	
A	<b>18723</b>	六角头螺栓 <b>1/2-13 X 1.5 GR5-AA1J</b>		
B	<b>50186</b>	法兰扭曲锁紧螺母 <b>1/2-13 UNC GR5 AA1J</b>		
C	<b>108172</b>	六角头螺栓 <b>M10 X 1.5 X 65-8.8-AA1J</b>		
D	<b>135785</b>	螺栓 - <b>RHSN M10 X 1.5 X 25-8.8-AA1J</b>		
E	<b>136113</b>	螺栓 - <b>RHSN M10 X 1.5 X 60-8.8-AA1J</b>		
F	<b>135799</b>	六角法兰中心锁紧螺母 <b>M10 X 1.5-10</b>		
G	<b>30627</b>	六角头螺栓 <b>TFL M10 X 1.5 X 25-8.8-A3L</b>		
H	<b>30632</b>	弹簧锁紧垫圈 <b>M10</b>		

271. 此套件包括列出的所有零部件和说明。

## 84 (选件) 垂直割刀 – 标准拨禾轮臂 (2018 年及以前的型号)



1023945

(选件) 垂直割刀 – 标准拨禾轮臂 (2018 年及以前的型号)


参考编号	零部件号	说明	数量	系列号
1	279494	支座组件 – 右侧垂直割刀, 包括贴标 <sup>272</sup>	1	-346189
2	279485	支座组件 – 左侧垂直割刀, 包括贴标 <sup>272</sup>	1	-346189
3	252578	铆螺母 – M6 X 1 RND 0.7-4.2	4	-346189
4	279156	支座 – 垂直割刀, 顶部右侧外侧	1	-346189
5	279157	支座 – 垂直割刀, 顶部右侧内侧	1	-346189
6	279158	支座 – 垂直割刀, 顶部左侧外侧	1	-346189
7	279159	支座 – 垂直割刀, 顶部左侧内侧	1	-346189
8	279498	支座 – 垂直割刀, 底部外侧	2	-346189
9	279499	支座 – 垂直割刀, 底部内侧	2	-346189
10	132773	分禾器闩锁钩	2	-346189
11	174242	垂直割刀导流板	2	-346189
12	174321	垂直割刀塑料导流板	2	-346189
13	174240	垂直割刀导流板固定条	2	-346189
14	220197	垂直割刀扶禾器	2	-346189
15	174318	右侧垂直割刀液压软管防护罩	1	-346189
16	174322	左侧垂直割刀液压软管防护罩	1	-346189
17	165380	垂直割刀防护罩	2	-346189
18	174238	垂直割刀顶部导板	2	-346189
19	165103	防护圈	2	-346189
20	174324	隔套	3	-346189
21	174243	保险杆	2	-346189
22	174422	阀门 <sup>273</sup>	1	-346189
	30054	密封套件		-346189
23	135386	连接件 – 液压公接头, 3/8 英寸平面 <sup>274</sup>	4	-346189
	111978	密封套件 (仅限 FASTER)		-346189
24	135213	连接件 – 液压母接头, 3/8 英寸 (一端平面), 穿板式	4	-346189
25	174262	右侧垂直割刀压力软管, 3425 MM LG	1	-346189
26	174547	右侧垂直割刀回流软管, 3350 MM LG	1	-346189
27	174263	左侧垂直割刀压力软管, 3125 MM LG	1	-346189
28	174585	左侧垂直割刀回流软管, 2750 MM LG	1	-346189
29	252296	接头 10 JIC X 6 BSPP (仅限 ZIEGLER)	4	-346189
	136654	密封套件 (仅限 ZIEGLER)		-346189
	21746	液压连接器 (仅限 SABRE)	4	-346189
30	135540	液压内螺纹接头	1	-346189

272. 包括贴标 (MD #174684) 和两个铆螺母 (MD #252578).

273. 包括密封套件 (MD #30054).

274. Faster 连接件 (MD #135386) 可与 Parker Hannifin 连接件 (NSS) 互换. 密封套件 (MD #111978) 仅用于 Faster 连接件, 不能与 Parker Hannifin 连接件一起使用. 可使用长度区分两种连接件; Faster 连接件为 101 mm, Parker Hannifin 连接件为 84 mm.

(选件) 垂直割刀 - 标准拨禾轮臂 (2018 年及以前的型号)




1023945

(选件) 垂直割刀 – 标准拨禾轮臂 (2018 年及以前的型号)

参考编号	零部件号	说明	数量	系列号
31	135241	45° 液压弯头, 包括 O 型密封环	1	-346189
32	21843	90° 液压弯头	2	-346189
33	135685	45° 液压弯头	1	-346189
34	50019	T 型接头, 包括 O 型密封环	1	-346189
35	30551	液压 T 型管接头	1	-346189
36	30556	90° 液压弯头	1	-346189
37	135434	45° 旋转弯头, SAE	1	-346189
38	174586	左侧垂直割刀支座焊件	1	-346189
39	174538	左侧垂直割刀软管支座	1	-346189
40	174883	垂直割刀套件灯支座	1	-346189
41	294393	垂直割刀右后侧灯支座	1	-346189
42	174521	液压接头支座	1	-346189
43	174514	右侧垂直割刀软管托架	1	-346189
44	174513	左侧垂直割刀软管托架	1	-346189
45	125229	右侧垂直割刀软管导板	1	-346189
46	279144	垂直割刀手柄 (仅限 ZIEGLER)	2	-346189
47	252537	螺旋式液压软管护套	1	-346189
48	45427	右侧防护圈带 (规格 31886)	1	-346189
49	252314	管卡 20 MM	8	-346189
50	132418	垂直割刀软管卡	3	-346189
51	103738	固定夹 – PVC 包裹, 13/16 英寸管	13	-346189
52	135233	PVC 包裹双软管固定卡	1	-346189
53	135443	自粘绑带, 4 英寸长	3	-346189
54	30753	扎带 (黑色), 305 毫米长	6	-346189
55	21763	扎带 (黑色), 160 毫米长	10	-346189
A	7674	六角头锁紧螺母 3/4 16 UNF GR 5 ZP		
B	30693	法兰 (锯齿面) 螺栓 .375-16 UNC X 0.5 LG		
C	21484	螺栓 – RHSN 3/8 NC X 1.5 LG GR 5 ZP		
D	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
E	30307	螺栓 – RHSN 3/8 NC X 3.0 LG GR 5 ZP		
F	21264	螺栓 – HH 3/8 NC X 1.25 LG GR 5 ZP		
G	18637	常规锁紧垫圈 3/8 IN.NOM.ID ZP		
H	18598	SAE 平垫圈 13/32 ID X 13/16 IN OD ZP		
J	135665	螺栓 – RHSN 3/8 NC X 8 LG GR 5 ZP		
K	21526	螺栓 – HH 5/16 NC X 1.25 LG GR 5 ZP		
L	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
M	184579	垫圈 – 锥形弹簧 M8A		

(选件) 垂直割刀 - 标准拨禾轮臂 (2018 年及以前的型号)




1023945

(选件) 垂直割刀 – 标准拨禾轮臂 (2018 年及以前的型号)

参考编号	零部件号	说明	数量	系列号
N	21472	螺栓 – RHSN 3/8 NC X 0.75 GR 5 ZP		
P	21854	螺栓 – HH 1/4 NC X 2.5 LG GR 5 ZP		
Q	18724	六角形扭曲锁紧螺母 1/4-20 UNC ZP		
R	21863	螺栓 – RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
S	19966	螺栓 – RHSN 3/8 NC X 1.25 LG GR 5 ZP		
T	135579	六角头螺栓 3/4-16 UNF		
U	220324	垫圈 – 垂直割刀		
V	21491	螺栓 – HH 1/2 NC X 1.25 LG GR 5 ZP		
W	18599	SAE 平垫圈 17/32 ID X 1 1/16 IN OD ZP		
X	18638	规则锁紧垫圈 1/2 IN.NOM.ID ZP		
Y	21561	螺栓 – HH 3/8 NC X 1.5 LG GR 5 ZP		
Z	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
AA	136652	六角凹头螺钉 M6 X 1 X 20-12.9-A2L		
AB	152668	六角法兰中心锁紧螺母 M6 X 1-8-A2L		
AC	252541	六角头螺栓 M12 X 1.75 X 65-8.8-A3L		
AD	148645	六角法兰锁紧螺母 STVR M12 X 1.75-10-A3L		
AE	21573	六角头螺栓 1/4 NC X 1.0 LG GR 5 ZP		
AF	21455	法兰 (锯齿面) 螺母 1/4 NC GR 5 ZP		

**85 (选件) 垂直割刀 - 标准拨禾轮臂 ,  
左端 (2019年及以后型号)**



1026546

(选件) 垂直割刀 - 标准拨禾轮臂, 左端 (2019年及以后型号)

参考编号	零部件号	说明	数量	系列号
	B6608	D1/FD1 左侧垂直割刀座套件 <sup>275</sup>		346190-
	B6410	ZIEGLER 左侧/右侧垂直割刀套件, 适用于 D1/FD1 <sup>276</sup>		346190-
1	294721	左侧托架组件, 北美	1	346190-
2	253582	盖板	1	346190-
3	253668	支撑焊件	1	346190-
4	253570	支撑焊件	1	346190-
5	253708	扶禾器左侧焊件	1	346190-
6	132773	分禾器闩锁钩	1	346190-
7	120932	左侧闩锁	1	346190-
8	132248	左侧分禾器安全闩锁	1	346190-
9	103738	固定夹 - PVC 包裹, 13/16 英寸管	1	346190-
10	165103	防护圈	2	346190-
11	30433	塑料塞	2	346190-
12	135613	塑料塞	1	346190-
13	279798	液压软管支承	6	346190-
14	135213	连接件 - 液压母接头, 3/8英寸, 一端平面, 穿板式	2	346190-
15	135386	连接件 - 液压公接头, 3/8 英寸平面 (FASTER) <sup>277</sup>	2	346190-
	111978	密封套件 - 3/8 外螺纹 (仅限 FASTER)		346190-
16	245915	软管连接件支座	1	346190-
17	294985	液压软管	1	346190-
18	294508	液压软管	1	346190-
19	252296	接头-10 JIC X-6 BSPP	2	346190-
20	245931	软管支架	1	346190-
21	245956	软管支架	1	346190-
22	253702	左侧软管支座	1	346190-
23	253704	左侧软管导板	1	346190-
24	245928	支座 - 左侧连接件	1	346190-
25	245936	左侧软管导向板	1	346190-
26	30314	90° 液压弯头	1	346190-
27	NSS	ZIEGLER 垂直割刀 <sup>278</sup>		346190-
A	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		


275. 仅供套件.

276. 此套件包括两个割刀. 仅供套件.

277. Faster 连接件 (MD #135386) 可与 Parker Hannifin 连接件 (NSS) 互换. 密封套件 (MD #111978) 仅用于 Faster 连接件, 不能与 Parker Hannifin 连接件一起使用. 可使用长度区分两种连接件; Faster 连接件为 101 mm, Parker Hannifin 连接件为 84 mm.

278. 不单件出售, 可订购一套两个割刀 (MD #B6410). 有关维修件, 请参阅 90 (选件) 垂直割刀组件 - 维修件, 页码 291 部分.

(选件) 垂直割刀 - 标准拨禾轮臂, 左端 (2019年及以后型号)




1026546

( 选件 ) 垂直割刀 - 标准拨禾轮臂 , 左端 ( 2019 年及以后型号 )

参考编号	零部件号	说明	数量	系列号
B	18635	规则锁紧垫圈 1/4 IN.NOM.ID ZP		
C	7674	六角锁紧螺母 3/4-16 UNF GR 5 ZP		
D	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
E	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
F	18637	规则锁紧垫圈 3/8 IN.NOM.ID ZP		
G	253477	垫圈 - 垂直割刀		
H	21590	螺栓 - HH 3/4 NC X 1.25 LG GR 5 ZP		
J	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
K	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
L	30759	螺栓 - RHSSN 5/8 NC X 2.5 LG GR 5 ZP		
M	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
N	21472	螺栓 - RHSN 3/8-16 X .75-GR5		

**86 (选件) 垂直割刀 - 标准拨禾轮臂 ,  
右端 (2019年及以后型号)**



1026547

(选件) 垂直割刀 - 标准拔禾轮臂, 右端 (2019 年及以后型号)


参考编号	零部件号	说明	数量	系列号
	B6609	D1/FD1 右侧垂直割刀座套件 <sup>279</sup>		346190-
	B6410	ZIEGLER 左侧/右侧垂直割刀套件, 适用于 D1/FD1 <sup>280</sup>		346190-
1	294722	右侧托架组件, 北美	1	346190-
2	253582	盖板	1	346190-
3	253668	支撑焊件	1	346190-
4	253570	支撑焊件	1	346190-
5	253709	扶禾器右侧焊件	1	346190-
6	294393	垂直割刀右侧灯支座	1	346190-
	115146	反光贴标 - 琥珀色		346190-
	115147	反光贴标 - 红色		346190-
7	132773	分禾器闩锁钩	1	346190-
8	120933	右侧闩锁	1	346190-
9	132253	右侧分禾器安全闩锁	1	346190-
10	103738	固定夹 - PVC 包裹, 13/16 英寸管	7	346190-
11	165103	防护圈	2	346190-
12	30433	塑料塞	2	346190-
13	135613	塑料塞	1	346190-
14	279798	液压软管支承	6	346190-
15	174422	阀门	1	346190-
	30054	密封套件		346190-
16	50019	T 型液压直通终端接头, 包括 O 型密封环	1	346190-
17	30556	90° 液压弯头	3	346190-
18	255471	液压金属管	1	346190-
19	279001	软管卡支座	1	346190-
20	252399	软管卡组件	1	346190-
21	255461	盖板	1	346190-
22	21881	液压接头	1	346190-
23	255462	液压软管	1	346190-
24	135235	PVC 包裹双软管固定卡	1	346190-
25	135213	连接件 - 液压母接头, 3/8 英寸, 一端平面, 穿板式	2	346190-
26	135386	连接件 - 液压公接头, 3/8 英寸平面 (FASTER) <sup>281</sup>	2	346190-
	111978	密封套件 - 3/8 外螺纹 (仅限 FASTER)		346190-
27	245915	软管连接件支座	1	346190-

279. 仅供套件.

280. 此套件包括两个割刀. 仅供套件.

281. Faster 连接件 (MD #135386) 可与 Parker Hannifin 连接件 (NSS) 互换. 密封套件 (MD #111978) 仅用于 Faster 连接件, 不能与 Parker Hannifin 连接件一起使用. 可使用长度区分两种连接件; Faster 连接件为 101 mm, Parker Hannifin 连接件为 84 mm.

(选件) 垂直割刀 - 标准拨禾轮臂, 右端 (2019年及以后型号)




1026547

(选件) 垂直割刀 - 标准拨禾轮臂, 右端 (2019年及以后型号)

参考编号	零部件号	说明	数量	系列号
28	294985	液压软管	1	346190-
29	294508	液压软管	1	346190-
30	252296	接头-10 JIC X-6 BSPP	2	346190-
31	245955	支座 - 右侧连接件	1	346190-
32	279017	右侧软管导向板	1	346190-
33	245931	软管支架	2	346190-
34	245956	软管支架	1	346190-
35	253703	右侧软管支座	1	346190-
36	253705	右侧软管导轨	1	346190-
37	135709	PVC 包裹固定夹 3/4 英寸	1	346190-
38	245946	软管卡支座	1	346190-
39	252368	软管卡组件	2	346190-
40	255460	盖板	2	346190-
41	21843	90° 液压弯头	1	346190-
42	112935	5/8 英寸管塞 37° 扩口	1	346190-
43	NSS	ZIEGLER 垂直割刀 282		346190-
A	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		
B	18635	规则锁紧垫圈 1/4 IN.NOM.ID ZP		
C	7674	六角锁紧螺母 3/4-16 UNF GR 5 ZP		
D	30228	法兰光滑面扭曲锁紧螺母 0.375-16 UNC		
E	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
F	18637	规则锁紧垫圈 3/8 IN.NOM.ID ZP		
G	253477	垫圈 - 垂直割刀		
H	21590	螺栓 - HH 3/4 NC X 1.25 LG GR 5 ZP		
J	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
K	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
L	30759	螺栓 - RHSSN 5/8 NC X 2.5 LG GR 5 ZP		
M	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
N	21472	螺栓 - RHSN 3/8-16 X .75-GR5		
P	21570	螺栓 - HH 1/4 NC X 2.0 LG GR 5 ZP		
Q	135248	螺母 - 法兰光滑面 1/4-20 NC GR 5 ZP CTR LK DT THD		
R	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
S	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
T	18724	六角形扭曲锁紧螺母 1/4-20 UNC ZP		
U	100456	螺栓 - RHSSN 3/8 NC X 1.0 GR 5 ZP		

282. 不单件出售, 可订购一套两个割刀 (MD #B6410). 有关维修件, 请参阅 90 (选件) 垂直割刀组件 - 维修件, 页码 291 部分.

(选件) 垂直割刀 - 标准拨禾轮臂, 右端 (2019年及以后型号)




1026547

( 选件 ) 垂直割刀 - 标准拨禾轮臂 , 右端 ( 2019 年及以后型号 )

参考编号	零部件号	说明	数量	系列号
V	135511	中心锁紧螺母 .375-16 UNC GR 5 ZP		
W	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		
X	18591	六角螺母 1/2-13 UNC GR 5 ZP		

## 87 (选件) 垂直割刀 - 短拨禾轮臂



1020869

(选件) 垂直割刀 - 短拨禾轮臂

注:

垂直割刀座 (MD #B6137 和 B6138) 与拨禾轮臂加长套件 (MD #B6591) 不匹配.

参考 编号	零部件号	说明	数量 <b>B6137/B6138</b>	系列号
	B6137	左侧垂直割刀套件 (仅限出口) <sup>283</sup>	1/0	
	B6138	右侧垂直割刀套件 (仅限出口) <sup>283</sup>	0/1	
1	253681	左侧托架组件 <sup>284</sup>	1/0	
2	253680	右侧托架组件 <sup>284</sup>	0/1	
3	253582	盖板	1/0	
4	253668	支撑焊件	1/1	
5	253570	支撑焊件	1/1	
6	253708	扶禾器左侧焊件	1/0	
7	253709	扶禾器右侧焊件	0/1	
8	253696	托架组件 <sup>285</sup>	0/1	
9	132773	分禾器闩锁钩	1/1	
10	120932	左侧闩锁	1/0	
11	120933	右侧闩锁	0/1	
12	132248	左侧分禾器安全闩锁	1/0	
13	132253	右侧分禾器安全闩锁	0/1	
14	103738	固定夹 - PVC 包裹, 13/16 英寸管	1/7	
15	165103	防护圈	2/2	
16	253678	螺塞	3/3	
17	279798	液压软管支承	6/6	
18	174422	阀门 <sup>286</sup>	0/1	
	30054	密封套件		
19	50019	T 型液压直通终端接头, 包括 O 型密封环	0/1	
20	30556	90° 液压弯头	0/3	
21	255471	液压金属管	0/1	
22	279001	软管卡支座	0/1	
23	252399	软管卡组件	0/1	
24	255461	盖板	0/1	
25	21881	液压接头	0/1	
26	255462	液压软管	0/1	
27	135235	PVC 包裹双软管固定卡	0/1	


283. 安装左侧和右侧垂直割刀需要额外的软管套件.有关垂直割刀软管套件, 请参阅 88 (选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 单拨禾轮 , 页码 287 和 89 (选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 双拨禾轮 , 页码 289 部分.仅供套件.

284. 包括盖板 (MD #253582)、螺栓 (MD #21580)、垫圈 (MD #18635) 和贴标 (MD #174684).

285. 包括反光贴标 (MD #115147).

286. 包括密封套件 (MD #30054).

(选件) 垂直割刀 - 短拨禾轮臂




1020869

(选件) 垂直割刀 - 短拨禾轮臂

参考 编号	零部件号	说明	数量 <b>B6137/B6138</b>	系列号
28	135213	连接件 - 液压母接头, 3/8 英寸, 一端平面, 穿板式	2/2	
29	245915	软管连接件支座	1/1	
30	135386	连接件 - 液压公接头, 3/8 英寸平面 (FASTER) <sup>287</sup>	2/2	
	111978	密封套件 - 3/8 外螺纹 (仅限 FASTER)		
31	255509	液压软管	1/1	
32	255510	液压软管	1/1	
33	245928	支座 - 左侧连接件	1/0	
34	245955	支座 - 右侧连接件	0/1	
35	245936	左侧软管导向板	1/0	
36	279017	右侧软管导向板	0/1	
37	245931	软管支架	1/2	
38	245956	软管支架	1/1	
39	253702	左侧软管支座	1/0	
40	253703	右侧软管支座	0/1	
41	253704	左侧软管导板	1/0	
42	253705	右侧软管导轨	0/1	
43	135685	45° 液压弯头	0/1	
44	30314	90° 液压弯头	1/0	
45	135443	自粘绑带, 4 英寸长	0/3	
46	252296	接头-10 JIC X-6 BSPP	2/2	
47	135709	PVC 包裹固定夹 3/4 英寸	0/1	
48	245946	软管卡支座	0/1	
49	112935	5/8 英寸管塞 37 度扩口	0/1	
50	21843	90° 液压弯头	0/1	
51	255460	盖板	0/2	
52	252368	软管卡组件	0/2	
53	30551	液压 T 型管接头	0/1	
54	18607	开口销 5/32 DIA X 1.5 镀锌	0/1	
A	21580	六角头螺栓 1/4 NC X 0.5 LG GR 5 ZP		
B	18635	规则锁紧垫圈 1/4 IN.NOM.I.D.ZP		
C	7674	六角锁紧螺母 3/4-16 UNF GR 5 ZP		
D	30504	沉头机器螺钉 5/16 NC X 1-1/2 LG GR 5 ZP		
E	30280	法兰光滑面侧边锁紧螺母 5/16 NC GR 5 ZP		
F	135665	螺栓 - RHSN 3/8-16 X 8-GR5-ZP		

287. Faster 连接件 (MD #135386) 可与 Parker Hannifin 连接件 (NSS) 互换。密封套件 (MD #111978) 仅用于 Faster 连接件，不能与 Parker Hannifin 连接件一起使用。可使用长度区分两种连接件；Faster 连接件为 101 mm, Parker Hannifin 连接件为 84 mm.

(选件) 垂直割刀 - 短拨禾轮臂




1020869

(选件) 垂直割刀 - 短拔禾轮臂

参考 编号	零部件号	说明	数量 <b>B6137/B6138</b>	系列号
G	30228	法兰光滑面扭曲锁定螺母 0.375-16 UNC		
H	20077	六角头螺栓 3/8 NC X 1.0 LG GR 5 ZP		
J	18637	规则锁紧垫圈 3/8 IN.NOM.I.D.ZP		
K	253477	垫圈 - 垂直割刀		
L	21590	螺栓 - HH 3/4 NC X 1.25 LG GR 5 ZP		
M	21567	六角头螺栓 .375-16 UNC X 0.75 LG		
N	135367	法兰光滑面扭曲锁紧螺母 0.75-10 UNC GR.G		
P	135507	梅花槽大圆头机器螺钉, 38 NC X 1 LG		
Q	30759	螺栓 - RHSSN 5/8 NC X 2.5 LG GR 5 ZP		
R	50225	法兰光滑面扭曲锁紧螺母 .625-11 UNC		
S	21472	螺栓 - RHSN 3/8-16 X .75-GR5		
T	21570	螺栓 - HH 1/4 NC X 2.0 LG GR 5 ZP		
U	135248	法兰光滑面螺母 1/4-20 NC GR 5 ZP CTR LK DT		
V	21821	螺栓 - HH FLG (锯齿面) 3/8 NC X 0.75 GR 5 ZP		
W	21863	螺栓 - RHSSN 3/8 NC X 0.75 LG GR 5 ZP		
X	21854	螺栓 - HH 1/4 NC X 2.5 LG GR 5 ZP		
Y	18724	六角形扭曲锁紧螺母 1/4-20 UNC ZP		
Z	100456	螺栓 - RHSSN 3/8 NC X 1.0 GR 5 ZP		
AA	135511	中心锁紧螺母 .375-16 UNC GR 5 ZP		
AB	18723	螺栓 - HH 1/2 NC X 1.5 LG TFL GR 5 ZP		
AC	50186	法兰光滑面扭曲锁定螺母 0.500-13 UNC GR 5		
AD	21491	螺栓 - HH 1/2 NC X 1.25 LG GR 5 ZP		

## 88 (选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 单拨禾轮



1030203

(选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 单拨禾轮

注:


这些软管套件与垂直割刀套件 MD #B6137 和 MD #B6138 (短拨禾轮臂) 或 MD #B6608 和 MD #B6609 (标准拨禾轮臂) 一起使用.

参考编号	零部件号	说明	数量	系列号
	B6263	双垂直割刀软管套件 (15 英尺刚性割台, SR) <sup>288</sup>	1	
	B6264	双垂直割刀软管套件 (20 英尺刚性割台, SR) <sup>288</sup>	1	
	B6265	双垂直割刀软管套件 (25 英尺刚性割台, SR) <sup>288</sup>	1	
	B6266	双垂直割刀软管套件 (30 英尺刚性割台, SR) <sup>288</sup>	1	
	B6267	双垂直割刀软管套件 (35 英尺刚性割台, SR) <sup>288</sup>	1	
1	255947	液压软管 (20 英尺割台除外)	1	
2	255572	液压软管 (15 英尺刚性割台, SR)	1	
	255573	液压软管 (20 英尺刚性割台, SR)	1	
	255574	液压软管 (25 英尺刚性割台, SR)	1	
	255558	液压软管 (30 英尺刚性割台, SR)	1	
	255559	液压软管 (35 英尺刚性割台, SR)	1	
3	255575	液压软管 (15 英尺刚性割台, SR)	1	
	255576	液压软管 (20 英尺刚性割台, SR)	1	
	255577	液压软管 (25 英尺刚性割台, SR)	1	
	255544	液压软管 (30 英尺刚性割台, SR)	1	
	255545	液压软管 (35 英尺刚性割台, SR)	1	
4	255578	液压软管 (15 英尺刚性割台, SR)	1	
	255579	液压软管 (20 英尺刚性割台, SR)	1	
	255580	液压软管 (25 英尺刚性割台, SR)	1	
	255562	液压软管 (30 英尺刚性割台, SR)	1	
	255563	液压软管 (35 英尺刚性割台, SR)	1	
5	255497	液压软管	1	
6	255465	液压软管 (仅限单垂直割刀) <sup>289</sup>	A/R	
7	255581	液压软管 (仅限 15 英尺刚性割台, SR, 单垂直割刀) <sup>289</sup>	A/R	
	255582	液压软管 (仅限 20 英尺刚性割台, SR, 单垂直割刀) <sup>289</sup>	A/R	
	255583	液压软管 (仅限 25-35 英尺刚性割台, SR, 单垂直割刀) <sup>289</sup>	A/R	

288. 仅供套件.

289. 未包含在垂直割刀软管套件中.单独安装右侧垂直割刀时使用此软管.

**89 (选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 双拨禾轮**



1030204

(选件) 垂直割刀软管套件 - 标准和短拨禾轮臂, 双拨禾轮

注:


这些软管套件与垂直割刀套件 MD #B6137 和 MD #B6138 (短拨禾轮臂) 或 MD #B6608 和 MD #B6609 (标准拨禾轮臂) 一起使用.

参考编号	零部件号	说明	数量	系列号
	B6255	双垂直割刀软管套件 (30 英尺刚性割台, DR) <sup>290</sup>	1	
	B6256	双垂直割刀软管套件 (35 英尺刚性割台, DR) <sup>290</sup>	1	
	B6257	双垂直割刀软管套件 (40 英尺刚性割台, DR) <sup>290</sup>	1	
	B6258	双垂直割刀软管套件 (45 英尺刚性割台, DR) <sup>290</sup>	1	
1	255554	液压软管 (30 英尺刚性割台, DR)	1	
	255555	液压软管 (35 英尺刚性割台, DR)	1	
	255556	液压软管 (40 英尺刚性割台, DR)	1	
	255557	液压软管 (45 英尺刚性割台, DR)	1	
2	255558	液压软管 (30 英尺刚性割台, DR)	1	
	255559	液压软管 (35 英尺刚性割台, DR)	1	
	255560	液压软管 (40 英尺刚性割台, DR)	1	
	255561	液压软管 (45 英尺刚性割台, DR)	1	
3	255544	液压软管 (30 英尺刚性割台, DR)	1	
	255545	液压软管 (35 英尺刚性割台, DR)	1	
	255546	液压软管 (40 英尺刚性割台, DR)	1	
	255547	液压软管 (45 英尺刚性割台, DR)	1	
4	255562	液压软管 (30 英尺刚性割台, DR)	1	
	255563	液压软管 (35 英尺刚性割台, DR)	1	
	255564	液压软管 (40 英尺刚性割台, DR)	1	
	255565	液压软管 (45 英尺刚性割台, DR)	1	
5	255497	液压软管	1	
6	255465	液压软管 (仅限单垂直割刀) <sup>291</sup>	A/R	
7	255567	液压软管 (仅限 30 英尺刚性割台, DR, 单垂直割刀) <sup>291</sup>	A/R	
	255568	液压软管 (仅限 35 英尺刚性割台, DR, 单垂直割刀) <sup>291</sup>	A/R	
	255569	液压软管 (仅限 40 英尺刚性割台, DR, 单垂直割刀) <sup>291</sup>	A/R	
	255570	液压软管 (仅限 45 英尺刚性割台, DR, 单垂直割刀) <sup>291</sup>	A/R	

290. 仅供套件.

291. 未包含在垂直割刀软管套件中.单独安装右侧垂直割刀时使用此软管.

## 90 (选件) 垂直割刀组件 - 维修件



1029499

(选件) 垂直割刀组件 - 维修件

注:

列出的所有零部件均仅供维修使用.垂直割刀可以一套两个割刀形式订购 (MD #B6410).

参考编号	零部件号	说明	数量	系列号
1	304611	液压马达		
2	304612	弹性轴连接件		
3	304614	割刀组件 292		
4	304615	刀片		
5	304616	铆钉		
6	304617	割刀托架		
7	304618	定位板		
8	304619	橡胶金属衬套		
9	304620	调心轴承		
10	304621	割刀前封头		
11	304622	割刀后封头		
12	304623	连杆组件 293		
13	304624	连杆		
14	304625	左侧/右侧曲轴护罩 294		

292. 包括刀片 (MD #304615) 和铆钉 (MD #304616).

293. 包括连杆 (MD #304624) 和衬套 (MD #304619).

294. 包括一个前板, 随左侧护罩配置一起发货.如果将护罩用于右侧割刀上, 则必须将该板移动到护罩的另一侧.



# 索引

- 2148 ..... 218  
4761 ..... 58, 192, 220  
5512 ..... 138, 222, 224, 226  
6647 ..... 4, 56, 232  
6649 ..... 220  
7642 ..... 2, 218  
7674 ..... 204, 268, 274, 278, 284  
7900 ..... 220, 224, 226  
8218 ..... 14  
10254 ..... 58  
13125 ..... 192, 216  
13298 ..... 56  
14338 ..... 6  
15903 ..... 174, 184  
16010 ..... 212, 218  
16087 ..... 2  
16235 ..... 138  
16266 ..... 218  
16605 ..... 92, 96, 100  
16681 ..... 122, 128, 132  
18349 ..... 140  
18523 ..... 156, 220  
18525 ..... 58  
18590 ..... 78  
18591 ..... 138, 220, 280  
18592 ..... 142  
18596 ..... 154, 182, 254, 260  
18598 ..... 6, 56, 78, 268  
18599 ..... 52, 78, 126, 130, 138, 154, 220, 232, 270  
18600 ..... 86, 88, 140, 220  
18601 ..... 58, 220  
18603 ..... 52, 62, 72  
18604 ..... 76  
18605 ..... 138  
18607 ..... 122, 284  
18609 ..... 2, 140  
18624 ..... 128, 134, 138, 194, 198  
18626 ..... 140  
18635 ..... 154, 182, 274, 278, 284  
18637 ..... 58, 78, 94, 98, 102, 204, 258, 260, 268, 274, 278, 286  
18638 ..... 242, 246, 252, 260, 270  
18640 ..... 58  
18648 ..... 124, 128, 132, 134, 138, 140, 216, 224, 226  
18654 ..... 4, 10, 14, 18, 22, 228  
18664 ..... 94, 98, 102, 124, 134, 182  
18666 ..... 50, 56, 142, 156  
18669 ..... 110, 118, 156  
18670 ..... 10, 14, 210  
18671 ..... 122, 128, 132, 138, 216  
18688 ..... 10, 14, 142  
18697 ..... 50, 56, 78, 124, 128, 134, 220, 252, 258, 260  
18723 ..... 4, 50, 210, 258, 264, 286  
18724 ..... 252, 262, 270, 278, 286  
18725 ..... 122, 128, 132  
18738 ..... 124  
18768 ..... 264  
18770 ..... 142, 206  
18866 ..... 222, 224  
18867 ..... 76  
18916 ..... 222, 224, 226  
18963 ..... 64, 70  
19634 ..... 212  
19927 ..... 216  
19965 ..... 78, 156, 182, 190, 242, 246, 250, 252, 260  
19966 ..... 78, 214, 270  
20055 ..... 130, 136  
20077 ..... 78, 94, 98, 102, 258, 262, 274, 278, 286  
20078 ..... 150  
20312 ..... 140  
20535 ..... 6, 78  
21006 ..... 50  
21010 ..... 54, 216  
21030 ..... 174, 184  
21031 ..... 92, 96, 100  
21055 ..... 8, 212, 220  
21056 ..... 4, 200, 220  
21066 ..... 50, 58, 78, 220  
21069 ..... 62, 64, 66, 68, 70, 72, 242, 246, 250, 256  
21102 ..... 196, 210  
21153 ..... 216, 224, 226  
21194 ..... 50, 54  
21218 ..... 152, 182  
21264 ..... 58, 268  
21281 ..... 156  
21345 ..... 94, 98, 102  
21354 ..... 252, 260  
21376 ..... 216, 224, 226  
21383 ..... 4, 52, 58, 110, 118, 196  
21389 ..... 58, 192  
21403 ..... 156  
21404 ..... 212  
21406 ..... 52, 58  
21447 ..... 146, 150  
21452 ..... 52, 58, 124, 134, 182  
21455 ..... 94, 98, 102, 124, 134, 154, 182, 210, 270  
21468 ..... 14  
21469 ..... 110, 118  
21471 ..... 58, 78  
21472 ..... 52, 58, 146, 150, 210, 270, 274, 278, 286  
21484 ..... 140, 268  
21489 ..... 154  
21491 ..... 4, 50, 56, 78, 124, 128, 134, 138, 232, 254, 260, 270, 280, 286

## 索引

21526.....	268	30228.....	4, 6, 52, 58, 78, 82, 84, 86, 88, 90, 94, 98, 102,
21540.....	222, 224, 226	110, 118, 120, 126, 130, 136, 140, 146, 150, 154, 156,	
21558.....	212	182, 188, 190, 196, 204, 210, 212, 220, 224, 238, 242,	
21560.....	220	246, 250, 252, 258, 260, 268, 274, 278, 286	
21561.....	156, 270	30280.....	8, 176, 184, 204, 212, 268, 284
21567.....	4, 204, 270, 274, 278, 286	30282.....	144, 148
21568.....	210	30284.....	144, 148
21570.....	278, 286	30299.....	58
21572.....	124, 134, 182	30307.....	268
21573.....	154, 208, 270	30314.....	62, 64, 66, 272, 284
21575.....	78, 126, 130, 134, 136, 138, 198, 204, 242, 246,	30368.....	196
	252, 260	30375.....	144, 148
21576.....	220, 232	30376.....	72, 242, 246, 250, 256
21577.....	224	30433.....	272, 276
21578.....	222, 252, 260	30441.....	78, 142, 186, 220
21580.....	242, 246, 250, 272, 278, 284	30504.....	8, 204, 284
21582.....	86, 88	30512.....	142
21583.....	50, 56, 224	30514.....	56
21589.....	138	30515.....	196
21590.....	274, 278, 286	30516.....	220, 224, 226
21591.....	220	30517.....	216, 224, 226
21599.....	220	30520.....	138, 216, 224, 226
21746.....	266	30523.....	108, 116
21760.....	154, 242, 246, 250, 258	30548.....	56
21761.....	178	30549.....	142
21763.....	6, 86, 88, 144, 150, 152, 174, 182, 184, 208,	30551.....	268, 284
	268	30556.....	186, 268, 276, 282
21801.....	68, 70, 240, 244, 248, 256	30557.....	186
21810.....	240, 244, 248, 252, 256, 260	30610.....	62, 72
21821.....	6, 126, 130, 134, 146, 150, 154, 278, 286	30627.....	264
21830.....	70	30632.....	264
21843.....	92, 96, 100, 186, 268, 278, 284	30639.....	88, 92, 100
21854.....	246, 250, 252, 258, 260, 270, 278, 286	30661.....	240, 244, 252, 260, 264
21859.....	54, 240, 244, 252, 260, 264	30669.....	36, 48
21863.....	4, 6, 52, 58, 80, 82, 84, 86, 88, 90, 94, 98, 102,	30693.....	52, 58, 64, 70, 78, 268
	126, 134, 146, 150, 154, 182, 188, 204, 210, 212, 224,	30695.....	186
	242, 246, 250, 258, 270, 286	30753.....	96, 150, 152, 268
21868.....	220	30759.....	274, 278, 286
21881.....	92, 96, 100, 276, 282	30819.....	62, 64, 68, 70, 72
21887.....	216, 224, 226	30824.....	142
21941.....	4, 18, 220	30833.....	220
21968.....	124, 134	30849.....	192
21975.....	86, 90	30873.....	186, 240, 246, 250, 256
23164.....	158	30875.....	186
23165.....	158	30922.....	222
23950.....	172	30934.....	248, 252, 256, 260, 264
23957.....	172	30942.....	94, 98, 102
25991.....	172	30970.....	68
29028.....	218	30971.....	174, 184
30027.....	124, 128, 134, 138	30981.....	62, 64, 66, 68, 70, 72, 186, 240, 246, 250, 256
30034.....	56	31774.....	124, 128, 136
30035.....	126	31889.....	64, 70
30054.....	266, 276, 282	32070.....	158
30209.....	126, 130, 138, 142	32879.....	172
		32880.....	172

33955.....	24	100707 .....	60
34359.....	10, 228	100708 .....	60
34980.....	10, 20, 228	100709 .....	60
35618.....	218	100710 .....	60
35694.....	216	100712 .....	60
36849.....	148	100714 .....	60
39272.....	212	100715 .....	60
40628.....	214	100716 .....	60
40701.....	146, 150, 174, 184	100717 .....	60
40702.....	146, 150, 174, 184	100718 .....	60
40703.....	62, 64, 66, 68, 70, 72, 174, 184	100719 .....	60
40704.....	62, 64, 66, 68, 70, 72, 174, 184	100720 .....	60
40915.....	126, 130, 136, 194, 198	100721 .....	60
41982.....	216, 224, 226	100722 .....	60
42498.....	192	100723 .....	60
42592.....	78	100726 .....	60
44209.....	174, 184	101007 .....	216, 224, 226
44210.....	66	101853 .....	56
44575.....	192	101897 .....	78, 212, 258, 260
45427.....	242, 244, 252, 260, 268	101898 .....	88, 94, 98, 102, 124, 130, 136, 146, 156, 176, 182, 184, 194, 214, 220
47858.....	54	102264 .....	2, 230
48050.....	220	102509 .....	50, 56
49227.....	146, 150, 174, 184	102602 .....	92, 96, 100
49306.....	54, 240, 244, 252, 260, 264	102629 .....	60
49341.....	140	102630 .....	60
50019.....	268, 276, 282	102636 .....	58, 142, 220
50022.....	86, 88, 90, 100, 124, 146, 186	102711 .....	104
50050.....	66, 246, 250, 256	103096 .....	60
50072.....	222	103351 .....	86, 88, 92, 96, 100
50076.....	62, 64, 68, 70, 72	103562 .....	18, 220
50086.....	62, 64, 68, 70, 72	103738 .....	92, 100, 102, 124, 134, 144, 242, 246, 250, 258, 268, 272, 276, 282
50098.....	66	103879 .....	138
50103.....	86, 88, 90, 92, 96, 100, 144, 148	105066 .....	110, 118
50104.....	72, 86, 88, 90, 92, 96, 100, 186, 240, 246, 250, 256	105069 .....	124, 136
50119.....	10, 228	105135 .....	110, 118
50120.....	10, 22, 228	105136 .....	110, 118, 120
50174.....	216, 224, 226	105141 .....	110, 118
50175.....	66, 256	105364 .....	138
50184.....	108, 114	106708 .....	144
50186.....	52, 58, 78, 110, 118, 120, 124, 130, 136, 138, 140, 196, 198, 204, 206, 210, 220, 232, 264, 286	108172 .....	264
50187.....	56	108268 .....	68, 70, 72, 186, 240, 246, 250, 256
50188.....	56	109089 .....	154, 182
50193.....	156	109843 .....	158
50197.....	222	111221 .....	158
50225.....	8, 58, 94, 98, 102, 140, 156, 212, 220, 224, 274, 278, 286	111895 .....	54
50226.....	52	111978 .....	266, 272, 276, 284
100456.....	212, 220, 278, 286	111981 .....	174
100500.....	24	111982 .....	174
100532.....	50, 54, 60	111983 .....	174
100577.....	104	111984 .....	174
100581.....	92, 96, 100	111985 .....	174
100706.....	60	111986 .....	174
		112129 .....	58

## 索引

112184 .....	240, 244, 248	119519 .....	236
112935 .....	278, 284	119530 .....	230, 236
112968 .....	56	119531 .....	236
113152 .....	60	119543 .....	230
113153 .....	60	119555 .....	230
113160 .....	54	120009 .....	76
113161 .....	54	120056 .....	56
113222 .....	24	120057 .....	56
113229 .....	50, 54	120058 .....	74
113420 .....	110, 118	120127 .....	2
113435 .....	122, 128, 134, 138	120140 .....	50
113482 .....	158	120141 .....	50
113536 .....	208	120194 .....	50
113561 .....	208, 212	120232 .....	58
113566 .....	212	120358 .....	54
113814 .....	4	120359 .....	54
113881 .....	148	120360 .....	54
113937 .....	24	120363 .....	54
114233 .....	124, 136	120364 .....	54
115145 .....	160	120365 .....	56
115146 .....	160, 208, 276	120366 .....	56
115147 .....	160, 208, 276	120371 .....	92, 96, 100
115148 .....	208	120374 .....	92, 96, 100
115670 .....	24	120377 .....	66, 68, 70
117015 .....	4, 220	120462 .....	76
118137 .....	2, 124, 128, 134, 138, 194, 198, 212	120518 .....	92, 96, 100
118154 .....	10, 14, 18, 22	120552 .....	144, 148
118162 .....	12, 16, 20	120558 .....	10, 14, 18, 22
118193 .....	10, 14, 18, 22	120563 .....	92, 96, 100
118239 .....	208, 212	120566 .....	92, 96, 100
118301 .....	12, 20	120568 .....	86
118302 .....	12, 16	120570 .....	86, 88
118344 .....	12, 16, 20	120573 .....	64, 70
118345 .....	12, 16, 20	120574 .....	64, 70
118346 .....	10, 12, 228	120575 .....	64, 70
118347 .....	10, 12, 228	120577 .....	64, 70
118351 .....	10, 12	120584 .....	92, 96, 100
118491 .....	24, 28, 30, 38, 40	120588 .....	92, 96, 100
119264 .....	230	120589 .....	92, 96, 100
119265 .....	230	120639 .....	10, 14, 18, 186
119282 .....	230	120753 .....	54
119284 .....	230	120754 .....	54
119285 .....	230	120755 .....	54
119384 .....	230	120812 .....	54
119392 .....	230	120814 .....	56
119415 .....	230, 236	120832 .....	24
119442 .....	230	120845 .....	74, 186
119446 .....	230	120899 .....	50, 56
119447 .....	230	120900 .....	50, 56
119454 .....	230	120901 .....	50, 56
119455 .....	230	120932 .....	204, 272, 282
119457 .....	230, 236	120933 .....	204, 276, 282
119460 .....	230	120988 .....	86
119506 .....	230, 234	120989 .....	92, 96, 100
119518 .....	236	120996 .....	148

123306 .....	74	125670 .....	72
123598 .....	148	125672 .....	72
123599 .....	150	125722 .....	62, 72, 144, 148
123620 .....	148	125749 .....	82
123627 .....	128	125751 .....	82
123660 .....	2	125764 .....	50, 56
123661 .....	2	129043 .....	28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48
123662 .....	84	129297 .....	10, 12, 16, 20
123663 .....	144	129299 .....	30, 34, 36, 40, 44, 48
123670 .....	124	129313 .....	158
123673 .....	148	129329 .....	26
123676 .....	144	129577 .....	202
123677 .....	144	129578 .....	202
123681 .....	200	129581 .....	202
123682 .....	200	129582 .....	202
123701 .....	144, 148	129584 .....	202
123702 .....	144, 148	129589 .....	202
123703 .....	148	129800 .....	174, 184
123751 .....	2	129801 .....	174, 184
123752 .....	2	129847 .....	142, 206
123937 .....	84	129913 .....	76
123938 .....	84	129976 .....	174, 184
123939 .....	84	129977 .....	174, 184
123940 .....	84	131391 .....	158
123948 .....	74	131392 .....	158
123949 .....	74	131393 .....	158
123982 .....	92, 96, 100	132015 .....	92, 100
124338 .....	20	132017 .....	88, 92, 100
124344 .....	20	132021 .....	92, 96, 100
124399 .....	2	132033 .....	50, 54
124775 .....	228	132096 .....	76
124880 .....	26	132117 .....	88, 102
124881 .....	26	132248 .....	204, 272, 282
125176 .....	6	132253 .....	204, 276, 282
125229 .....	268	132265 .....	2
125236 .....	220	132266 .....	2
125256 .....	218	132269 .....	2
125363 .....	2	132303 .....	240, 244, 252, 260
125393 .....	156	132396 .....	66
125418 .....	16	132404 .....	10, 22, 228
125433 .....	140	132405 .....	228
125435 .....	140	132415 .....	56
125478 .....	92, 96, 100	132418 .....	268
125530 .....	50, 56	132420 .....	2
125553 .....	174, 184	132451 .....	78, 188
125565 .....	92, 96, 100	132474 .....	140
125566 .....	92, 96, 100	132475 .....	140
125571 .....	158	132476 .....	140
125572 .....	158	132531 .....	76
125588 .....	76	132532 .....	76
125589 .....	76	132607 .....	74, 186
125602 .....	74	132692 .....	76
125607 .....	74	132758 .....	92, 96, 100
125622 .....	76	132773 .....	204, 266, 272, 276, 282
125652 .....	92, 100	132777 .....	78

## 索引

132782 .....	104	135386 .....	266, 272, 276, 284
132783 .....	104	135397 .....	176, 184
132784 .....	104	135408 .....	192
132786 .....	92, 96, 100, 104	135434 .....	186, 268
132852 .....	158, 160	135443 .....	90, 94, 98, 100, 146, 148, 152, 186, 242, 246, 250, 258, 268, 284
132867 .....	86, 88, 92, 100	135444 .....	150, 152, 242, 246, 250, 258
132870 .....	88, 102	135448 .....	156
132871 .....	88, 102	135450 .....	238
132896 .....	24	135474 .....	174, 184
132897 .....	24	135507 .....	246, 250, 252, 258, 260, 274, 278, 286
132903 .....	62, 68	135511 .....	280, 286
132904 .....	62, 68	135540 .....	266
132911 .....	144, 148	135565 .....	174, 184
132912 .....	148	135566 .....	174, 184
133751 .....	2	135579 .....	4, 230, 270
133992 .....	218, 224	135612 .....	68
134002 .....	6	135613 .....	272, 276
134003 .....	6	135623 .....	212
134010 .....	154	135626 .....	26, 30, 34, 40, 44, 188
134011 .....	154	135628 .....	26, 188
134053 .....	182	135630 .....	26
134438 .....	4	135632 .....	26
134443 .....	152	135647 .....	240, 256
134741 .....	154	135665 .....	268, 284
134954 .....	154	135685 .....	72, 240, 244, 248, 268, 284
135015 .....	174	135704 .....	212
135148 .....	172	135709 .....	278, 284
135157 .....	8, 52, 78, 120, 124, 136, 182, 188, 242, 246, 250	135725 .....	88, 92, 100
135182 .....	64	135737 .....	142
135190 .....	64, 70	135785 .....	230, 236, 264
135193 .....	258	135799 .....	230, 236, 264
135204 .....	66, 174, 184	135818 .....	246, 250
135205 .....	66, 174, 184	135906 .....	78
135206 .....	66, 184	135963 .....	242, 246, 250
135213 .....	66, 184, 266, 272, 276, 284	135966 .....	242, 246, 250
135233 .....	152, 194, 208, 268	136043 .....	94, 98, 102
135234 .....	144, 148, 152	136113 .....	264
135235 .....	276, 282	136209 .....	180
135236 .....	174	136410 .....	146, 150, 152
135237 .....	174	136431 .....	194
135238 .....	174	136506 .....	230
135240 .....	62, 72, 246, 250, 256	136652 .....	270
135241 .....	268	136654 .....	266
135247 .....	94, 98, 102	136655 .....	152
135248 .....	212, 246, 250, 258, 278, 286	136824 .....	246, 250
135255 .....	66, 68, 70	136868 .....	208
135295 .....	94, 98, 102	136952 .....	246, 250, 256
135312 .....	174, 184	137092 .....	108, 116
135337 .....	246, 250	137118 .....	110, 118
135340 .....	4	137142 .....	108, 114
135367 .....	140, 286	137221 .....	122, 128, 132
135372 .....	62, 64, 68, 70, 72, 92, 96	137277 .....	108, 114
135373 .....	174	137285 .....	106, 114
135380 .....	66	137291 .....	122, 132

137315 .....	122, 128, 132	137917 .....	118
137347 .....	122, 132	137918 .....	118
137348 .....	124, 134	137924 .....	196
137350 .....	124, 134	137968 .....	118
137352 .....	122, 132	137969 .....	118
137354 .....	122, 132	137970 .....	124, 134
137356 .....	124, 134	137971 .....	116
137375 .....	122, 124, 130, 132, 136, 244, 248, 256	137980 .....	106, 114
137415 .....	106, 112	138086 .....	208
137416 .....	106, 114	138087 .....	208
137421 .....	106	139003 .....	60
137422 .....	106	139630 .....	152, 208
137451 .....	128	139631 .....	208
137456 .....	128	139632 .....	208
137476 .....	122, 128, 132	139633 .....	208
137503 .....	124, 136	140135 .....	10, 12, 18, 22
137506 .....	108, 114	140250 .....	128
137509 .....	182	143875 .....	152, 182
137515 .....	122, 132	144321 .....	218
137519 .....	106, 116	144324 .....	218
137523 .....	110, 116	144374 .....	216
137529 .....	110, 116	144376 .....	218
137532 .....	108, 116	144378 .....	216, 224, 226
137535 .....	108, 114	144409 .....	218
137536 .....	108, 114	144415 .....	212, 220
137543 .....	108, 114	144425 .....	216
137568 .....	106, 112	144433 .....	218
137569 .....	106, 114	144471 .....	216
137570 .....	112	144505 .....	218
137571 .....	114	144531 .....	216, 224, 226
137626 .....	122, 128, 132, 138, 230	144577 .....	216
137642 .....	106	144724 .....	216
137643 .....	106	144739 .....	216
137650 .....	106	144741 .....	216
137651 .....	106	144742 .....	216
137691 .....	132	144860 .....	224
137699 .....	110, 116	144873 .....	216
137702 .....	124, 136	144880 .....	218, 224
137721 .....	122, 132	144899 .....	218, 224
137727 .....	78, 154, 242, 246, 250, 258	144934 .....	218, 224
137753 .....	124, 128, 134	144935 .....	224
137754 .....	108, 116	144956 .....	218
137794 .....	196	144962 .....	218
137795 .....	196	144966 .....	218, 224
137825 .....	132	144968 .....	216
137826 .....	132	144971 .....	216
137827 .....	132	144976 .....	216
137909 .....	110	144989 .....	218
137910 .....	110, 118	145106 .....	74
137911 .....	110	145122 .....	74
137912 .....	110	145148 .....	74
137913 .....	118	145168 .....	92, 96, 100
137914 .....	110	145249 .....	78, 186
137915 .....	118	145345 .....	76
137916 .....	118	145357 .....	76

## 索引

145361 .....	78	164953 .....	122, 128
145384 .....	54	164955 .....	122
145428 .....	76	164958 .....	120
145461 .....	140	164965 .....	120
145548 .....	76	164967 .....	120
145558 .....	86, 88	164988 .....	238
145593 .....	76	164993 .....	238
145706 .....	50	164995 .....	238
145840 .....	76	165040 .....	94, 98, 102
145983 .....	92, 96, 100, 104	165103 .....	266, 272, 276, 282
148645 .....	270	165168 .....	156
148798 .....	194	165188 .....	156
151192 .....	140	165209 .....	10, 12
152668 .....	270	165267 .....	144, 148
152863 .....	180	165294 .....	72
153151 .....	174, 184	165297 .....	72
156501 .....	218	165380 .....	266
158217 .....	158	165386 .....	156
159587 .....	86, 88, 90	165417 .....	64, 70
163088 .....	192	165429 .....	156
163585 .....	94, 96	165524 .....	6, 160
164009 .....	6	165588 .....	156
164044 .....	108	165722 .....	156
164045 .....	108	165727 .....	156
164046 .....	108	165735 .....	74, 186
164061 .....	124, 128, 134	165858 .....	6
164109 .....	132	165973 .....	160
164126 .....	124, 134	166309 .....	168
164141 .....	132	166466 .....	158
164213 .....	122, 128, 132	171068 .....	208
164214 .....	122, 128, 132	172133 .....	156
164215 .....	138	172134 .....	156
164216 .....	138	172142 .....	152, 182
164750 .....	122, 132	172146 .....	148
164754 .....	120	172155 .....	140
164773 .....	140	172158 .....	140
164780 .....	138	172175 .....	148
164781 .....	138	172183 .....	144
164800 .....	140, 204	172184 .....	144
164815 .....	122, 134	172185 .....	144
164817 .....	122, 132	172186 .....	144
164821 .....	128	172195 .....	76
164825 .....	140, 204	172196 .....	76
164855 .....	134	172197 .....	76
164858 .....	134	172198 .....	76
164885 .....	134	172220 .....	144
164887 .....	122, 128	172221 .....	144
164894 .....	114	172222 .....	144
164895 .....	116	172223 .....	144
164930 .....	122, 128	172228 .....	144
164933 .....	122, 128, 134	172259 .....	8, 78, 186
164934 .....	138	172327 .....	82
164945 .....	122, 128, 138, 230	172328 .....	82
164947 .....	132	172340 .....	240, 244, 252, 260
164948 .....	132	172363 .....	80

## 索引

172507 .....	252, 260	174436 .....	158
172511 .....	252, 260	174501 .....	54
172710 .....	78	174502 .....	54
172809 .....	54	174513 .....	268
172812 .....	54	174514 .....	268
172875 .....	200	174521 .....	268
172877 .....	144, 148	174528 .....	190
172897 .....	148	174538 .....	268
172899 .....	94, 98, 102, 152	174547 .....	266
172922 .....	142	174559 .....	190
172948 .....	160	174560 .....	190
172951 .....	160	174585 .....	266
172978 .....	144, 148	174586 .....	268
172981 .....	144	174632 .....	158
172982 .....	144	174684 .....	158
172983 .....	144	174695 .....	186
172985 .....	148	174697 .....	186
172986 .....	144	174706 .....	186
172988 .....	144	174707 .....	186
172993 .....	144, 148	174708 .....	186
174035 .....	252	174709 .....	186
174081 .....	252, 260	174710 .....	186
174082 .....	252, 260	174714 .....	74
174149 .....	148	174845 .....	24, 32, 34, 42, 44
174165 .....	26	174849 .....	106, 114
174168 .....	256	174857 .....	24
174176 .....	260	174858 .....	142
174215 .....	50	174883 .....	268
174217 .....	50	174922 .....	218, 224
174238 .....	266	174926 .....	208
174240 .....	266	174992 .....	50, 54
174242 .....	266	176009 .....	142
174243 .....	266	184372 .....	158
174256 .....	72	184422 .....	158
174258 .....	62, 72	184579 .....	268
174259 .....	62	184589 .....	254
174260 .....	72	184652 .....	232, 234
174262 .....	266	184708 .....	232, 234
174263 .....	266	184709 .....	230, 234
174270 .....	50	184718 .....	6
174299 .....	72	188467 .....	220
174300 .....	72	193008 .....	216
174304 .....	50, 244, 248, 256	193009 .....	218
174318 .....	266	193014 .....	218
174321 .....	266	193016 .....	218
174322 .....	266	193022 .....	218
174324 .....	266	193031 .....	216, 224, 226
174333 .....	140	193034 .....	158
174356 .....	64, 70	193057 .....	212, 216
174357 .....	64, 70	193058 .....	212
174391 .....	2	193059 .....	212
174400 .....	2	193183 .....	212
174407 .....	148	193187 .....	212
174408 .....	148	193188 .....	212
174422 .....	266, 276, 282	193202 .....	212

## 索引

193211 .....	220	220758 .....	182
193212 .....	212	220797 .....	158
193214 .....	218, 224	220798 .....	158
193215 .....	218, 224	220799 .....	158
193216 .....	220	220807 .....	170
193217 .....	220	220808 .....	170
193240 .....	208	220809 .....	170
193241 .....	208	220813 .....	170
193242 .....	208	220814 .....	170
193243 .....	208	220817 .....	166
197171 .....	180	220818 .....	166
203547 .....	152	220819 .....	166
220009 .....	50, 56	220823 .....	166
220010 .....	50, 56	220824 .....	166
220011 .....	50, 56	220831 .....	168
220012 .....	50, 56	220832 .....	168
220013 .....	50, 56	220833 .....	168
220084 .....	158	220834 .....	168
220099 .....	218	220835 .....	170
220100 .....	12	220836 .....	166
220101 .....	12	220841 .....	186
220102 .....	10	220849 .....	144, 148
220103 .....	10	220861 .....	144
220107 .....	6	220863 .....	168
220114 .....	16	220868 .....	168
220115 .....	18	220871 .....	168
220176 .....	76	220876 .....	170
220181 .....	74	220885 .....	166
220183 .....	74	220936 .....	74, 186
220184 .....	74	220939 .....	108, 114, 238
220197 .....	266	220941 .....	108, 114, 238
220236 .....	158	220944 .....	74, 186
220264 .....	78	226673 .....	56
220324 .....	270	232147 .....	54
220326 .....	212	233371 .....	264
220391 .....	78	233395 .....	252, 260
220412 .....	86, 88	233450 .....	264
220418 .....	78	233513 .....	264
220491 .....	86	233514 .....	264
220577 .....	158	233519 .....	264
220634 .....	76	233625 .....	264
220635 .....	76	244671 .....	218
220636 .....	76	244722 .....	216
220637 .....	76	244727 .....	208
220638 .....	76	244748 .....	218
220639 .....	76	244760 .....	212
220640 .....	76	245023 .....	74
220641 .....	76, 190	245025 .....	74
220642 .....	76	245027 .....	74
220672 .....	92, 96, 100	245029 .....	74
220673 .....	158	245031 .....	74
220675 .....	148	245033 .....	74
220676 .....	144, 148	245035 .....	74
220701 .....	56	245037 .....	74
220706 .....	56	245039 .....	74

245041 .....	74	252794 .....	240, 246, 250, 258
245042 .....	74	252795 .....	240, 246, 250, 258
245083 .....	106, 116	252942 .....	92, 96
245084 .....	106, 114	253092 .....	134
245114 .....	84	253164 .....	6
245115 .....	84	253290 .....	138
245199 .....	124, 128, 134	253297 .....	6
245266 .....	112	253298 .....	6
245267 .....	114	253299 .....	6
245272 .....	118	253412 .....	140
245273 .....	118	253446 .....	240, 244, 248, 256
245276 .....	118	253477 .....	274, 278, 286
245277 .....	118	253499 .....	2
245362 .....	194	253500 .....	208
245396 .....	156	253503 .....	114
245397 .....	156	253514 .....	118
245428 .....	164	253515 .....	118
245432 .....	164	253517 .....	56
245433 .....	164	253552 .....	16
245438 .....	164	253570 .....	272, 276, 282
245439 .....	164	253582 .....	272, 276, 282
245441 .....	164	253601 .....	6
245443 .....	164	253602 .....	6
245476 .....	158	253624 .....	6
245477 .....	158	253627 .....	6
245671 .....	140	253668 .....	272, 276, 282
245677 .....	2	253678 .....	282
245678 .....	2	253680 .....	282
245915 .....	272, 276, 284	253681 .....	282
245926 .....	198	253696 .....	282
245928 .....	272, 284	253702 .....	272, 284
245931 .....	272, 278, 284	253703 .....	278, 284
245936 .....	272, 284	253704 .....	272, 284
245943 .....	50	253705 .....	278, 284
245946 .....	278, 284	253708 .....	272, 282
245955 .....	278, 284	253709 .....	276, 282
245956 .....	272, 278, 284	253722 .....	240, 244, 248
245964 .....	86	253728 .....	158
245965 .....	90	253740 .....	94, 98
245992 .....	140	253741 .....	94, 98
245993 .....	140	253815 .....	144, 148
252179 .....	230, 234	253839 .....	112
252296 .....	266, 272, 278, 284	254044 .....	70
252305 .....	220	254047 .....	70
252314 .....	268	254109 .....	62, 72
252368 .....	278, 284	254131 .....	96
252399 .....	276, 282	254132 .....	96
252423 .....	60	254175 .....	208
252520 .....	66	254179 .....	152
252537 .....	268	254180 .....	152
252541 .....	270	254181 .....	152
252578 .....	266	254187 .....	96
252687 .....	110, 118	254190 .....	96
252752 .....	50	254218 .....	152
252753 .....	54	254219 .....	152

## 索引

254220 .....	152	255567 .....	290
254248 .....	240, 244, 248	255568 .....	290
255004 .....	6	255569 .....	290
255014 .....	162	255570 .....	290
255019 .....	6	255572 .....	288
255021 .....	162	255573 .....	288
255041 .....	6	255574 .....	288
255115 .....	162	255575 .....	288
255116 .....	162	255576 .....	288
255117 .....	162	255577 .....	288
255131 .....	162	255578 .....	288
255133 .....	162	255579 .....	288
255211 .....	68	255580 .....	288
255253 .....	66	255581 .....	288
255259 .....	162	255582 .....	288
255260 .....	162	255583 .....	288
255282 .....	140	255678 .....	6
255311 .....	70	255679 .....	6
255316 .....	162	255712 .....	112
255317 .....	162	255716 .....	112
255318 .....	162	255735 .....	112
255344 .....	94, 98, 102, 152	255738 .....	112
255410 .....	74, 186	255746 .....	112
255416 .....	74	255749 .....	112
255417 .....	74	255764 .....	66
255426 .....	152	255788 .....	140
255431 .....	186	255791 .....	204
255442 .....	2	255829 .....	240, 244, 248, 256
255455 .....	90	255831 .....	140, 206
255456 .....	90	255845 .....	206
255460 .....	278, 284	255866 .....	62, 68
255461 .....	276, 282	255883 .....	244, 248, 252, 256, 260
255462 .....	276, 282	255905 .....	112
255465 .....	288, 290	255908 .....	112
255471 .....	276, 282	255927 .....	178
255497 .....	288, 290	255928 .....	178
255506 .....	64, 70	255929 .....	178
255509 .....	284	255930 .....	178
255510 .....	284	255947 .....	288
255544 .....	288, 290	258150 .....	2
255545 .....	288, 290	258199 .....	6
255546 .....	290	258200 .....	6
255547 .....	290	258253 .....	208
255554 .....	290	258262 .....	208
255555 .....	290	273078 .....	122, 132
255556 .....	290	273258 .....	122, 132
255557 .....	290	273259 .....	122, 132
255558 .....	288, 290	273265 .....	108, 114
255559 .....	288, 290	273304 .....	126, 130, 136
255560 .....	290	273347 .....	108, 114
255561 .....	290	273524 .....	108, 114
255562 .....	288, 290	273536 .....	108, 110, 116
255563 .....	288, 290	274414 .....	208
255564 .....	290	279001 .....	276, 282
255565 .....	290	279003 .....	54

279017 .....	278, 284	279439 .....	38
279065 .....	212	279440 .....	42
279085 .....	158	279441 .....	42
279144 .....	268	279468 .....	24
279156 .....	266	279485 .....	266
279157 .....	266	279494 .....	266
279158 .....	266	279498 .....	266
279159 .....	266	279499 .....	266
279261 .....	240, 244, 248	279528 .....	158
279286 .....	90	279575 .....	10, 18, 178, 228
279310 .....	26	279636 .....	180
279312 .....	26	279641 .....	24, 32, 34, 42, 44
279314 .....	26	279642 .....	24, 28, 30, 38, 40
279316 .....	26	279700 .....	110, 116
279398 .....	28, 30, 38, 40	279715 .....	256
279399 .....	28, 30, 40	279716 .....	244, 248
279400 .....	28	279717 .....	244, 248
279401 .....	28	279775 .....	256
279402 .....	28	279796 .....	240
279403 .....	28	279798 .....	272, 276, 282
279404 .....	30	279834 .....	258
279405 .....	32, 34, 42, 44	279837 .....	240
279406 .....	32, 34, 44	279838 .....	240
279407 .....	32	279848 .....	26
279408 .....	32	279850 .....	26
279409 .....	32	279851 .....	26
279410 .....	32	279876 .....	180
279411 .....	34	279925 .....	256
279412 .....	38, 40	279926 .....	260
279413 .....	38	279966 .....	246, 250
279414 .....	38	279979 .....	122, 128
279415 .....	38	279996 .....	26
279416 .....	38	279997 .....	26
279417 .....	38	279999 .....	26
279418 .....	38	283002 .....	244, 248, 256
279419 .....	40	294036 .....	218
279420 .....	40	294037 .....	218
279421 .....	40	294065 .....	134
279422 .....	40	294080 .....	90
279423 .....	40	294091 .....	218
279424 .....	40	294094 .....	218
279425 .....	42	294112 .....	50
279426 .....	42	294161 .....	244
279427 .....	42	294163 .....	244
279428 .....	42, 44	294220 .....	244
279429 .....	42	294221 .....	248
279430 .....	42	294222 .....	248
279431 .....	42	294223 .....	248
279432 .....	42	294224 .....	256
279433 .....	42	294225 .....	256
279434 .....	44	294226 .....	248
279435 .....	44	294263 .....	246, 250, 258
279436 .....	44	294350 .....	174
279437 .....	44	294385 .....	54
279438 .....	38	294392 .....	208

## 索引

294393 .....	268, 276	301369 .....	164
294424 .....	248, 256	301495 .....	170
294425 .....	252, 260	301496 .....	166
294426 .....	244	301497 .....	168
294427 .....	244	302204 .....	158
294435 .....	244	304017 .....	124, 128
294436 .....	252	304018 .....	134
294437 .....	252	304019 .....	138
294438 .....	252	304124 .....	162
294446 .....	240	304125 .....	162
294447 .....	240	304126 .....	162
294460 .....	18	304127 .....	162
294472 .....	74	304128 .....	162
294473 .....	74	304129 .....	162
294508 .....	272, 278	304130 .....	162
294515 .....	256	304131 .....	162
294516 .....	248	304132 .....	162
294517 .....	248	304133 .....	162
294518 .....	260	304134 .....	162
294519 .....	248	304135 .....	162
294598 .....	194, 198	304138 .....	162
294599 .....	194, 198	304139 .....	162
294601 .....	194, 198	304140 .....	162
294607 .....	146, 150	304141 .....	162
294631 .....	124, 128, 134	304142 .....	162
294634 .....	124, 128, 134	304143 .....	162
294650 .....	2	304144 .....	162
294662 .....	2	304165 .....	6
294663 .....	2	304222 .....	140
294664 .....	2	304228 .....	140
294671 .....	2	304304 .....	6
294672 .....	2	304314 .....	140
294677 .....	240, 244, 252, 260	304320 .....	64, 70
294681 .....	2	304322 .....	64, 70
294682 .....	248, 252, 256, 260	304389 .....	152
294721 .....	272	304390 .....	152
294722 .....	276	304391 .....	152
294791 .....	42	304392 .....	152
294792 .....	44	304393 .....	152
294793 .....	44	304394 .....	152
294794 .....	44	304395 .....	152
294795 .....	32	304406 .....	240
294796 .....	32	304601 .....	6
294797 .....	34	304602 .....	6
294807 .....	212	304611 .....	292
294813 .....	158	304612 .....	292
294815 .....	212	304614 .....	292
294858 .....	78	304615 .....	292
294859 .....	78	304616 .....	292
294874 .....	152	304617 .....	292
294947 .....	24, 36, 46, 48	304618 .....	292
294985 .....	272, 278	304619 .....	292
294996 .....	72	304620 .....	292
296554 .....	240, 244, 252	304621 .....	292
296556 .....	240, 244, 248	304622 .....	292

304623 .....	292	335530 .....	36
304624 .....	292	335531 .....	36
304625 .....	292	335532 .....	46, 48
304783 .....	76	335533 .....	36, 46, 48
304865 .....	158	335534 .....	36, 46, 48
304954 .....	110, 116	335535 .....	36
304955 .....	108, 114, 116	335536 .....	36
304985 .....	16, 20	335589 .....	264
304986 .....	16, 20	335592 .....	252, 260
304987 .....	16, 20	335610 .....	264
304988 .....	16, 20	335615 .....	264
304989 .....	16, 20	335622 .....	264
304990 .....	12	335625 .....	264
304991 .....	12	335719 .....	248, 256
304992 .....	12	335752 .....	2
304993 .....	12		
311615 .....	108, 116		
311617 .....	108, 114		
311620 .....	122, 132		
311783 .....	96		
313871 .....	156	B	
313873 .....	156	B4831.....	196
313875 .....	156	B4838.....	10, 12, 16, 20
335301 .....	2	B4839.....	10, 12, 16, 20
335326 .....	26	B4840.....	10, 12, 16, 20
335479 .....	38	B4841.....	10, 12, 16, 20
335483 .....	38	B4864.....	16, 20
335484 .....	38	B4865.....	10, 12, 16, 20
335485 .....	40	B4963.....	156
335486 .....	40	B5009.....	16, 20, 228
335487 .....	40	B5010.....	16, 20, 228
335488 .....	28	B5011.....	16, 20, 228
335489 .....	28	B5012.....	16, 20, 228
335490 .....	28	B5013.....	16, 20, 228
335491 .....	28	B5084.....	202
335492 .....	30	B5085.....	202
335508 .....	46	B5114.....	10, 16, 20
335509 .....	46	B5224.....	216
335510 .....	46	B5407.....	190
335511 .....	46	B5605.....	204
335512 .....	48	B5609.....	200
335513 .....	36	B5615.....	156
335514 .....	36	B5654.....	106
335515 .....	36	B5655.....	106
335516 .....	36	B5656.....	106
335519 .....	46	B5657.....	112
335520 .....	46	B5674.....	112
335521 .....	48	B5747.....	174
335522 .....	46	B5825.....	238
335523 .....	46	B5826.....	238
335525 .....	46	B5937.....	106
335526 .....	46	B5938.....	112
335527 .....	46	B5939.....	106
335528 .....	48	B5940.....	106
335529 .....	46	B6137.....	282
		B6138.....	282
		B6145.....	212
		B6154.....	186

## 索引

B6158.....	204
B6179.....	226
B6255.....	290
B6256.....	290
B6257.....	290
B6258.....	290
B6263.....	288
B6264.....	288
B6265.....	288
B6266.....	288
B6267.....	288
B6280.....	240
B6281.....	240
B6344.....	112
B6345.....	112
B6347.....	112
B6376.....	180
B6401.....	206
B6410.....	272, 276
B6411.....	178
B6449.....	216
B6461.....	244
B6583.....	156
B6590.....	194
B6591.....	198
B6606.....	208
B6607.....	208
B6608.....	272
B6609.....	276
B7269.....	230
B7273.....	234
B7282.....	236
B7283.....	236
B7284.....	236
B7285.....	236
B9009.....	248
B9010.....	248
B9011.....	248
B9044.....	244
B9045.....	248
B9046.....	248
B9047.....	248
B9049.....	256
B9050.....	256

## C

C1986.....	224
C2082.....	230
C2083.....	230
C2084.....	230
C2085.....	230



**MacDon®**

客户  
**MacDon.com**

经销商  
**Portal.MacDon.com**

产品商标是其各自制造商和/或经销商的标记。

中国印刷