

# **C Series Corn Header**

**Parts Manual**

**215609 Revision A**

Original Instruction



# Table of Contents


## C-series

|                                                                             |     |
|-----------------------------------------------------------------------------|-----|
| (1) INPUT DRIVE                                                             | 1   |
| (2) OUTER DRIVE                                                             | 3   |
| (2A) OUTER DRIVE (2016->)                                                   | 7   |
| (3) INPUT GEARBOX                                                           | 13  |
| (4) GATHERING CHAIN ADJUSTER                                                | 15  |
| (6) FRAME ASSEMBLY - RIGID                                                  | 17  |
| (7) FRAME ASSEMBLY - FOLDING                                                | 21  |
| (8) AUGER ASSEMBLY - RIGID                                                  | 27  |
| (9) AUGER ASSEMBLY C3008F, C3008CF                                          | 35  |
| (10) AUGER ASSEMBLY C3012F                                                  | 39  |
| (13A) STALK CHOPPER                                                         | 45  |
| (14A) SNAPPING UNIT DRIVE - RIGID                                           | 49  |
| (14B) SNAPPING UNIT DRIVE - RIGID                                           | 51  |
| (14C) SNAPPING UNIT DRIVE - RIGID                                           | 53  |
| (15A) SNAPPING UNIT DRIVE - FOLDING                                         | 55  |
| (15C) SNAPPING UNIT DRIVE - EIGHT ROW FOLDING MODEL, GLEANER                | 57  |
| (16A) DRIVE-SHIELDS - RIGID                                                 | 59  |
| (16B) DRIVE-SHIELDS - RIGID                                                 | 65  |
| (17A) DRIVE-SHIELDS - FOLDING                                               | 69  |
| (18A) ELECTRIC & HYDRAULIC SNAPPING PLATE ADJUSTER                          | 75  |
| (19A) SNAPPING PLATE ADJUSTING RODS                                         | 79  |
| (20) SIDE-SHIELDS                                                           | 83  |
| (21A) PLASTIC CENTRAL DIVIDERS - (30")                                      | 85  |
| (21B) PLASTIC CENTRAL DIVIDERS - (20", 22") 2014->                          | 89  |
| (21C) PLASTIC CENTRAL DIVIDERS - (38")                                      | 93  |
| (22A) PLASTIC OUTER DIVIDERS ->2021                                         | 97  |
| (22B) PLASTIC OUTER DIVIDERS 2022->                                         | 101 |
| (23A) PLASTIC HINGED DIVIDERS - (30")                                       | 105 |
| (24A) HYDRAULIC FOLDING ->2015                                              | 109 |
| (24A1) HYDRAULIC FOLDING 2016->                                             | 113 |
| (24A2) HYDRAULIC FOLDING 2016->                                             | 117 |
| (24B) HYDRAULIC RIGID                                                       | 121 |
| (25A) MOUNTING KIT: CNH, CR, TR, CASE AFX                                   | 123 |
| (25B) MOUNTING KIT: NEW HOLLAND CNH CX, CR, TR, TX, TC, TF, CASE AFX 2016-> | 125 |


# Table of Contents

## C-series

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| (26) MOUNTING KIT: LEXION                                         | 127 |
| (27) MOUNTING KIT: JD ->2018                                      | 129 |
| (27A) MOUNTING KIT: JD 2019->                                     | 131 |
| (28) HYDRAULIC MULTI-COUPLER KIT: LEXION                          | 133 |
| (29A) HYDRAULIC MULTI-COUPLER KIT: JD                             | 135 |
| (29B) HYDRAULIC MULTI-COUPLER KIT: AGCO                           | 137 |
| (29C) HYDRAULIC MULTI-COUPLER KIT: IDEAL                          | 139 |
| (31A) DECALS - WARNING ->2019                                     | 141 |
| (31B) DECALS - WARNING 2020->                                     | 143 |
| (32) LIGHTING ->2020                                              | 145 |
| (32A) LIGHTING                                                    | 147 |
| (35) MOUNTING KIT: CASE IH1600 & 2000 SERIES                      | 149 |
| (37) MOUNTING KIT: MF 8600, 8700, 9000 & 9500 SERIES GLEANER C, A | 151 |
| (39) MOUNTING KIT: MF 8570                                        | 153 |
| (43A) STUBBLE STOMPER ->2017                                      | 155 |
| (43B) STUBBLE STOMPER 2018->                                      | 157 |
| (45) TALL END DIVIDER (TED)                                       | 159 |
| (47) SNAPPING KNIFE-ROLL                                          | 161 |
| (48) SNAPPING UNIT GEARBOX FOR KNIFE-ROLL ROW UNIT                | 163 |
| (49) SNAPPING UNIT WITH KNIFE ROLLS                               | 167 |
| (51) MOUNTING KIT: GLEANER "R/S"                                  | 171 |
| (53A) DECALS - MODEL ->2020                                       | 173 |
| (53B) DECALS - MODEL                                              | 175 |
| (54) SNAPPING PLATE INDICATOR                                     | 177 |
| (55) ROTARY END DIVIDER (RED)                                     | 179 |
| (56) ROTARY END DIVIDER (RED) HYDRAULIC -> 2015                   | 181 |
| (56A) ROTARY END DIVIDERS (RED) HYDRAULICS 2016 ->                | 185 |
| (58A) HYDRAULIC MULTI-COUPLER KIT: CNH 2002<                      | 189 |
| (59) HYDRAULIC CONNECTION: CASE IH 1600-2000 SERIES               | 191 |
| (65) SHIPPING ACCESSORIES                                         | 193 |
| (71) MOUNTING KIT: IDEAL                                          | 195 |
| (72) TORQUE VALUES FOR FASTENERS                                  | 197 |




| Items 1 & 2     | Item 11   | Description     | Item 12   |
|-----------------|-----------|-----------------|-----------|
| PTO drive shaft | Yoke      |                 | Cross kit |
| 1.319.154       | 1.356.451 | flange          | 1.353.694 |
| 1.355.695       | 1.356.451 | flange          | 1.353.694 |
| 1.355.698       | 1.356.452 | 21 spline l=92  | 1.353.694 |
| 1.355.701       | 1.356.452 | 21 spline l=92  | 1.353.694 |
| 1.355.706       | 1.356.453 | 6 spline l=92   | 1.353.694 |
| 1.355.707       | 1.356.454 | 1.125 hex l=92  | 1.353.694 |
| 1.355.709       | 1.356.452 | 21 spline l=92  | 1.353.694 |
| 1.372.280       | 1.372.238 | 21 spline l=77  | 1.353.694 |
| 1.372.284       | 1.372.237 | 6 spline l=77   | 1.353.694 |
| 1.372.602       | 1.372.606 | 20 spline l=110 | 1.353.694 |
| 1.372.603       | 1.372.606 | 20 spline l=110 | 1.353.694 |
| 1.372.605       | 1.372.606 | 20 spline l=110 | 1.353.694 |
| 1.372.878       | 1.372.606 | 20 spline l=110 | 1.353.694 |
| 1.372.879       | 1.372.606 | 20 spline l=110 | 1.353.694 |
| 1.373.690       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.691       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.692       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.693       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.694       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.695       | 1.327.662 | 21 spline l=112 | 1.353.694 |
| 1.373.697       | 1.327.663 | 6 spline l=112  | 1.353.694 |
| 1.373.699       | 1.327.663 | 6 spline l=112  | 1.353.694 |
| 1.373.700       | 1.327.663 | 6 spline l=112  | 1.353.694 |
| 1.373.703       | 1.327.664 | 1.125 hex l=112 | 1.353.694 |
| 1.373.704       | 1.327.664 | 1.125 hex l=112 | 1.353.694 |
| 1.373.705       | 1.353.755 | 1.26 hex l=110  | 1.353.694 |



| Type of combine                                | 1/min<br>RPM | Type of combine | 1/min<br>RPM |
|------------------------------------------------|--------------|-----------------|--------------|
| Agco, Gleaner R, C, MF8680,9690,9790 fixed     | 617          | JD variable     | 520-785      |
| Agco, Gleaner R, C, MF8680,9690,9790, variable | 608-975      | MF 8570 fixed   | 475          |
| Case-IH 1400-2300 series                       | 500          | NH CR variable  | 402-575      |
| Case AFX variable                              | 460-690      | NH TR variable  | 465-593      |
| Claas, Cat Lexion fixed                        | 761          |                 |              |
| Claas, Cat Lexion variable                     | 508-737      |                 |              |
| JD fixed                                       | 520          |                 |              |

| Type of header                                                                                               | Ref. | Description          | CLAAS LEXION<br>440-460, 480,<br>540-560,<br>580,600,640-<br>670,770,780<br>760 ->2011<br>TUCANO 340,<br>440-450,470,480 | CLAAS LEXION<br>405-430, 470,<br>510-530, 570<br>620,630,740,750<br>760 2012-><br>TUCANO 320-<br>330, 430 | NEW H.<br>CX, CS,<br>CSX,<br>CR970-980<br>Case AFX | NEW H.<br>CX, CS,<br>CSX,<br>CR970-980<br>Case AFX<br>7020, 8020<br>2017-töl | NH CR<br>920-940-960<br>Case AFX<br>5088-6088-<br>7088<br>TC 5070 | NH CR<br>920-940-960<br>Case AFX<br>5088-6088-<br>7088<br>TC 5070 2017-<br>töl | CASE IH<br>(IHC)<br>1000-2000 | From JD<br>60 -<br>series | MF 8570   | MF 8680,<br>MF 8780,<br>9000<br>Gleaner C | Gleaner<br>R/S/N | IDEAL     |
|--------------------------------------------------------------------------------------------------------------|------|----------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------------------------|---------------------------|-----------|-------------------------------------------|------------------|-----------|
| C3006,C3006C<br>C2208,C2208C                                                                                 | 1    | PTO drive shaft - LH | 1.373.693                                                                                                                | 1.373.693                                                                                                 | 1.373.699                                          | 1.373.693                                                                    | 1.373.699                                                         | 1.373.693                                                                      | 1.373.703                     | 1.373.692                 | 1.373.705 | 1.373.692                                 | 1.373.694        | 1.372.602 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.373.693                                                                                                                | 1.373.693                                                                                                 | 1.373.699                                          | 1.373.693                                                                    | 1.373.699                                                         | 1.373.693                                                                      | 1.373.703                     | 1.373.692                 | 1.373.705 | 1.373.692                                 | 1.373.692        | 1.372.602 |
| C3008,C3008C<br>C3808,C3808C                                                                                 | 1    | PTO drive shaft - LH | 1.373.694                                                                                                                | 1.373.694                                                                                                 | 1.373.700                                          | 1.373.694                                                                    | 1.373.700                                                         | 1.373.694                                                                      | 1.373.704                     | 1.373.694                 | -         | 1.373.694                                 | 1.373.695        | 1.372.605 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.373.694                                                                                                                | 1.373.694                                                                                                 | 1.373.700                                          | 1.373.694                                                                    | 1.373.700                                                         | 1.373.694                                                                      | 1.373.704                     | 1.373.694                 | -         | 1.373.694                                 | 1.373.694        | 1.372.605 |
| C2812,C2812C<br>C3012,C3012C<br>C2012,C2012C<br>C3812,C3812C<br>C3016,C3016C<br>C2018,C2018C<br>C2218,C2218C | 1    | PTO drive shaft - LH | 1.373.715                                                                                                                | 1.373.715                                                                                                 | 1.373.712                                          | 1.373.715                                                                    | 1.373.712                                                         | 1.373.715                                                                      | -                             | 1.373.715                 | -         | 1.373.715                                 | 1.373.954        | 1.371.613 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.373.715                                                                                                                | 1.373.715                                                                                                 | 1.373.712                                          | 1.373.715                                                                    | 1.373.712                                                         | 1.373.715                                                                      | -                             | 1.373.715                 | -         | 1.373.715                                 | 1.373.715        | 1.371.613 |
| C3008F,<br>C3008CF<br>Interior drive                                                                         | 1    | PTO drive shaft - LH | 1.355.695                                                                                                                | 1.355.701                                                                                                 | 1.355.695                                          | 1.355.695                                                                    | 1.355.706                                                         | 1.355.701                                                                      | 1.355.707                     | 1.372.280                 | -         | 1.319.154                                 | -                | 1.372.878 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.355.698                                                                                                                | 1.355.709                                                                                                 | 1.355.695                                          | 1.355.695                                                                    | 1.355.706                                                         | 1.355.701                                                                      | 1.355.707                     | 1.372.280                 | -         | 1.319.154                                 | -                | 1.372.879 |
|                                                                                                              | 3    | Hub assy             | 1.375.417                                                                                                                | -                                                                                                         | 1.375.415                                          | 1.375.417                                                                    | -                                                                 | -                                                                              | -                             | -                         | -         | 1.375.417                                 | -                | -         |
|                                                                                                              | 4    | Hub assy             | -                                                                                                                        | -                                                                                                         | -                                                  | -                                                                            | -                                                                 | -                                                                              | -                             | -                         | -         | 1.375.415                                 | -                | -         |
| C3012F,<br>C3012CF<br>Interior drive                                                                         | 1    | PTO drive shaft - LH | 1.373.952                                                                                                                | 1.373.952                                                                                                 | 1.373.953                                          | 1.373.952                                                                    | 1.373.953                                                         | 1.373.952                                                                      | -                             | 1.373.714                 | -         | 1.373.714                                 | 1.373.715        | 1.371.612 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.373.952                                                                                                                | 1.373.952                                                                                                 | 1.373.953                                          | 1.373.952                                                                    | 1.373.953                                                         | 1.373.952                                                                      | -                             | 1.373.714                 | -         | 1.373.714                                 | 1.373.714        | 1.371.612 |
| C2212,C2212C                                                                                                 | 1    | PTO drive shaft - LH | 1.373.952                                                                                                                | 1.373.952                                                                                                 | 1.373.953                                          | 1.373.952                                                                    | 1.373.953                                                         | 1.373.952                                                                      | 1.373.717                     | 1.373.714                 | -         | 1.373.714                                 | 1.373.715        | 1.371.611 |
|                                                                                                              | 2    | PTO drive shaft - RH | 1.373.952                                                                                                                | 1.373.952                                                                                                 | 1.373.953                                          | 1.373.952                                                                    | 1.373.953                                                         | 1.373.952                                                                      | 1.373.717                     | 1.373.714                 | -         | 1.373.714                                 | 1.373.714        | 1.371.612 |



Lásd 1 o.!


See pg. 1!

| Ref. | Part number | Description                          |                            | IHC<br>1000-2000<br>JD direct | CNH<br>(VS) | AGCO<br>direct | MF<br>8570 | CAT<br>LEXION<br>(VS) JD<br>(VS) | AGCO<br>(VS) | CAT LEXION (VS)<br>C2008,C2208<br>C3006,C3008F<br>C2212,C3012F |
|------|-------------|--------------------------------------|----------------------------|-------------------------------|-------------|----------------|------------|----------------------------------|--------------|----------------------------------------------------------------|
| 1.   | 1.378.128   | Console - LH                         |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 1.   | 1.378.129   | Console - RH                         |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| *1.  | 1.378.136   | Console - LH                         |                            | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| *1.  | 1.378.137   | Console - RH                         |                            | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| 1.   | 1.378.140   | Console - LH                         |                            | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 1.   | 1.378.141   | Console - RH                         |                            | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 2.   | 91623938961 | Spring washer - A12                  |                            | 18                            | 18          | 18             | 18         | 18                               | 18           | 18                                                             |
| 3.   | 79412003066 | Hex head screw - M12X30 - DIN933/8.8 |                            | 16                            | 16          | 16             | 16         | 16                               | 16           | 16                                                             |
| 4.   | 79412002066 | Hex bolt - M12X20 - DIN933/8.8       |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 5.   | 1.376.446   | Angle                                |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 6.   | 1.376.068   | Gearbox 27/15                        |                            | -                             | -           | -              | -          | 2                                | -            | 2                                                              |
| 6.   | 1.376.070   | Gearbox 27/11                        |                            | 2                             | 2           | 2              | 2          | -                                | -            | -                                                              |
| 6.   | 1.376.069   | Gearbox 27/12                        |                            | -                             | -           | -              | 2          | -                                | -            | -                                                              |
| 6.   | 1.373.898   | Gearbox 27/18                        |                            | -                             | -           | -              | -          | -                                | 2            | -                                                              |
| 7.   | 1.376.069   | Gearbox 27/12                        |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 8.   | 1.376.752   | Shim                                 |                            | 10                            | 10          | 10             | 10         | 10                               | 10           | 10                                                             |
| 9.   | 91623939061 | Spring washer - A14                  |                            | 12                            | 12          | 12             | 12         | 12                               | 12           | 12                                                             |
| 10.  | 79414004566 | Hex bolt - M14X45 - DIN933/8.8       |                            | 12                            | 12          | 12             | 12         | 12                               | 12           | 12                                                             |
| 11.  | 1.376.436   | Safety tube                          |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 12.  | 1.375.973   | Input shaft - (I=155)                |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 12.  | 1.377.105   | Input shaft - (I=205)                |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 13.  | 1.376.444   | Washer                               |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 14.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10 |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 15.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8       |                            | 22                            | 22          | 22             | 22         | 22                               | 22           | 18                                                             |
| *15. | 79410003066 | Hex bolt - M10X30 - DIN933/8.8       |                            | -                             | 18          | -              | -          | -                                | -            | -                                                              |
| 16.  | 1.375.974   | Shaft                                |                            | 4                             | 4           | 4              | 4          | 4                                | 4            | 4                                                              |
| 17.  | 1.313.536   | Double joint coupling                |                            | 2                             | 2           | 2              | 2          | 2                                | 2            | -                                                              |
| 17.  | 1.355.710   | Cardan shaft                         |                            | -                             | -           | -              | -          | -                                | -            | 2                                                              |
| 18.  | 1.376.445   | Hex bolt - M10X30                    |                            | 4                             | 8           | 4              | 4          | 4                                | 4            | -                                                              |
| 19.  | 70710000066 | Lock nut - M10 - DIN980/8.8          |                            | 24                            | 24          | 24             | 24         | 24                               | 24           | 16                                                             |
| 20.  | 1.378.150   | Shield - LH                          |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.378.151   | Shield - RH                          |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.378.156   | Shield - LH                          |                            | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 20.  | 1.378.157   | Shield - RH                          |                            | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| *20. | 1.378.166   | Shield - LH                          |                            | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| *20. | 1.378.167   | Shield - RH                          |                            | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| 20.  | 1.379.396   | Shield - LH                          | 2014-> C2008; C2208        | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.379.397   | Shield - RH                          | 2014-> C2008; C2208        | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.379.392   | Shield - LH                          | 2014-> C2008; C2208; C2012 | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 20.  | 1.379.391   | Shield - RH                          | 2014-> C2008; C2208; C2012 | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 20.  | 1.379.061   | Shield - LH                          | 2014-> C2212               | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.379.062   | Shield - RH                          | 2014-> C2212               | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 20.  | 1.378.985   | Shield - LH                          | 2014-> C2212; C3016        | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 20.  | 1.378.997   | Shield - RH                          | 2014-> C2212; C3016        | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 21.  | 91623938761 | Spring washer - 8X18 M8 - A8         |                            | 22                            | 22          | 22             | 22         | 22                               | 22           | 26                                                             |
| 22.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8  |                            | 4                             | 4           | 4              | 4          | 4                                | 4            | 6                                                              |
| 23.  | 73508000066 | Hex nut - M8 - DIN934                |                            | 4                             | 4           | 4              | 4          | 4                                | 4            | 6                                                              |
| 24.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8  |                            | 8                             | 8           | 8              | 8          | 8                                | 8            | 10                                                             |
| 25.  | 1.378.148   | Shield - LH                          |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 25.  | 1.378.149   | Shield - RH                          |                            | -                             | -           | -              | -          | -                                | -            | 1                                                              |

Note: Application of item 8 is depends on the backlash of the gears, quantities are not depend on the type of corn head. For item 12 & 27: 1.377.105 and 1.377.106 in case of (C3008FE) folding machines with exterior drive only.

For item 31: for fix and folding machines with exterior drive only.

\* marked items are used for " 6308F mounted to CNH combines" only.




| Ref. | Part number | Description                    |                     | IHC<br>1000-2000<br>JD direct | CNH<br>(VS) | AGCO<br>direct | MF<br>8570 | CAT<br>LEXION<br>(VS) JD<br>(VS) | AGCO<br>(VS) | CAT LEXION (VS)<br>C2008,C2208<br>C3006,C3008F<br>C2212,C3012F |
|------|-------------|--------------------------------|---------------------|-------------------------------|-------------|----------------|------------|----------------------------------|--------------|----------------------------------------------------------------|
| 25.  | 1.378.154   | Shield - LH                    |                     | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 25.  | 1.378.155   | Shield - RH                    |                     | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| *25. | 1.378.164   | Shield - LH                    |                     | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| *25. | 1.378.165   | Shield - RH                    |                     | -                             | 1           | -              | -          | -                                | -            | -                                                              |
| 25.  | 1.379.063   | Shield - LH                    | 2014-> C2212        | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 25.  | 1.379.064   | Shield - RH                    | 2014-> C2212        | -                             | -           | -              | -          | -                                | -            | 1                                                              |
| 25.  | 1.378.987   | Shield - LH                    | 2014-> C2212; C3016 | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 25.  | 1.378.999   | Shield - RH                    | 2014-> C2212; C3016 | 1                             | 1           | 1              | 1          | 1                                | 1            | -                                                              |
| 26.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8  |                     | 6                             | 6           | 6              | 6          | 6                                | 6            | 4                                                              |
| 27.  | 1.377.106   | Spacer                         |                     | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 28.  | 1.319.873   | Distance piece                 | 2010 - 2015.        | -                             | 2           | -              | -          | -                                | -            | -                                                              |
| 29.  | 72210000060 | Spring washer - M10 - DIN128/A |                     | -                             | 16          | -              | -          | -                                | -            | -                                                              |
| 30.  | 73510000066 | Hex nut - M10 - DIN934         |                     | -                             | 16          | -              | -          | -                                | -            | -                                                              |
| 31.  | 1.378.760   | Washer                         |                     | 6                             | 6           | 6              | 6          | 6                                | 6            | 6                                                              |
| 32.  | 1.379.146   | Loop                           |                     | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 33.  | 1.379.634   | Cover                          | 2014->2015.         | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 33.  | 1.372.314   | Cover                          | 2016->              | 2                             | 2           | 2              | 2          | 2                                | 2            | 2                                                              |
| 34.  | 79406001066 | Hex bolt - M6X10 - DIN933/8.8  | 2014->              | 6                             | 6           | 6              | 6          | 6                                | 6            | 6                                                              |

Note: Application of item 8 is depends on the backlash of the gears, quantities are not depend on the type of corn head. For item 12 & 27: 1.377.105 and 1.377.106 in case of (C3008FE) folding machines with exterior drive only.


For item 31: for fix and folding machines with exterior drive only.

\* marked items are used for " 6308F mounted to CNH combines" only.




| Ref.  | Part number | Description                          |                                                                                                         | CASE IH<br>1000-2000<br>JD direct | CNH<br>(VS) | AGCO<br>direct | JD<br>(VS) | AGCO<br>(VS) | CAT<br>LEXION<br>(VS) | CAT LEXION (VS)<br>C2008,C2208<br>C3006,C3008F<br>C2212,C3012F |
|-------|-------------|--------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|----------------|------------|--------------|-----------------------|----------------------------------------------------------------|
| 1.    | 1.378.128   | Console - LH                         |                                                                                                         | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 1.    | 1.378.129   | Console - RH                         |                                                                                                         | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 1.    | 1.378.140   | Console - LH                         |                                                                                                         | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 1.    | 1.378.141   | Console - RH                         |                                                                                                         | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| *1.   | 1.372.245   | Console - LH                         | C3008F, C3008CF                                                                                         | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| *1.   | 1.372.246   | Console - RH                         | C3008F, C3008CF                                                                                         | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| 2.    | 91623938961 | Spring washer - A12                  |                                                                                                         | 16                                | 16          | 16             | 16         | 16           | 16                    | 16                                                             |
| 3.    | 79412003066 | Hex head screw - M12X30 - DIN933/8.8 |                                                                                                         | 16                                | 16          | 16             | 16         | 16           | 16                    | 16                                                             |
| 4.    | 79412002066 | Hex bolt - M12X20 - DIN933/8.8       |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 5.    | 1.376.446   | Angle                                | ->2015                                                                                                  | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 6.    | 1.376.070   | Gearbox 27/11                        |                                                                                                         | 2                                 | -           | 2              | -          | -            | -                     | -                                                              |
| 6.    | 1.376.068   | Gearbox 27/15                        |                                                                                                         | -                                 | -           | -              | 2          | -            | 2                     | 2                                                              |
| 6.    | 1.376.069   | Gearbox 27/12                        |                                                                                                         | -                                 | 2           | -              | -          | -            | -                     | -                                                              |
| 6.    | 1.373.898   | Gearbox 27/18                        |                                                                                                         | -                                 | -           | -              | -          | 2            | -                     | -                                                              |
| 7.    | 1.376.069   | Gearbox 27/12                        |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 7.    | 1.376.068   | Gearbox 27/15                        |                                                                                                         | -                                 | -           | -              | -          | -            | -                     | -                                                              |
| 8.    | 1.376.752   | Shim                                 |                                                                                                         | 10                                | 10          | 10             | 10         | 10           | 10                    | 10                                                             |
| 9.    | 91623939061 | Spring washer - A14                  |                                                                                                         | 12                                | 12          | 12             | 12         | 12           | 12                    | 12                                                             |
| 10.   | 79414004566 | Hex bolt - M14X45 - DIN933/8.8       |                                                                                                         | 12                                | 12          | 12             | 12         | 12           | 12                    | 12                                                             |
| 11.   | 1.376.436   | Safety tube                          |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 12.   | 1.375.973   | Input shaft - (I=155)                |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 12.   | 1.377.105   | Input shaft - (I=205)                |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| **12. | 1.372.371   | Input shaft - (I=139,5)              |                                                                                                         | 2                                 | -           | -              | 2          | -            | -                     | -                                                              |
| 13.   | 1.376.444   | Washer                               |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 14.   | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10 |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 15.   | 79410003066 | Hex bolt - M10X30 - DIN933/8.8       |                                                                                                         | 22                                | 22          | 22             | 22         | 22           | 22                    | 18                                                             |
| 15.   | 79410003066 | Hex bolt - M10X30 - DIN933/8.8       |                                                                                                         | -                                 | 18          | -              | -          | -            | -                     | -                                                              |
| 16.   | 1.375.974   | Shaft                                |                                                                                                         | 4                                 | 4           | 4              | 4          | 4            | 4                     | 4                                                              |
| 17.   | 1.313.536   | Double joint coupling                |                                                                                                         | 2                                 | 2           | 2              | 2          | 2            | 2                     | -                                                              |
| 17.   | 1.355.710   | Cardan shaft                         |                                                                                                         | -                                 | -           | -              | -          | -            | -                     | 2                                                              |
| 18.   | 1.376.445   | Hex bolt - M10X30                    |                                                                                                         | 4                                 | 8           | 4              | 4          | 4            | 4                     | -                                                              |
| 19.   | 70710000066 | Lock nut - M10 - DIN980/8.8          |                                                                                                         | 24                                | 24          | 24             | 24         | 24           | 24                    | 16                                                             |
| *20.  | 1.372.248   | Shield - LH                          | C3008F, C3008CF                                                                                         | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| *20.  | 1.372.251   | Shield - RH                          | C3008F, C3008CF                                                                                         | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| 20.   | 1.379.396   | Shield - LH                          | C3006, C3006C, C2208, C2208C, C3008F, C3008CF, C3012F, C3012CF                                          | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 20.   | 1.379.397   | Shield - RH                          | C3006C, C2208C, C3008F, C3008CF, C3012F, C3012CF                                                        | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 20.   | 1.379.392   | Shield - LH                          | C3006, C3006C, C2208, C2208C, C3008, C3008C, C2012, C2012C, C3008F, C3008CF, C3012F, C3012CF            | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 20.   | 1.379.391   | Shield - RH                          | C3006C, C2208C, C3008C, C2012C, C3008F, C3008CF, C3012F, C3012CF                                        | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 20.   | 1.379.060   | Shield - LH                          | C3808, C3808C, C2212, C2212C, C3012, C3012C, C3812, C3812C, C3016, C3016C, C2018, C2018C, C2218, C2218C | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 20.   | 1.379.062   | Shield - RH                          | C3808C, C2212C, C3012C, C3812C, C3016C, C2018C, C2218C                                                  | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 20.   | 1.378.985   | Shield - LH                          | C3808, C3808C, C2212, C2212C, C3012, C3012C, C3812, C3812C, C3016, C3016C, C2018, C2018C, C2218, C2218C | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 20.   | 1.378.997   | Shield - RH                          | C3808C, C2212C, C3012C, C3812C, C3016C, C2018C, C2218C                                                  | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |

Note: Application of item 8 is depends on the backlash of the gears,  
quantities are not depend on the type of corn head.  
For 12&27: 1.377.105 and 1.377.106 in case of (C3008FE) folding machines with exterior drive only.  
\* marked items are used for " C3008F mounted to CNH combines" only.  
\*\* For C3006F & C3008F Corn Heads mounted to JD combines (except Hill Master) with lateral tilt  
function only.




| Ref. | Part number | Description                                                                          |                                                                                                               | CASE IH<br>1000-2000<br>JD direct | CNH<br>(VS) | AGCO<br>direct | JD<br>(VS) | AGCO<br>(VS) | CAT<br>LEXION<br>(VS) | CAT LEXION (VS)<br>C2008,C2208<br>C3006,C3008F<br>C2212,C3012F |
|------|-------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|----------------|------------|--------------|-----------------------|----------------------------------------------------------------|
| 21.  | 91623938761 | Spring washer - 8X18 M8 - A8                                                         |                                                                                                               | 22                                | 22          | 22             | 22         | 22           | 22                    | 26                                                             |
| 22.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                                  |                                                                                                               | 4                                 | 4           | 4              | 4          | 4            | 4                     | 6                                                              |
| 23.  | 73508000066 | Hex nut - M8 - DIN934                                                                |                                                                                                               | 4                                 | 4           | 4              | 4          | 4            | 4                     | 6                                                              |
| 24.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8                                                  |                                                                                                               | 8                                 | 8           | 8              | 8          | 8            | 8                     | 10                                                             |
| *25. | 1.372.247   | Shield - LH                                                                          | C3008F, C3008CF                                                                                               | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| *25. | 1.372.250   | Shield - RH                                                                          | C3008F, C3008CF                                                                                               | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| 25.  | 1.378.148   | Shield - LH                                                                          | C3006, C3006C, C2208, C2208C, C3008F,<br>C3008CF, C3012F, C3012CF                                             | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 25.  | 1.378.149   | Shield - RH                                                                          | C3006C, C2208C, C3008F, C3008CF, C3012F,<br>C3012CF                                                           | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 25.  | 1.378.154   | Shield - LH                                                                          | C3006, C3006C, C2208, C2208C, C3008,<br>C3008C, C2012, C2012C, C3008F, C3008CF,<br>C3012F, C3012CF            | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 25.  | 1.378.155   | Shield - RH                                                                          | C3006C, C2208C, C3008C, C2012C, C3008F,<br>C3008CF, C3012F, C3012CF                                           | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 25.  | 1.379.063   | Shield - LH                                                                          | C3808, C3808C, C2212, C2212C, C3012,<br>C3012C, C3812, C3812C, C3016, C3016C,<br>C2018, C2018C, C2218, C2218C | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 25.  | 1.379.064   | Shield - RH                                                                          | C3808C, C2212C, C3012C, C3812C, C3016C,<br>C2018C, C2218C                                                     | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| 25.  | 1.378.987   | Shield - LH                                                                          | C3808, C3808C, C2212, C2212C, C3012,<br>C3012C, C3812, C3812C, C3016, C3016C,<br>C2018, C2018C, C2218, C2218C | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 25.  | 1.378.999   | Shield - RH                                                                          | C3808C, C2212C, C3012C, C3812C, C3016C,<br>C2018C, C2218C                                                     | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| 26.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8                                                        |                                                                                                               | 6                                 | 6           | 6              | 6          | 6            | 6                     | 4                                                              |
| 27.  | 1.377.106   | Spacer                                                                               |                                                                                                               | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| *28. | 1.327.806   | Bridge-piece                                                                         |                                                                                                               | -                                 | 2           | -              | -          | -            | -                     | -                                                              |
| *29. | 72210000060 | Spring washer - M10 - DIN128/A                                                       |                                                                                                               | -                                 | 16          | -              | -          | -            | -                     | -                                                              |
| *30. | 73510000066 | Hex nut - M10 - DIN934                                                               |                                                                                                               | -                                 | 16          | -              | -          | -            | -                     | -                                                              |
| 31.  | 1.378.760   | Washer                                                                               |                                                                                                               | 6                                 | 6           | 6              | 6          | 6            | 6                     | 6                                                              |
| 32.  | 1.379.146   | Loop                                                                                 |                                                                                                               | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 33.  | 1.372.314   | Cover                                                                                |                                                                                                               | 2                                 | 2           | 2              | 2          | 2            | 2                     | 2                                                              |
| 34.  | 79406001066 | Hex bolt - M6X10 - DIN933/8.8                                                        |                                                                                                               | 6                                 | 6           | 6              | 6          | 6            | 6                     | 6                                                              |
| 35.  | 1.372.315   | Holder                                                                               |                                                                                                               | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| -    | 1.372.709   | Gearbox Bracket kit left (items<br>1-3,9-10,13-15,17-23,25-26,33-34 )                | C3006, C3006C, C2208, C2208C, C3008,<br>C3008C, C2012, C2012C, C3012F, C3012CF                                | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| -    | 1.372.710   | Gearbox Bracket kit right (items<br>1-3,9-10,13-15,17-23,25-26,33-34)                | C3006C, C2208C, C3008C, C2012C, C3012F,<br>C3012CF                                                            | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| -    | 1.372.709   | Gearbox Bracket kit left (items<br>1-3,9-10,13-15,17-23,25-26,33-34 )                | C3008F, C3008CF                                                                                               | 1                                 | -           | 1              | 1          | 1            | -                     | -                                                              |
| -    | 1.372.710   | Gearbox Bracket kit right (items<br>1-3,9-10,13-15,17-23,25-26,33-34)                | C3008F, C3008CF                                                                                               | 1                                 | -           | 1              | 1          | 1            | -                     | -                                                              |
| *-   | 1.372.717   | Gearbox Bracket kit left/right (items<br>1-3,9-10,13-15,17-23,25-26,33-34)           | C3008F, C3008CF                                                                                               | -                                 | 1           | -              | -          | -            | -                     | -                                                              |
| -    | 1.372.711   | Gearbox Bracket kit left (items<br>1-3,9-10,13-15,17-23,25-26,33-34)                 | C3808, C3808C, C2212, C2212C, C3012,<br>C3012C, C3812, C3812C, C3016, C3016C,<br>C2018, C2018C, C2218, C2218C | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| -    | 1.372.712   | Gearbox Bracket kit right (items<br>1-3,9-10,13-15,17-23,25-26,33-34)                | C3808C, C2212C, C3012C, C3812C, C3016C,<br>C2018C, C2218C                                                     | 1                                 | 1           | 1              | 1          | 1            | 1                     | -                                                              |
| -    | 1.372.713   | Gearbox Bracket kit left (LEXION group) ( items<br>1-3,9-10,13-15,17-23,25-26,33-34) | C3006, C3006C, C2208, C2208C, C3008F,<br>C3008CF, C3012F, C3012CF                                             | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| -    | 1.372.714   | Gearbox Bracket kit right (LEXION group) (items<br>1-3,9-10,13-15,17-23,25-26,33-34) | C3006C, C2208C, C3008F, C3008CF, C3012F,<br>C3012CF                                                           | -                                 | -           | -              | -          | -            | -                     | 1                                                              |

Note: Application of item 8 is depends on the backlash of the gears,  
quantities are not depend on the type of corn head.  
For 12&27: 1.377.105 and 1.377.106 in case of (C3008FE) folding machines with exterior drive only.  
\* marked items are used for " C3008F mounted to CNH combines" only.  
\*\* For C3006F & C3008F Corn Heads mounted to JD combines (except Hill Master) with lateral tilt  
function only.



| Ref. | Part number | Description                                                                           |                                                                                                               | CASE IH<br>1000-2000<br>JD direct | CNH<br>(VS) | AGCO<br>direct | JD<br>(VS) | AGCO<br>(VS) | CAT<br>LEXION<br>(VS) | CAT LEXION (VS)<br>C2008,C2208<br>C3006,C3008F<br>C2212,C3012F |
|------|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------|----------------|------------|--------------|-----------------------|----------------------------------------------------------------|
| -    | 1.372.715   | Gearbox Bracket kit left (LEXION group)<br>(items 1-3,9-10,13-15,17-23,25-26,33-34)   | C3808, C3808C, C2212, C2212C, C3012,<br>C3012C, C3812, C3812C, C3016, C3016C,<br>C2018, C2018C, C2218, C2218C | -                                 | -           | -              | -          | -            | -                     | 1                                                              |
| -    | 1.372.716   | Gearbox Bracket kit right (LEXION group)<br>(items 1-3,9-10,13-15,17-23,25-26,33-34 ) | C3808C, C2212C, C3012C, C3812C, C3016C,<br>C2018C, C2218C                                                     | -                                 | -           | -              | -          | -            | -                     | 1                                                              |


Note: Application of item 8 is depends on the backlash of the gears,  
quantities are not depend on the type of corn head.  
For 12&27: 1.377.105 and 1.377.106 in case of (C3008FE) folding machines with exterior drive only.  
\* marked items are used for " C3008F mounted to CNH combines" only.  
\*\* For C3006F & C3008F Corn Heads mounted to JD combines (except Hill Master) with lateral tilt  
function only.




| Ref. | Part number | Description                                      |        | All models |
|------|-------------|--------------------------------------------------|--------|------------|
| 1.   | 1.376.073   | Drive pinion - 15T                               |        | 2          |
| 1.   | 1.376.077   | Drive pinion - 12T                               |        | 2          |
| 1.   | 1.376.075   | Drive pinion - 11T                               |        | 2          |
| 1.   | 1.373.870   | Drive pinion - 18T                               |        | 2          |
| 2.   | 87000131262 | Bearing - NUP312                                 |        | 4          |
| 3.   | 87010621114 | Bearing - 6211- 2RS                              |        | 4          |
| 4.   | 85803800700 | Closing cup - 38X7                               |        | 4          |
| 5.   | 71610513001 | Shim - 105X130X0.1 - DIN988                      |        | 4          |
| 6.   | 71610513002 | Shim - 105X130X0.2 - DIN988                      |        | 8          |
| 7.   | 71610513005 | Shim - 105X130X0.5 - DIN988                      |        | 8          |
| 8.   | 1.376.071   | Gearbox housing                                  |        | 4          |
| 9.   | 1.376.079   | Bearing housing                                  |        | 4          |
| 10.  | 85805508500 | Seal - 55X85X10                                  |        | 4          |
| 11.  | 71812000060 | Spring washer - M12 - DIN7980                    |        | 16         |
| 12.  | 80212035063 | Hex socket head cap bolt - M12X35 - DIN912/10.9  |        | 16         |
| 13.  | 1.376.074   | Bevel gear - 27T - gearbox: 1.376.068            |        | 2          |
| 13.  | 1.376.078   | Bevel gear - 27T - gearbox: 1.376.069            |        | 2          |
| 13.  | 1.376.076   | Bevel gear - 27T - gearbox: 1.376.070            |        | 2          |
| 13.  | 1.373.871   | Bevel gear - 27T - gearbox: 1.373.898            |        | 2          |
| 14.  | 71650062010 | Shim - 50X62X0.1 - DIN988                        |        | 8          |
| 15.  | 71650062020 | Shim - 50X62X0.2 - DIN988                        |        | 16         |
| 16.  | 71650062050 | Shim - 50X62X0.5 - DIN988                        |        | 8          |
| 17.  | 87001621010 | Bearing - 6210 - DIN625                          |        | 4          |
| 18.  | 85805080100 | Seal - 50X80X10                                  |        | 8          |
| 19.  | 87013021001 | Bearing - 30210 - DIN720                         |        | 4          |
| 20.  | 1.376.072   | Cover                                            |        | 4          |
| 21.  | 71810000060 | Spring washer - M10 - DIN7980                    |        | 24         |
| 22.  | 80310003063 | Hex socket head cap bolt - M10X30 - DIN6912/10.9 |        | 24         |
| 23.  | 05200001200 | Copper washer - 12X16X1.5 - DIN7603              |        | 24         |
| 24.  | 1.309.247   | Breather - M12X1,5                               | ->2021 | 4          |
| 25.  | 1.376.783   | Closing screw - M12X1.5                          |        | 24         |
| 26.  | 05200200024 | Copper washer - 20X24X1.5 - DIN7603              |        | 4          |
| 27.  | 79202001560 | Closing screw - M20X1.5 - DIN908                 |        | 4          |
| 28.  | 1.377.265   | Spacer                                           |        | 4          |
| 29.  | 05200000800 | Copper washer - 8X12X1 - DIN7603                 |        | 16         |
| 30.  | 79200800160 | Closing screw - M8X1 - DIN908                    |        | 16         |
| 31.  | 1.371.777   | Breather - M20X1,5                               | 2022-> | 4          |
| -    | 1.376.068   | Gearbox 27/15                                    |        | 2          |
| -    | 1.376.069   | Gearbox 27/12                                    |        | 2          |
| -    | 1.376.070   | Gearbox 27/11                                    |        | 2          |
| -    | 1.373.898   | Gearbox 27/18                                    |        | 2          |

Note: Application of item 1 and 13 depends on the type of combine.  
Application of shims depends on the backlash of the gears.

1.375.755




| Ref. | Part number | Description                                              |  | C3006<br>C3006C | C3008<br>C3008C<br>C3808<br>C3808C<br>C3008F<br>C3008CF | C2012<br>C2212<br>C3012<br>C3812<br>C3012F | C2012C<br>C2212C<br>C3012C<br>C3812C<br>C3012CF | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|----------------------------------------------------------|--|-----------------|---------------------------------------------------------|--------------------------------------------|-------------------------------------------------|-----------------|------------------------------------|
| 1.   | 1.375.756   | Compressed coiled spring                                 |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 2.   | 1.375.760   | Slide                                                    |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 3.   | 1.375.761   | Labyrinth                                                |  | 24              | 32                                                      | 48                                         |                                                 | 64              | 72                                 |
| 4.   | 1.379.082   | Bushing                                                  |  | 24              | 32                                                      | 48                                         |                                                 | 64              | 72                                 |
| 5.   | 1.379.081   | Sprocket assy. (items 11-13)                             |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 6.   | 1.375.758   | Washer                                                   |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 7.   | 80414005063 | Hex socket countersunk-head bolt - M14X50 - DIN7991/10.9 |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 8.   | 2.405.227   | Gathering chain installation instrument                  |  | 1               | 1                                                       | 1                                          |                                                 | 1               | 1                                  |
| 9.   | 1.377.268   | Plug                                                     |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 10.  | 1.379.153   | Sprocket pre-assy. (items 3,4 and 5)                     |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 11.  | 70100005201 | Retainer ring - internal 52x2 - DIN472 52/I              |  | 24              | 32                                                      | 48                                         |                                                 | 64              | 72                                 |
| 12.  | 1.379.080   | Sprocket                                                 |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| 13.  | 87001620514 | Bearing - 6205 2RS                                       |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |
| -    | 1.375.755   | Chain adjuster assy. (items 1, 2, 3, 4, 5, 6,7, 9)       |  | 12              | 16                                                      | 24                                         |                                                 | 32              | 36                                 |




| Ref. | Part number | Description                        |           | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|------------------------------------|-----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.378.443   | Frame welded                       | ->2015    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.155   | Frame welded                       | 2016->    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.378.444   | Frame welded                       | ->2015    | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.156   | Frame welded                       | 2016->    | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.373.100   | Frame welded                       | 2015->    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.373.070   | Frame welded                       | 2015->    | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.378.531   | Frame welded                       | ->2015    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.157   | Frame welded                       | 2016->    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.378.532   | Frame welded                       |           | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.158   | Frame welded                       | 2016->    | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.372.718   | Frame welded                       |           | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.650   | Frame welded                       | 2014->    | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.600   | Frame welded                       | 2014->    | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 1.   | 1.378.533   | Frame welded                       | ->2015    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.379.159   | Frame welded                       | 2016->    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.378.534   | Frame welded                       | ->2015    | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 1.   | 1.378.900   | Frame welded                       | 2016->    | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 1.   | 1.371.384   | Frame welded                       |           | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 1.   | 1.379.160   | Frame welded                       |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 1.   | 1.378.866   | Frame welded                       | 2013->    | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 1.   | 1.371.491   | Frame welded                       |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| 1.   | 1.371.431   | Frame welded                       |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 9.   | 1.322.037   | Plate                              |           | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 10.  | 1.354.037   | Cardan shaft support               | ->2019    | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 11.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8      |           | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 12.  | 1.352.495   | Support assy.                      | ->2019    | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 12.  | 1.372.872   | Support assy. (items 31-34)        | 2020->    | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 13.  | 1.378.446   | Safety pin                         |           | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 14.  | 1.378.685   | Hood assy.                         | 2011-2015 | 1               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 14.  | 1.379.440   | Hood assy.                         | 2015->    | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 15.  | 1.378.689   | Hood assy. - LH                    | 2011-2014 | -               | -               | -               | -               | -               | -               | 1               | 1               | -               | 1               | 1               |
| 15.  | 1.378.988   | Hood assy. - LH                    | 2014->    | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 15.  | 1.378.690   | Hood assy. - RH                    | 2011-2014 | -               | -               | -               | -               | -               | -               | 1               | 1               | -               | 1               | 1               |
| 15.  | 1.378.989   | Hood assy. - RH                    | 2014->    | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 17.  | 1.329.720   | Storage container                  | ->2015    | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 17.  | 1.373.751   | Storage container (Round)          | 2016->    | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 18.  | 1.377.453   | Bracket welded - LH                |           | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 18.  | 1.377.454   | Bracket welded - RH                |           | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 19.  | 1.377.460   | Bracket                            |           | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 20.  | 1.377.461   | Bracket                            |           | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 21.  | 79412012066 | Hex bolt - M12X120 - DIN933/8.8    |           | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 22.  | 79412009066 | Hex bolt - M12X90 - DIN933/8.8     |           | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 23.  | 76308002066 | Carriage bolt - M8X20 - DIN603/8.8 |           | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               |
| 24.  | 1.314.099   | Washer - M8                        |           | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               |

Note: Application of shims depends on the backlash of the gears.



| Ref. | Part number | Description                                             |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|---------------------------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 25.  | 91623938761 | Spring washer - 8X18 M8 - A8                            |        | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              |
| 26.  | 73508000066 | Hex nut - M8 - DIN934                                   |        | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              | 14              |
| 27.  | 78200802063 | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9 |        | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               |
| 28.  | 70708000066 | Lock nut - M8 - DIN980                                  |        | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 29.  | 1.379.246   | Storage container                                       |        | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 30.  | 1.372.873   | Shoe welded                                             | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 31.  | 1.372.874   | Parking stand                                           | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 32.  | 79316010066 | Hex head screw - M16X100 - DIN933                       | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 33.  | 71416000060 | Washer - M16 17X30X3 - DIN125 - 200HV                   | 2020-> | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 34.  | 74901600066 | Hex nut - plastic insert - M16 - DIN982                 | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 35.  | 1.372.907   | Cardan shaft support - lower                            | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 36.  | 1.372.908   | Locking plate                                           | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 37.  | 96720070601 | Strip 1-4,5mm (/m)                                      | 2020-> | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 38.  | 96716002720 | Lynch pin - 6x27 - DIN1382                              | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 39.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                     | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 40.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985                  | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 41.  | 71408000060 | Washer - M8 8,4X16X1,6 - DIN125                         | 2020-> | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 42.  | 84500000016 | Chain - 2.2X31X10 - DIN5685                             | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 43.  | 67210000011 | Key ring                                                | 2020-> | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |

Note: Application of shims depends on the backlash of the gears.




| Ref. | Part number | Description                    |        | C3008FC3008CF | C3012FC3012CF |
|------|-------------|--------------------------------|--------|---------------|---------------|
| 1.   | 1.377.905   | Central frame welded           | ->2015 | 1             | -             |
| 1.   | 1.373.662   | Central frame welded           | 2016-> | 1             | -             |
| 1.   | 1.378.179   | Central frame welded           | ->2015 | -             | 1             |
| 1.   | 1.373.778   | Central frame welded           | 2016-> | -             | 1             |
| 1.   | 1.378.076   | Central frame welded           | ->2020 | -             | -             |
| 1.   | 1.371.074   | Central frame welded           | 2021-> | -             | -             |
| 1.   | 1.371.001   | Central frame welded           |        | -             | -             |
| 1.   | 1.373.827   | Central frame welded           |        | -             | -             |
| 2.   | 1.378.105   | Extension frame welded - LH    | ->2015 | -             | -             |
| 2.   | 1.379.957   | Extension frame welded - LH    | 2016-> | -             | -             |
| 2.   | 1.377.991   | Extension frame welded - LH    | ->2015 | 1             | -             |
| 2.   | 1.373.512   | Extension frame welded - LH    | 2016-> | 1             | -             |
| 2.   | 1.371.002   | Extension frame welded - LH    |        | -             | -             |
| 2.   | 1.378.226   | Extension frame welded - LH    | ->2015 | -             | 1             |
| 2.   | 1.373.779   | Extension frame welded - LH    | 2016-> | -             | 1             |
| 2.   | 1.373.828   | Extension frame welded - LH    |        | -             | -             |
| 3.   | 1.378.106   | Extension frame welded - RH    | ->2015 | -             | -             |
| 3.   | 1.379.958   | Extension frame welded - RH    | 2016-> | -             | -             |
| 3.   | 1.377.992   | Extension frame welded - RH    | ->2015 | 1             | -             |
| 3.   | 1.373.513   | Extension frame welded - RH    | 2016-> | 1             | -             |
| 3.   | 1.371.003   | Extension frame welded - RH    |        | -             | -             |
| 3.   | 1.378.227   | Extension frame welded - RH    | ->2015 | -             | 1             |
| 3.   | 1.373.780   | Extension frame welded - RH    | 2016-> | -             | 1             |
| 3.   | 1.373.829   | Extension frame welded - RH    |        | -             | -             |
| 4.   | 1.378.098   | Frame assy. - complete         | ->2015 | -             | -             |
| 4.   | 1.373.663   | Frame assy. - complete         | 2016-> | -             | -             |
| 4.   | 1.378.100   | Frame assy. - complete         | ->2015 | 1             | -             |
| 4.   | 1.373.664   | Frame assy. - complete         | 2016-> | 1             | -             |
| 4.   | 1.378.173   | Frame assy. - complete         |        | -             | -             |
| 4.   | 1.371.000   | Frame assy. - complete         |        | -             | -             |
| 4.   | 1.378.199   | Frame assy. - complete         | ->2015 | -             | 1             |
| 4.   | 1.373.825   | Frame assy.                    | 2016-> | -             | 1             |
| 4.   | 1.373.826   | Frame assy.                    |        | -             | -             |
| 12.  | 1.376.371   | Console - LH                   |        | 1             | 1             |
| 13.  | 1.376.372   | Console - RH                   |        | 1             | 1             |
| 14.  | 1.376.373   | Console - LH                   |        | 1             | 1             |
| 15.  | 1.376.374   | Console - RH                   |        | 1             | 1             |
| 16.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8 |        | 16            | 16            |
| 17.  | 96702375920 | Washer - M10 10,5X30X3         |        | 34            | 34            |
| 18.  | 70710000066 | Lock nut - M10 - DIN980/8.8    |        | 16            | 16            |
| 19.  | 1.372.872   | Support assy. (items 82-86)    | 2020-> | 2             | 2             |
| 19.  | 1.352.495   | Support assy.                  | ->2019 | 2             | 2             |
| 20.  | 1.378.446   | Safety pin                     |        | 2             | 2             |
| 21.  | 1.354.037   | Cardan shaft support           | ->2019 | -             | 2             |
| 22.  | 1.322.037   | Plate                          |        | -             | 2             |
| 23.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8  |        | -             | 4             |
| 24.  | 70708000066 | Lock nut - M8 - DIN980         |        | -             | 4             |
| 25.  | 1.376.448   | Rubber washer                  |        | 2             | 2             |
| 26.  | 1.378.126   | Pin - (I=472)                  |        | 2             | 2             |
| 27.  | 73010006001 | Spring pin - 10X60 - DIN1481   |        | 4             | 4             |
| 27.  | 73006006001 | Spring pin - 6X60 - DIN1481    |        | 4             | 4             |
| 28.  | 1.376.385   | Arm                            |        | -             | -             |
| 28.  | 1.375.138   | Arm                            |        | 2             | 2             |
| 29.  | 1.376.382   | Arm                            |        | -             | -             |
| 29.  | 1.375.134   | Arm                            |        | 2             | 2             |
| 29.  | 1.378.409   | Arm - LH                       |        | -             | 1             |
| 29.  | 1.378.410   | Arm - RH                       |        | -             | 1             |
| 30.  | 1.376.278   | Hydraulic cylinder             |        | -             | -             |
| 30.  | 1.375.144   | Hydraulic cylinder             |        | 2             | 2             |
| 30.  | 1.378.415   | Hydraulic cylinder             |        | -             | 2             |
| 31.  | 1.376.573   | Fitting                        |        | 2             | -             |
| 31.  | 1.378.475   | Fitting                        |        | -             | 2             |
| 32.  | 1.375.182   | Pin                            |        | 2             | 2             |
| 33.  | 71630042050 | Shim - 30X42X0.5 - DIN988      |        | 4             | 4             |
| 34.  | 71630042100 | Shim - 30X42X1 - DIN988        |        | 4             | 4             |
| 35.  | 73008006001 | Spring pin - 8X60 - DIN1481    |        | 2             | 2             |
| 36.  | 1.375.192   | Pin                            | 2018-> | 2             | 2             |

Note: Items 54 - 58 are needed only for exterior drive with lower position. Application of shims if necessary.

2016-> : only for machines with higher serial number than xxxxx16xxx

\* Order items 87-95 (1.372.906) instead of item 21.

\* Order new item (1.372.872) instead of item 19.




| Ref. | Part number | Description                                               |        | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|-----------------------------------------------------------|--------|-------------------|-------------------|
| 36.  | 1.377.100   | Pin                                                       | ->2017 | 2                 | 2                 |
| 36.  | 1.378.411   | Pin                                                       |        | -                 | 2                 |
| 37.  | 71625035100 | Shim - 25X35X1 - DIN988                                   |        | 8                 | 8                 |
| 38.  | 1.375.181   | Washer                                                    | ->2017 | 6                 | 4                 |
| 38.  | 71400240060 | Washer - M24 - DIN125 - 200HV                             | 2018-> | 8                 | 6                 |
| 39.  | 73008004051 | Spring pin - 8X40 - DIN1481                               |        | 10                | 8                 |
| 40.  | 1.376.565   | Pin                                                       |        | 2                 | 2                 |
| 41.  | 70006001062 | Grease nipple - M6X1X180                                  |        | 6                 | 6                 |
| 42.  | 1.376.564   | Pin                                                       |        | 2                 | -                 |
| 42.  | 1.378.403   | Pin                                                       |        | -                 | 2                 |
| 43.  | 71625035050 | Shim - 25X35X0.5 - DIN988                                 |        | 8                 | 8                 |
| 44.  | 1.378.685   | Hood assy.                                                |        | -                 | -                 |
| 44.  | 1.379.440   | Hood assy.                                                | 2016-> | 1                 | -                 |
| 45.  | 1.378.689   | Hood assy. - LH                                           |        | -                 | 1                 |
| 45.  | 1.372.231   | Hood assy. - LH                                           | 2016-> | -                 | 1                 |
| 45.  | 1.378.690   | Hood assy. - RH                                           |        | -                 | 1                 |
| 45.  | 1.372.232   | Hood assy. - RH                                           | 2016-> | -                 | 1                 |
| 46.  | 1.377.005   | Supporting angle                                          |        | 3                 | 3                 |
| 47.  | 1.377.222   | Bracket                                                   |        | -                 | -                 |
| 47.  | 1.379.141   | Bracket                                                   | 2013-> | 1                 | -                 |
| 48.  | 1.329.720   | Storage container                                         | ->2015 | 1                 | 1                 |
| 48.  | 1.373.751   | Storage container (Round)                                 | 2016-> | 1                 | 1                 |
| 49.  | 1.377.453   | Bracket welded - LH                                       |        | 1                 | 1                 |
| 49.  | 1.377.454   | Bracket welded - RH                                       |        | 1                 | 1                 |
| 50.  | 76308002066 | Carriage bolt - M8X20 - DIN603/8.8                        |        | 6                 | 6                 |
| 51.  | 1.314.099   | Washer - M8                                               |        | 6                 | 6                 |
| 52.  | 91623938761 | Spring washer - 8X18 M8 - A8                              |        | 10                | 10                |
| 53.  | 73508000066 | Hex nut - M8 - DIN934                                     |        | 14                | 14                |
| 54.  | 1.377.102   | Holder - JD,MF,CNH, Gleaner                               |        | 2                 | -                 |
| 54.  | 1.379.299   | Holder - Lexion, Fahr                                     |        | 2                 | -                 |
| 55.  | 1.319.455   | Cardan support - JD,MF, Gleaner, Lexion                   |        | 2                 | -                 |
| 55.  | 1.318.338   | Cardan support - CNH, Fahr                                |        | 2                 | -                 |
| 55.  | 1.373.742   | Pin - IHC                                                 |        | 2                 | -                 |
| 56.  | 79410002566 | Hex bolt - M10X25 - DIN933/8.8                            |        | 4                 | -                 |
| 57.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10                      |        | 6                 | -                 |
| 58.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                            |        | 2                 | -                 |
| 59.  | 97909349340 | Bushing - 40X44X30                                        |        | 8                 | 8                 |
| 60.  | 1.375.019   | Washer                                                    |        | 6                 | 12                |
| 61.  | 80401002563 | TORX socket countersunk-head bolt - M10X25 - DIN7991/10.9 |        | 6                 | 12                |
| -    | Loctite 243 | Threadlocking agent                                       |        |                   |                   |
| 62.  | 1.378.407   | Spacer                                                    |        | -                 | 4                 |
| 63.  | 1.378.679   | Plate                                                     |        | 2                 | 2                 |
| 64.  | 79412004566 | Hex bolt - M12X45 - DIN933/8.8                            |        | 2                 | 2                 |
| 66.  | 91623938761 | Spring washer - 8X18 M8 - A8                              | 2016-> | 8                 | 8                 |
| 68.  | 1.377.460   | Bracket                                                   | 2016-> | 2                 | 2                 |
| 69.  | 1.377.461   | Bracket                                                   | 2016-> | 2                 | 2                 |
| 70.  | 79412012066 | Hex bolt - M12X120 - DIN933/8.8                           | 2016-> | 4                 | 4                 |
| 71.  | 79412009066 | Hex bolt - M12X90 - DIN933/8.8                            | 2016-> | 4                 | 4                 |
| 72.  | 78200802063 | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9   | 2016-> | 8                 | 8                 |
| 73.  | 71412000060 | Washer - M12 - DIN125 - 200HV                             | 2016-> | 6                 | 6                 |
| 74.  | 73512000066 | Hex nut - M12 - DIN934/8.8                                | 2016-> | 10                | 10                |
| 75.  | 1.379.246   | Storage container                                         |        | 1                 | 1                 |
| 76.  | 1.372.537   | Stand                                                     |        | 2                 | 2                 |
| 77.  | 1.372.538   | Shim - (l=2)                                              |        | 2                 | 2                 |
| 78.  | 1.372.539   | Shim - (l=3)                                              |        | 4                 | 4                 |
| 79.  | 79408004566 | Hex bolt - M8X45 - DIN933/8.8                             |        | 4                 | 4                 |
| 80.  | 79410005566 | Hex head screw - M10X55 - DIN933                          |        | 2                 | 2                 |
| 81.  | 73510000066 | Hex nut - M10 - DIN934                                    |        | 2                 | 2                 |
| 82.  | 1.372.873   | Shoe welded                                               | 2020-> | 2                 | 2                 |
| 83.  | 1.372.874   | Parking stand                                             | 2020-> | 2                 | 2                 |
| 84.  | 79316010066 | Hex head screw - M16X100 - DIN933                         | 2020-> | 2                 | 2                 |
| 85.  | 71416000060 | Washer - M16 17X30X3 - DIN125 - 200HV                     | 2020-> | 4                 | 4                 |
| 86.  | 74916000066 | Hex nut - plastic insert - M16 - DIN985                   | 2020-> | 2                 | 2                 |
| 87.  | 1.372.907   | Cardan shaft support - lower                              | 2020-> | 2                 | 2                 |
| 88.  | 1.372.908   | Locking plate                                             | 2020-> | 2                 | 2                 |
| 89.  | 96720070601 | Strip 1-4,5mm (m)                                         | 2020-> | 4                 | 4                 |
| 90.  | 96716002720 | Lynch pin - 6x27 - DIN1382                                | 2020-> | 2                 | 2                 |

Note: Items 54 - 58 are needed only for exterior drive with lower position. Application of shims if necessary.

2016-> : only for machines with higher serial number than xxxxx16xxx

\* Order items 87-95 (1.372.906) instead of item 21.

\* Order new item (1.372.872) instead of item 19.




| Ref. | Part number | Description                            |        | C3008FC3008CF | C3012FC3012CF |
|------|-------------|----------------------------------------|--------|---------------|---------------|
| 91.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8    | 2020-> | 2             | 2             |
| 92.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985 | 2020-> | 2             | 2             |
| 93.  | 71408000060 | Washer - M8 8,4X16X1,6 - DIN125        | 2020-> | 4             | 4             |
| 94.  | 84500000016 | Chain - 2.2X31X10 - DIN5685            | 2020-> | 2             | 2             |
| 95.  | 67210000011 | Key ring                               | 2020-> | 2             | 2             |
| 96.  | 70006011860 | Grease fitting - 6X1X180 - DIN71412    |        | 2             | 2             |

Note: Items 54 - 58 are needed only for exterior drive with lower position. Application of shims if necessary.

2016-> : only for machines with higher serial number than xxxxx16xxx


\* Order items 87-95 (1.372.906) instead of item 21.

\* Order new item (1.372.872) instead of item 19.




| Ref. | Part number | Description                                              |           | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|----------------------------------------------------------|-----------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.315.408   | Strap                                                    |           | 2               | 2               | 2               | -               | 2               | -               | -               | -               | -               | -               | -               |
| 2.   | 1.355.448   | Auger flight extension - LH - 22" pitch                  |           | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 3.   | 1.355.449   | Auger flight extension - RH - 22" pitch                  |           | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 4.   | 1.353.560   | Plate                                                    | ->2007    | 2               | 2               | 2               | -               | 2               | 2               | 2               | -               | 2               | 2               | 2               |
| 5.   | 1.355.452   | Auger flight extension kit - pitch 22"                   |           | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 6.   | 616.068.0   | Bearing housing - PF 72                                  |           | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 7.   | 87000003556 | Y-bearing - RAE 35 NPPB                                  |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 8.   | 1.375.203   | Bracket (see pg. 6 item 18)                              |           | -               | -               | -               | -               | -               | -               | -               | 2               | -               | 2               | 2               |
| 9.   | 1.318.122   | Auger shaft welded                                       |           | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.376.214   | Auger welded - 22" pitch                                 |           | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.376.215   | Auger welded - 22" pitch                                 |           | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.373.121   | Auger welded - 22" pitch                                 | 2015->    | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.373.088   | Auger welded - 22" pitch                                 | 2015->    | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.376.229   | Auger welded - 22" pitch                                 |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.376.228   | Auger welded - 22" pitch                                 |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 10.  | 1.379.674   | Auger welded - 22" pitch                                 | 2014->    | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 11.  | 1.351.349   | Auger shaft welded                                       |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 12.  | 84210084000 | Key - A10X8X40 - DIN6885                                 |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 13.  | 80401004063 | Hex socket countersunk-head bolt - M10X40 - DIN7991/10.9 |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 14.  | 1.375.968   | Shaft                                                    |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 15.  | 70100004701 | Retainer ring - 47X1.75 - DIN472 47/I                    |           | 4               | 4               | 4               | 8               | 4               | 8               | 8               | 8               | 8               | 8               | 8               |
| 16.  | 1.315.070   | Shim - 21X29X1                                           | ->2014    | 4               | 4               | 4               | 8               | 4               | 8               | 8               | 8               | 8               | 8               | 8               |
| 16.  | 1.373.045   | Spacer                                                   | 2015->    | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 16.  | 1.373.046   | Shim                                                     | 2015-2018 | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 17.  | 1.309.052   | Idler sprocket - 16T                                     |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 18.  | 87001620414 | Bearing - 6204 2RS                                       |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 19.  | 1.301.433   | Washer                                                   |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 20.  | 1.375.969   | Tapped insert                                            |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 21.  | 1.378.521   | Chain adjuster assy.                                     |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 22.  | 1.378.523   | Chain 105                                                |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 23.  | 1.320.493   | Connector link                                           |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 24.  | 1.320.492   | Half link                                                |           | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 25.  | 1.376.232   | Sprocket assy. - 70T                                     | ->2014    | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 25.  | 1.377.272   | Sprocket assy. - 70T                                     | 2015->    | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 26.  | 86700001100 | Bearing nut - KM11                                       |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 27.  | 86801100000 | Retainer ring - MB-11                                    |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 28.  | 1.375.430   | Washer                                                   |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 29.  | 96700000112 | Disk spring - B112 - DIN2093                             |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 30.  | 1.375.428   | Plate                                                    |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 31.  | 1.375.431   | Sprocket - 70T (5/8)                                     |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 32.  | 25553201007 | Friction insert                                          |           | 2               | 2               | 2               | 4               | 2               | 4               | 4               | 4               | 4               | 4               | 4               |
| 33.  | 1.310.780   | Ring                                                     |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 34.  | 1.375.429   | Hub                                                      |           | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 35.  | 1.376.020   | Pin                                                      |           | 4               | 4               | 4               | 8               | 4               | 8               | 8               | 8               | 8               | 8               | 8               |

Note: Application of shims if necessary.  
Application of items 67-70 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                    |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|------------------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 36.  | 1.309.011   | Shim                                           |        | 10              | 10              | 10              | 20              | 10              | 20              | 20              | 20              | 20              | 20              | 20              |
| 37.  | 1.320.540   | Shim - (l=5)                                   | ->2014 | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 38.  | 70200003501 | Retaining ring - external - 35X1.5 - DIN471    |        | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 39.  | 1.304.770   | Auger finger welded                            |        | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 40.  | 1.304.876   | Strap                                          |        | 2               | 2               | 2               | -               | 2               | -               | -               | -               | -               | -               | -               |
| 41.  | 1.304.769   | Auger finger welded                            |        | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 42.  | 1.304.935   | Spike tooth kit                                |        | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 43.  | 1.376.216   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 43.  | 1.376.230   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 43.  | 1.379.636   | Auger welded - LH wing                         | 2014-> | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 43.  | 1.371.403   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 43.  | 1.372.977   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 43.  | 1.379.084   | Auger welded - LH wing                         | 2013-> | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 43.  | 1.372.749   | Auger welded - LH wing                         |        | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 43.  | 1.371.521   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| 43.  | 1.371.453   | Auger welded - LH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 44.  | 1.376.217   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 44.  | 1.376.231   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 44.  | 1.379.637   | Auger welded - RH wing                         | 2014-> | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 44.  | 1.371.406   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 44.  | 1.372.980   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 44.  | 1.379.087   | Auger welded - RH wing                         | 2013-> | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 44.  | 1.372.750   | Auger welded - RH wing                         |        | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 44.  | 1.371.522   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| 44.  | 1.371.454   | Auger welded - RH wing                         |        | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 45.  | 1.304.893   | Auger shaft welded                             |        | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 46.  | 1.376.241   | Console                                        | ->2013 | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 46.  | 1.379.543   | Console                                        | 2014-> | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 47.  | 676.304     | Bearing housing                                |        | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 48.  | 1.355.468   | Auger flight extension kit - pitch 22"         |        | -               | -               | -               | -               | -               | 1               | 1               | -               | 1               | 1               | 1               |
| 49.  | 1.353.573   | Flat iron                                      |        | -               | -               | -               | -               | -               | 4               | 4               | -               | 4               | 4               | 4               |
| 50.  | 1.355.464   | Auger flight extension welded - LH - 22" pitch |        | -               | -               | -               | -               | -               | 1               | 1               | -               | 1               | 1               | 1               |
| 50.  | 1.355.465   | Auger flight extension welded - RH - 22" pitch |        | -               | -               | -               | -               | -               | 1               | 1               | -               | 1               | 1               | 1               |
| 51.  | 1.353.571   | Half filler                                    |        | -               | -               | -               | -               | -               | 2               | 2               | -               | 2               | 2               | 2               |
| 52.  | 1.353.578   | Spike tooth kit                                | ->2013 | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 52.  | 1.379.629   | Spike tooth kit                                | 2014-> | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 53.  | 1.353.576   | Auger finger                                   | ->2013 | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 53.  | 1.379.550   | Auger finger                                   | 2014-> | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 54.  | 1.353.577   | Strap                                          | ->2013 | -               | -               | -               | 4               | -               | 4               | 4               | 4               | 4               | 4               | 4               |
| 54.  | 1.379.560   | Strap                                          | 2014-> | -               | -               | -               | 4               | -               | 4               | 4               | 4               | 4               | 4               | 4               |
| 55.  | 1.353.575   | Auger finger                                   | ->2013 | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 55.  | 1.379.550   | Auger finger                                   | 2014-> | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 56.  | 70200003201 | Retainer ring - 32X1.5 - DIN471                |        | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 57.  | 71632045100 | Shim - 32X45X1 - DIN988                        |        | 3               | 3               | 3               | 6               | 3               | 6               | 6               | 6               | 6               | 6               | 6               |

Note: Application of shims if necessary.  
Application of items 67-70 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                   |            | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|-----------------------------------------------|------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 58.  | 1.377.687   | Sprocket - 16T / 14T                          |            | 1               | 1               | 1               | 2               | 1*              | 2*              | 2*              | 2*              | 2*              | 2*              | 2*              |
| 58.  | 1.377.583   | Sprocket - 18T / 16T                          |            | 1*              | 1*              | 1*              | 2*              | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 58.  | 1.379.642   | Sprocket - 20T / 18T                          |            | 1*              | 1*              | 1*              | 2*              | 1*              | 2*              | 2*              | 2*              | 2*              | 2*              | 2*              |
| 59.  | 71637047100 | Shim - 37X47X1 - DIN988                       |            | 3               | 3               | 3               | 6               | 3               | 6               | 6               | 6               | 6               | 6               | 6               |
| 60.  | 1.375.967   | Hub                                           |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 61.  | 1.375.966   | Plate                                         |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 62.  | 1.375.965   | Washer                                        |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 63.  | 87300008516 | Bearing housing - PF 85                       |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 64.  | 87030620914 | Y-bearing - 1726209-2RS1 SKF                  |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 65.  | 70200004501 | Retaining ring - for shaft - 45X1.75 - DIN471 |            | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 66.  | 1.354.565   | Spacer - (l=76)                               |            | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 67.  | 1.377.725   | Rubber plate                                  | ->2019     | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 67.  | 1.372.944   | Rubber plate                                  | 2020->     | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 68.  | 1.377.726   | Strap                                         |            | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 69.  | 79410002566 | Hex bolt - M10X25 - DIN933/8.8                |            | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 8               |
| 70.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8                |            | 12              | 12              | 12              | 40              | 12              | 16              | 16              | 40              | 16              | 16              | 16              |
| 71.  | 1.308.407   | Spacer - (l=12.5)                             | 2010-2014  | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 72.  | 1.378.449   | Adjuster arm welded                           |            | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 73.  | 1.378.448   | Adjuster nut                                  |            | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 74.  | 1.378.453   | Retainer                                      | 2011- 2015 | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 74.  | 1.373.932   | Retainer                                      | 2016->     | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 75.  | 1.378.524   | Idler sprocket assy.                          |            | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 76.  | 1.308.132   | Cover plate                                   |            | 2               | 2               | 2               | -               | 2               | -               | -               | -               | -               | -               | -               |
| 77.  | 1.356.455   | Cover plate                                   | ->2013     | -               | -               | -               | 4               | -               | 4               | 4               | 4               | 4               | 4               | 4               |
| 77.  | 1.379.561   | Cover plate                                   | 2014->     | -               | -               | -               | 4               | -               | 4               | 4               | 4               | 4               | 4               | 4               |
| 78.  | 1.379.476   | Spacer - (l=46)                               | 2014->     | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 79.  | 1.379.485   | Disc welded                                   | 2014->     | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 80.  | 81110001668 | Hex socket button-head bolt - M10X16          | 2014->     | -               | -               | -               | 3               | -               | 3               | 3               | 3               | 3               | 3               | 3               |
| 81.  | 1.379.488   | Washer                                        | 2014->     | -               | -               | -               | 3               | -               | 3               | 3               | 3               | 3               | 3               | 3               |
| 82.  | 1.379.487   | Nut                                           | 2014->     | -               | -               | -               | 3               | -               | 3               | 3               | 3               | 3               | 3               | 3               |
| 83.  | 665.840.0   | Washer                                        | 2014->     | -               | -               | -               | 2               | -               | 2               | 2               | 2               | 2               | 2               | 2               |
| 84.  | 1.377.164   | Safety clutch - Walterscheid                  |            | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 85.  | 1.377.271   | Sprocket                                      |            | 1               | 1               | 1               | 2               | 1               | 2               | 2               | 2               | 2               | 2               | 2               |
| 86.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10          |            | 24              | 24              | 24              | 32              | 24              | 32              | 32              | 24              | 32              | 32              | 32              |
| 87.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                |            | 16              | 16              | 16              | 24              | 16              | 24              | 24              | 16              | 24              | 24              | 24              |
| 88.  | 1.379.476   | Spacer - (l=46)                               | 2015->     | -               | -               | -               | 1               | -               | 1               | 1               | 1               | 1               | 1               | 1               |
| 88.  | 96701320540 | Spacer - 36X45X5,0                            | 2015-2018. | 1               | 1               | 1               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 89.  | 1.377.453   | Bracket welded - LH                           |            | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 89.  | 1.377.454   | Bracket welded - RH                           |            | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 90.  | 70710000066 | Lock nut - M10 - DIN980/8.8                   |            | 12              | 12              | 12              | 40              | 12              | 16              | 16              | 40              | 16              | 16              | 16              |
| 91.  | 71410000060 | Washer - M10 10,5X21X2 - DIN125               |            | 24              | 24              | 24              | 80              | 24              | 32              | 32              | 80              | 32              | 32              | 32              |
| 92.  | 1.372.927   | Auger flight extension - LH - 22" pitch       |            | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 92.  | 1.372.928   | Auger flight extension - RH - 22" pitch       |            | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 93.  | 1.372.926   | Strap                                         |            | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               | 6               |

Note: Application of shims if necessary.  
Application of items 67-70 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                             |  | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|---------------------------------------------------------|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 94.  | 1.372.939   | Half filler                                             |  | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 95.  | 1.372.920   | Half filler - LH                                        |  | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 95.  | 1.372.921   | Half filler - RH                                        |  | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 96.  | 1.372.924   | Retainer - RH                                           |  | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 96.  | 1.372.925   | Retainer - LH                                           |  | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 97.  | 78200802563 | Hex socket button-head bolt TORX - M8X25 - ISO7380/10.9 |  | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 98.  | 1.314.099   | Washer - M8                                             |  | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 99.  | 73508000066 | Hex nut - M8 - DIN934                                   |  | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 100. | 1.372.929   | Auger reverse flight extension kit - pitch 22"          |  | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |

Note: Application of shims if necessary.  
Application of items 67-70 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                              |           | C3008F<br>C3008CF |
|------|-------------|----------------------------------------------------------|-----------|-------------------|
| 1.   | 1.375.913   | Auger - central - 22" pitch                              |           | 1                 |
| 1.   | 1.377.119   | Auger - central - 22" pitch                              |           | -                 |
| 1.   | 1.377.504   | Auger - central - 22" pitch                              |           | -                 |
| 1.   | 1.371.193   | Auger - central - 22" pitch                              |           | -                 |
| 2.   | 1.376.321   | Auger - RH wing - 22" pitch                              |           | -                 |
| 2.   | 1.376.323   | Auger - RH wing - 22" pitch                              |           | 1                 |
| 2.   | 1.371.198   | Auger - RH wing - 22" pitch                              |           | -                 |
| 3.   | 1.376.320   | Auger - LH wing - 22" pitch                              |           | -                 |
| 3.   | 1.376.322   | Auger - LH wing - 22" pitch                              |           | 1                 |
| 3.   | 1.371.197   | Auger - LH wing - 22" pitch                              |           | -                 |
| 4.   | 1.318.122   | Auger shaft welded                                       |           | 1                 |
| 5.   | 1.375.203   | Bracket (see pg. 6 item 18)                              |           | -                 |
| 6.   | 87000003556 | Y-bearing - RAE 35 NPPB                                  |           | 2                 |
| 7.   | 616.068.0   | Bearing housing - PF 72                                  |           | 4                 |
| 8.   | 1.351.349   | Auger shaft welded                                       |           | 1                 |
| 9.   | 84210084000 | Key - A10X8X40 - DIN6885                                 |           | 1                 |
| 10.  | 1.304.769   | Auger finger welded                                      |           | 1                 |
| 10.  | 1.304.770   | Auger finger welded                                      |           | 1                 |
| 11.  | 1.304.876   | Strap                                                    |           | 4                 |
| 12.  | 1.355.449   | Auger flight extension - RH - 22" pitch                  |           | 1                 |
| 13.  | 1.355.448   | Auger flight extension - LH - 22" pitch                  |           | 1                 |
| 14.  | 1.315.408   | Strap                                                    |           | 4                 |
| 15.  | 1.353.560   | Plate                                                    | ->2007    | 2                 |
| 16.  | 1.355.452   | Auger flight extension kit - pitch 22"                   |           | 1                 |
| 17.  | 1.376.363   | Auger assy. - RH wing - 22" pitch                        |           | -                 |
| 17.  | 1.376.369   | Auger assy. - RH wing - 22" pitch                        |           | 1                 |
| 17.  | 1.371.234   | Auger assy. - RH wing - 22" pitch                        |           | -                 |
| 18.  | 1.377.183   | Auger assy. - central - 22" pitch                        |           | -                 |
| 18.  | 1.376.365   | Auger assy. - central - 22" pitch                        |           | 1                 |
| 18.  | 1.377.503   | Auger assy. - central - 22" pitch                        |           | -                 |
| 18.  | 1.371.232   | Auger assy. - central - 22" pitch                        |           | -                 |
| 19.  | 1.376.364   | Auger assy. - LH wing - 22" pitch                        |           | -                 |
| 19.  | 1.376.370   | Auger assy. - LH wing - 22" pitch                        |           | 1                 |
| 19.  | 1.371.233   | Auger assy. - LH wing - 22" pitch                        |           | -                 |
| 20.  | 1.328.479   | Auger shaft welded                                       |           | 2                 |
| 21.  | 1.376.371   | Console - LH                                             |           | 1                 |
| 21.  | 1.376.372   | Console - RH                                             |           | 1                 |
| 21.  | 1.376.373   | Console - LH                                             |           | 1                 |
| 21.  | 1.376.374   | Console - RH                                             |           | 1                 |
| 22.  | 1.309.259   | Bearing - 172 6211 2RS                                   |           | 2                 |
| 23.  | 70200005501 | Retaining ring - for shaft - 55X1,75 - DIN471            |           | 4                 |
| 24.  | 1.308.932   | Spring                                                   |           | 2                 |
| 25.  | 1.353.179   | Bearing housing                                          |           | 2                 |
| 26.  | 1.328.472   | Jaw clutch - outer                                       |           | 2                 |
| 27.  | 1.328.492   | Washer                                                   |           | 2                 |
| 28.  | 1.308.948   | Washer                                                   |           | 2                 |
| 29.  | 1.328.473   | Jaw clutch - inner                                       |           | 2                 |
| 30.  | 70200004001 | Retainer ring - for shaft - 40X1.75 - DIN471 D40/A       |           | 2                 |
| 31.  | 1.309.011   | Shim                                                     |           | 6                 |
| 32.  | 1.353.178   | Bearing housing                                          |           | 2                 |
| 33.  | 87000140059 | Y-bearing - GRAE 40 NPPB FA 140                          |           | 2                 |
| 34.  | 1.308.414   | Auger shaft welded                                       |           | 2                 |
| 35.  | 80401004063 | Hex socket countersunk-head bolt - M10X40 - DIN7991/10.9 |           | 1                 |
| 36.  | 1.375.968   | Shaft                                                    |           | 1                 |
| 37.  | 70100004701 | Retainer ring - 47X1.75 - DIN472 47/I                    |           | 3                 |
| 38.  | 1.315.070   | Shim - 21X29X1                                           | ->2014    | 4                 |
| 38.  | 1.373.045   | Spacer                                                   | 2015->    | 4                 |
| 38.  | 1.373.046   | Shim                                                     | 2015-2018 | 4                 |
| 39.  | 1.309.052   | Idler sprocket - 16T                                     |           | 1                 |
| 40.  | 87001620414 | Bearing - 6204 2RS                                       |           | 1                 |
| 41.  | 1.301.433   | Washer                                                   |           | 2                 |
| 42.  | 1.375.969   | Tapped insert                                            |           | 1                 |
| 43.  | 1.378.521   | Chain adjuster assy.                                     |           | 1                 |
| 44.  | 86700001100 | Bearing nut - KM11                                       |           | 1                 |
| 45.  | 86801100000 | Retainer ring - MB-11                                    | ->2014    | 1                 |
| 46.  | 1.375.430   | Washer                                                   | ->2014    | 1                 |
| 47.  | 96700000112 | Disk spring - B112 - DIN2093                             | ->2014    | 2                 |

Note: Items 62-67 are only for interior drive, item 68 is only for exterior drive.  
Application of shims as necessary.  
Application of items 74-77 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                                 |            | C3008F<br>C3008CF |
|------|-------------|-------------------------------------------------------------|------------|-------------------|
| 48.  | 1.375.428   | Plate                                                       | ->2014     | 1                 |
| 49.  | 1.375.431   | Sprocket - 70T (5/8)                                        | ->2014     | 1                 |
| 50.  | 25553201007 | Friction insert                                             | ->2014     | 2                 |
| 51.  | 1.310.780   | Ring                                                        | ->2014     | 1                 |
| 52.  | 1.375.429   | Hub                                                         | ->2014     | 1                 |
| 53.  | 1.376.020   | Pin                                                         | ->2014     | 4                 |
| 54.  | 1.376.232   | Sprocket assy. - 70T                                        | ->2014     | 1                 |
| 54.  | 1.377.272   | Sprocket assy. - 70T                                        | 2015->     | 1                 |
| 55.  | 1.378.523   | Chain 105                                                   |            | 1                 |
| 56.  | 1.320.493   | Connector link                                              |            | 1                 |
| 57.  | 1.320.492   | Half link                                                   |            | -                 |
| 58.  | 70200003201 | Retainer ring - 32X1.5 - DIN471                             |            | 1                 |
| 59.  | 71632045100 | Shim - 32X45X1 - DIN988                                     |            | 3                 |
| 60.  | 1.377.687   | Sprocket - 16T / 14T                                        |            | 1                 |
| *60. | 1.377.583   | Sprocket - 18T / 16T                                        |            | 1                 |
| *60. | 1.379.642   | Sprocket - 20T / 18T                                        |            | 1                 |
| 61.  | 71637047100 | Shim - 37X47X1 - DIN988                                     |            | 3                 |
| 62.  | 1.375.967   | Hub                                                         |            | 1                 |
| 63.  | 1.375.966   | Plate                                                       |            | 1                 |
| 64.  | 1.375.965   | Washer                                                      |            | 1                 |
| 65.  | 87300008516 | Bearing housing - PF 85                                     |            | 2                 |
| 66.  | 87030620914 | Y-bearing - 1726209-2RS1 SKF                                |            | 1                 |
| 67.  | 70200004501 | Retaining ring - for shaft - 45X1.75 - DIN471               |            | 1                 |
| 68.  | 1.354.565   | Spacer - (l=76)                                             |            | 1                 |
| 69.  | 80400803563 | Hex socket countersunk-head bolt - M8X35 - DIN7991 T50 10.9 |            | 4                 |
| 70.  | 80400804063 | Hex socket countersunk-head bolt - M8X40 - DIN7991 IP 10.9  |            | 24                |
| 71.  | 73508000066 | Hex nut - M8 - DIN934                                       |            | 24                |
| 72.  | 84208074000 | Key - 8X7X40                                                |            | 2                 |
| 73.  | 70200003501 | Retaining ring - external - 35X1.5 - DIN471                 |            | 1                 |
| 74.  | 1.377.725   | Rubber plate                                                | ->2019     | 2                 |
| 74.  | 1.372.944   | Rubber plate                                                | 2020->     | 2                 |
| 75.  | 1.377.726   | Strap                                                       |            | 2                 |
| 76.  | 79410002566 | Hex bolt - M10X25 - DIN933/8.8                              |            | 8                 |
| 77.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8                              |            | 12                |
| 78.  | 1.308.407   | Spacer - (l=12.5)                                           | 2010-2014. | 1                 |
| 79.  | 1.320.540   | Shim - (l=5)                                                | ->2014     | 1                 |
| 80.  | 1.378.449   | Adjuster arm welded                                         |            | 1                 |
| 81.  | 1.378.448   | Adjuster nut                                                |            | 1                 |
| 82.  | 1.378.453   | Retainer                                                    | 2011- 2015 | 1                 |
| 82.  | 1.373.932   | Retainer                                                    | 2016->     | 1                 |
| 83.  | 1.378.524   | Idler sprocket assy.                                        |            | 1                 |
| 84.  | 1.308.132   | Cover plate                                                 |            | 2                 |
| 85.  | 1.379.476   | Spacer - (l=46)                                             | 2014->     | 1                 |
| 86.  | 1.377.164   | Safety clutch - Walterscheid                                |            | 1                 |
| 87.  | 1.377.271   | Sprocket                                                    |            | 1                 |
| 88.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10                        |            | 24                |
| 89.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                              |            | 16                |
| 90.  | 96701320540 | Spacer - 36X45X5,0                                          | 2015->     | 1                 |
| 91.  | 1.377.453   | Bracket welded - LH                                         |            | 1                 |
| 91.  | 1.377.454   | Bracket welded - RH                                         |            | 1                 |
| 92.  | 71630042100 | Shim - 30X42X1 - DIN988                                     | 2019->     | 6                 |
| 93.  | 71630042050 | Shim - 30X42X0.5 - DIN988                                   | 2019->     | 2                 |
| 94.  | 70710000066 | Lock nut - M10 - DIN980/8.8                                 |            | 12                |
| 95.  | 71410000060 | Washer - M10 10,5X21X2 - DIN125                             |            | 24                |
| 96.  | 1.304.935   | Spike tooth kit                                             |            | 1                 |
| 97.  | 1.372.927   | Auger flight extension - LH - 22" pitch                     | 2021->     | 1                 |
| 97.  | 1.372.928   | Auger flight extension - RH - 22" pitch                     | 2021->     | 1                 |
| 98.  | 1.372.926   | Strap                                                       | 2021->     | 6                 |
| 99.  | 1.372.939   | Half filler                                                 | 2021->     | 4                 |
| 100. | 1.372.920   | Half filler - LH                                            | 2021->     | 1                 |
| 100. | 1.372.921   | Half filler - RH                                            | 2021->     | 1                 |
| 101. | 1.372.924   | Retainer - RH                                               | 2021->     | 1                 |
| 101. | 1.372.925   | Retainer - LH                                               | 2021->     | 1                 |
| 102. | 78200802563 | Hex socket button-head bolt TORX - M8X25 - ISO7380/10.9     | 2021->     | 4                 |
| 103. | 1.314.099   | Washer - M8                                                 | 2021->     | 4                 |
| 104. | 73508000066 | Hex nut - M8 - DIN934                                       | 2021->     | 4                 |
| 105. | 1.372.929   | Auger reverse flight extension kit - pitch 22"              | 2021->     | 1                 |

Note: Items 62-67 are only for interior drive, item 68 is only for exterior drive.  
Application of shims as necessary.  
Application of items 74-77 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                              |           | C3012F<br>C3012CF |
|------|-------------|----------------------------------------------------------|-----------|-------------------|
| 1.   | 1.376.379   | Auger - central - RH - 22" pitch                         |           | 1                 |
| 1.   | 1.373.878   | Auger - central - RH - 22" pitch                         |           | -                 |
| 2.   | 1.304.893   | Auger shaft welded                                       |           | 2                 |
| 3.   | 87000003556 | Y-bearing - RAE 35 NPPB                                  |           | 2                 |
| 4.   | 1.376.241   | Console                                                  | ->2013    | 1                 |
| 4.   | 1.379.543   | Console                                                  | 2014->    | 1                 |
| 5.   | 676.304     | Bearing housing                                          |           | 2                 |
| 6.   | 1.376.380   | Auger - central - LH - 22" pitch                         |           | 1                 |
| 6.   | 1.373.877   | Auger - central - LH - 22" pitch                         |           | -                 |
| 7.   | 1.376.326   | Auger - RH wing - 22" pitch                              |           | 1                 |
| 7.   | 1.373.885   | Auger - RH wing - 22" pitch                              |           | -                 |
| 8.   | 1.376.325   | Auger - LH wing - 22" pitch                              |           | 1                 |
| 8.   | 1.373.884   | Auger - LH wing - 22" pitch                              |           | 1                 |
| 9.   | 1.351.349   | Auger shaft welded                                       |           | 2                 |
| 10.  | 84210084000 | Key - A10X8X40 - DIN6885                                 |           | 2                 |
| 11.  | 616.068.0   | Bearing housing - PF 72                                  |           | 4                 |
| 12.  | 87000003556 | Y-bearing - RAE 35 NPPB                                  |           | 2                 |
| 13.  | 1.375.203   | Bracket (see pg. 6 item 18)                              |           | -                 |
| 14.  | 1.328.479   | Auger shaft welded                                       |           | 2                 |
| 15.  | 1.376.371   | Console - LH                                             |           | 1                 |
| 15.  | 1.376.372   | Console - RH                                             |           | 1                 |
| 15.  | 1.376.373   | Console - LH                                             |           | 1                 |
| 15.  | 1.376.374   | Console - RH                                             |           | 1                 |
| 16.  | 1.309.259   | Bearing - 172 6211 2RS                                   |           | 2                 |
| 17.  | 70200005501 | Retaining ring - for shaft - 55X1,75 - DIN471            |           | 4                 |
| 18.  | 1.308.932   | Spring                                                   |           | 2                 |
| 19.  | 1.353.179   | Bearing housing                                          |           | 2                 |
| 20.  | 1.328.472   | Jaw clutch - outer                                       |           | 2                 |
| 21.  | 1.328.492   | Washer                                                   |           | 2                 |
| 22.  | 1.308.948   | Washer                                                   |           | 2                 |
| 23.  | 1.328.473   | Jaw clutch - inner                                       |           | 2                 |
| 24.  | 70200004001 | Retainer ring - for shaft - 40X1.75 - DIN471 D40/A       |           | 2                 |
| 25.  | 1.309.011   | Shim                                                     |           | 6                 |
| 26.  | 1.353.178   | Bearing housing                                          |           | 2                 |
| 27.  | 87000140059 | Y-bearing - GRAE 40 NPPB FA 140                          |           | 2                 |
| 28.  | 1.308.414   | Auger shaft welded                                       |           | 2                 |
| 29.  | 70200003501 | Retaining ring - external - 35X1.5 - DIN471              |           | 2                 |
| 30.  | 1.376.377   | Auger assy. - RH wing - 22" pitch                        |           | 1                 |
| 30.  | 1.373.883   | Auger assy. - RH wing - 22" pitch                        |           | -                 |
| 31.  | 1.376.324   | Auger assy. - central pair - 22" pitch                   |           | 1                 |
| 31.  | 1.373.876   | Auger assy. - central pair - 22" pitch                   |           | -                 |
| 32.  | 1.376.378   | Auger assy. - LH wing - 22" pitch                        |           | 1                 |
| 32.  | 1.373.882   | Auger assy. - LH wing - 22" pitch                        |           | -                 |
| 33.  | 80401004063 | Hex socket countersunk-head bolt - M10X40 - DIN7991/10.9 |           | 2                 |
| 34.  | 1.375.968   | Shaft                                                    |           | 2                 |
| 35.  | 70100004701 | Retainer ring - 47X1.75 - DIN472 47/I                    |           | 4                 |
| 36.  | 1.315.070   | Shim - 21X29X1                                           | ->2014    | 6                 |
| 36.  | 1.373.045   | Spacer                                                   | 2015->    | 4                 |
| 36.  | 1.373.046   | Shim                                                     | 2015-2018 | 4                 |
| 37.  | 1.309.052   | Idler sprocket - 16T                                     |           | 2                 |
| 38.  | 87001620414 | Bearing - 6204 2RS                                       |           | 2                 |
| 39.  | 1.301.433   | Washer                                                   |           | 2                 |
| 40.  | 1.375.969   | Tapped insert                                            |           | 2                 |
| 41.  | 1.378.521   | Chain adjuster assy.                                     |           | 2                 |
| 42.  | 86700001100 | Bearing nut - KM11                                       |           | 2                 |
| 43.  | 86801100000 | Retainer ring - MB-11                                    |           | 2                 |
| 44.  | 1.375.430   | Washer                                                   |           | 2                 |
| 45.  | 96700000112 | Disk spring - B112 - DIN2093                             |           | 4                 |
| 46.  | 1.375.428   | Plate                                                    |           | 2                 |
| 47.  | 1.375.431   | Sprocket - 70T (5/8)                                     |           | 2                 |
| 48.  | 25553201007 | Friction insert                                          |           | 4                 |
| 49.  | 1.310.780   | Ring                                                     |           | 2                 |
| 50.  | 1.375.429   | Hub                                                      |           | 2                 |
| 51.  | 1.376.020   | Pin                                                      |           | 8                 |
| 52.  | 1.376.232   | Sprocket assy. - 70T                                     | ->2014    | 2                 |
| 52.  | 1.377.272   | Sprocket assy. - 70T                                     | 2015->    | 2                 |
| 53.  | 1.378.523   | Chain 105                                                |           | 2                 |

Note: Application of shims if necessary.  
Application of items 79-82 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                                 |        | C3012F<br>C3012CF |
|------|-------------|-------------------------------------------------------------|--------|-------------------|
| 54.  | 1.320.493   | Connector link                                              |        | 2                 |
| 55.  | 1.320.492   | Half link                                                   |        | -                 |
| 56.  | 70200003201 | Retainer ring - 32X1.5 - DIN471                             |        | 2                 |
| 57.  | 71632045100 | Shim - 32X45X1 - DIN988                                     |        | 6                 |
| 58.  | 1.377.687   | Sprocket - 16T / 14T                                        |        | 2                 |
| *58. | 1.377.687   | Sprocket - 16T / 14T                                        |        | 2                 |
| 58.  | 1.377.583   | Sprocket - 18T / 16T                                        |        | 2                 |
| *58. | 1.379.642   | Sprocket - 20T / 18T                                        |        | 2                 |
| 59.  | 71637047100 | Shim - 37X47X1 - DIN988                                     |        | 6                 |
| 60.  | 1.375.967   | Hub                                                         |        | 2                 |
| 61.  | 1.375.966   | Plate                                                       |        | 2                 |
| 62.  | 1.375.965   | Washer                                                      |        | 2                 |
| 63.  | 87300008516 | Bearing housing - PF 85                                     |        | 2                 |
| 64.  | 87030620914 | Y-bearing - 1726209-2RS1 SKF                                |        | 2                 |
| 65.  | 70200004501 | Retaining ring - for shaft - 45X1.75 - DIN471               |        | 2                 |
| 66.  | 1.353.578   | Spike tooth kit                                             | ->2013 | 1                 |
| 66.  | 1.379.629   | Spike tooth kit                                             | 2014-> | 1                 |
| 67.  | 1.353.576   | Auger finger                                                | ->2013 | 2                 |
| 67.  | 1.379.550   | Auger finger                                                | 2014-> | 2                 |
| 68.  | 1.353.577   | Strap                                                       | ->2013 | 4                 |
| 68.  | 1.379.560   | Strap                                                       | 2014-> | 4                 |
| 69.  | 1.353.575   | Auger finger                                                | ->2013 | 2                 |
| 69.  | 1.379.550   | Auger finger                                                | 2014-> | 2                 |
| 70.  | 1.355.468   | Auger flight extension kit - pitch 22"                      |        | 1                 |
| 71.  | 1.353.573   | Flat iron                                                   |        | 4                 |
| 72.  | 1.355.464   | Auger flight extension welded - LH - 22" pitch              |        | 2                 |
| 72.  | 1.355.465   | Auger flight extension welded - RH - 22" pitch              |        | 2                 |
| 73.  | 1.353.560   | Plate                                                       | ->2007 | 2                 |
| 74.  | 1.353.571   | Half filler                                                 |        | 2                 |
| 75.  | 80400803563 | Hex socket countersunk-head bolt - M8X35 - DIN7991 T50 10.9 |        | 4                 |
| 76.  | 80400804063 | Hex socket countersunk-head bolt - M8X40 - DIN7991 IP 10.9  |        | 24                |
| 77.  | 73508000066 | Hex nut - M8 - DIN934                                       |        | 12                |
| 78.  | 84208074000 | Key - 8X7X40                                                |        | 2                 |
| 79.  | 1.377.725   | Rubber plate                                                | ->2019 | 2                 |
| 79.  | 1.372.944   | Rubber plate                                                | 2020-> | 2                 |
| 80.  | 1.377.726   | Strap                                                       |        | 2                 |
| 81.  | 79410002566 | Hex bolt - M10X25 - DIN933/8.8                              |        | 8                 |
| 82.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8                              |        | 16                |
| 83.  | 1.308.407   | Spacer - (l=12.5)                                           |        | 2                 |
| 84.  | 1.320.540   | Shim - (l=5)                                                | ->2014 | 2                 |
| 85.  | 1.378.449   | Adjuster arm welded                                         |        | 2                 |
| 86.  | 1.378.448   | Adjuster nut                                                |        | 2                 |
| 87.  | 1.378.453   | Retainer                                                    |        | 2                 |
| 87.  | 1.378.453   | Retainer                                                    |        | 2                 |
| 88.  | 1.378.524   | Idler sprocket assy.                                        |        | 2                 |
| 89.  | 1.356.455   | Cover plate                                                 | ->2013 | 2                 |
| 89.  | 1.379.561   | Cover plate                                                 | 2014-> | 4                 |
| 90.  | 1.379.476   | Spacer - (l=46)                                             |        | 1                 |
| 91.  | 1.379.485   | Disc welded                                                 | 2014-> | 1                 |
| 92.  | 81110001668 | Hex socket button-head bolt - M10X16                        | 2014-> | 3                 |
| 93.  | 1.379.488   | Washer                                                      | 2014-> | 3                 |
| 94.  | 1.379.487   | Nut                                                         | 2014-> | 3                 |
| 95.  | 1.377.164   | Safety clutch - Walterscheid                                |        | 2                 |
| 96.  | 1.377.271   | Sprocket                                                    |        | 2                 |
| 97.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10                        |        | 32                |
| 98.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                              |        | 24                |
| 99.  | 96701320540 | Spacer - 36X45X5,0                                          | 2015-> | 1                 |
| 100. | 1.377.453   | Bracket welded - LH                                         |        | 1                 |
| 100. | 1.377.454   | Bracket welded - RH                                         |        | 1                 |
| 101. | 71630042100 | Shim - 30X42X1 - DIN988                                     | 2019-> | 6                 |
| 102. | 71630042050 | Shim - 30X42X0.5 - DIN988                                   | 2019-> | 2                 |
| 103. | 70710000066 | Lock nut - M10 - DIN980/8.8                                 |        | 16                |
| 104. | 71410000060 | Washer - M10 10,5X21X2 - DIN125                             |        | 32                |
| 105. | 1.372.927   | Auger flight extension - LH - 22" pitch                     |        | 1                 |
| 105. | 1.372.928   | Auger flight extension - RH - 22" pitch                     |        | 1                 |
| 106. | 1.372.926   | Strap                                                       |        | 6                 |
| 107. | 1.372.939   | Half filler                                                 |        | 4                 |

Note: Application of shims if necessary.  
Application of items 79-82 depends on the combine open.  
Parts marked with \* are optional.




| Ref. | Part number | Description                                             |  | C3012F<br>C3012CF |
|------|-------------|---------------------------------------------------------|--|-------------------|
| 108. | 1.372.920   | Half filler - LH                                        |  | 1                 |
| 108. | 1.372.921   | Half filler - RH                                        |  | 1                 |
| 109. | 1.372.924   | Retainer - RH                                           |  | 1                 |
| 109. | 1.372.925   | Retainer - LH                                           |  | 1                 |
| 110. | 78200802563 | Hex socket button-head bolt TORX - M8X25 - ISO7380/10.9 |  | 4                 |
| 111. | 1.314.099   | Washer - M8                                             |  | 4                 |
| 112. | 73508000066 | Hex nut - M8 - DIN934                                   |  | 4                 |
| 113. | 1.372.929   | Auger reverse flight extension kit - pitch 22"          |  | 1                 |

Note: Application of shims if necessary.  
Application of items 79-82 depends on the combine open.  
Parts marked with \* are optional.


























| Ref. | Part number  | Description                                              |  | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3008CF<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012C<br>C3012CF<br>C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|--------------|----------------------------------------------------------|--|-----------------|-----------------|-----------------------------------------------|------------------------------------|--------------------------------------|-----------------|------------------------------------|
| 1.   | 1.377.763    | Gearbox housing                                          |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 2.   | 1.375.702    | Bevel gear - 13T                                         |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 3.   | 87001620710  | Bearing - 6207 - DIN625                                  |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 4.   | 1.377.769    | Spacer                                                   |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 5.   | 70100007201  | Retaining ring - internal - 72X2.5 - DIN472              |  | 18              | 24              | 24                                            | 36                                 | 36                                   | 48              | 54                                 |
| 6.   | 63003503500  | O-ring - 35X3.5 - DIN3771/ISO3601                        |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 7.   | 1.375.744    | Retainer                                                 |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 8.   | 85804572081  | Seal - 45X72X8 - DIN3760-AS                              |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 9.   | 1.377.799    | Carriage bolt - M12X35X1.25                              |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| -    | Loctite 243  | Threadlocking agent                                      |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 10.  | 1.377.767    | Knife support                                            |  | 6               | 4               | 8                                             | 6                                  | 12                                   | 16              | 9                                  |
| *10. | 1.379.687    | Knife support                                            |  | -               | 4               | -                                             | 6                                  | -                                    | -               | 9                                  |
| 11.  | 1.355.038    | Bushing                                                  |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 12.  | 1.353.038    | Knife                                                    |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 13.  | 1.378.347    | Spacer                                                   |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 14.  | 1.378.344    | Knife support plate - bottom                             |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 15.  | 1.355.039    | Cap                                                      |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| 16.  | 70712012563  | Lock nut - M12X1.25 - DIN980                             |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| 17.  | 1.377.766    | Knife assy. (items 9-16)                                 |  | 6               | 4               | 8                                             | 6                                  | 12                                   | 16              | 9                                  |
| *17. | 1.379.686    | Knife assy. (items 9-16)                                 |  | -               | 4               | -                                             | 6                                  | -                                    | -               | 9                                  |
| 18.  | 1.375.752    | Washer                                                   |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 19.  | 91623939161  | Spring washer - A16                                      |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 20.  | 79316155066  | Hex bolt - M16X1.5X50 - DIN960/8.8                       |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| -    | Loctite 243  | Threadlocking agent                                      |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 21.  | 1.377.777    | Shaft                                                    |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 22.  | 70100006201  | Retaining ring - internal - 62X2 - DIN472                |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 23.  | 87000620611  | Bearing - 6206 - DIN625                                  |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 24.  | 85805007208  | Seal - 50X72X8 - DIN3760-AS                              |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 25.  | 70200003001  | Retainer ring - for shaft - 30X1.5 - DIN471              |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 26.  | 1.377.776    | Disk                                                     |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 27.  | 1.377.781    | Spring                                                   |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 28.  | 1.377.778    | Clutch half - I                                          |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 29.  | 1.377.779    | Clutch half - II                                         |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 30.  | 1.375.701    | Bevel gear - 24T                                         |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 31.  | 87001620810  | Bearing - 6208 - DIN625                                  |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 32.  | 71663080050  | Shim - 63X80X0.5                                         |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 32.  | 71663080020  | Shim - 63X80X0.2                                         |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 32.  | 71663080010  | Shim - 63X80X0.1                                         |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 33.  | 70100008001  | Retaining ring - internal - 80X2.5 - DIN472              |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 34.  | 1.375.743    | Cover plate                                              |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| -    | Loctite 5910 | RTV silicone                                             |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 35.  | 80400602063  | TORX socket countersunk-head bolt - M6X20 - DIN7991/10.9 |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| -    | Loctite 243  | Threadlocking agent                                      |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 36.  | 1.376.783    | Closing screw - M12X1.5                                  |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 37.  | 1.377.095    | Dipstick                                                 |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 38.  | 05200001200  | Copper washer - 12X16X1.5 - DIN7603                      |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 39.  | 1.309.247    | Breather - M12X1,5                                       |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 40.  | 1.377.770    | Housing                                                  |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| -    | Loctite 5910 | RTV silicone                                             |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 41.  | 71808000060  | Spring washer - M8 - DIN7980                             |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| 42.  | 80208003066  | Hex socket head bolt - M8X30 - DIN912/8.8                |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| 43.  | 87010620214  | Bearing - 6202 - DIN625                                  |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| -    | Loctite 603  | Retaining compound                                       |  |                 |                 |                                               |                                    |                                      |                 |                                    |
| 44.  | 85803500700  | Cup - 35X7                                               |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 45.  | 1.377.780    | Spacer                                                   |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 46.  | 87006191014  | Bearing - 61910 - DIN625                                 |  | 12              | 16              | 16                                            | 24                                 | 24                                   | 32              | 36                                 |
| 47.  | 70200005001  | Retaining ring - external - 50X2 - DIN471                |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 48.  | 1.377.986    | Seal                                                     |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 49.  | 1.377.783    | Switch housing welded                                    |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 50.  | 70200002501  | Retainer ring - 25X1.2 - DIN471                          |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 51.  | 63002003009  | O-ring - 20X3                                            |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 52.  | 1.377.787    | Disengaging pin                                          |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 53.  | 80400802063  | Hex socket countersunk-head bolt - M8X20 - DIN7991/10.9  |  | 24              | 32              | 32                                            | 48                                 | 48                                   | 64              | 72                                 |
| 54.  | 85609000000  | Bearing ball                                             |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 55.  | 1.327.689    | Spring                                                   |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| 56.  | 1.327.690    | Set screw - DIN916                                       |  | 6               | 8               | 8                                             | 12                                 | 12                                   | 16              | 18                                 |
| -    | Loctite 243  | Threadlocking agent                                      |  |                 |                 |                                               |                                    |                                      |                 |                                    |

Note: Application of the shims depends on the backlash of the gears.  
The items marked with \* are used at every second snapping unit from the right in case of 20" and 22" machines!



| Ref. | Part number  | Description                                       |             | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3008F<br>C3008CF<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012<br>C3012C<br>C3012F<br>C3012CF<br>C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|--------------|---------------------------------------------------|-------------|-----------------|-----------------|---------------------------------------------------------|------------------------------------|---------------------------------------------------------|-----------------|------------------------------------|
| 57.  | 1.377.782    | Switch assy.                                      |             | 6               | 8               | 8                                                       | 12                                 | 12                                                      | 16              | 18                                 |
| -    | Loctite 5910 | RTV silicone                                      |             |                 |                 |                                                         |                                    |                                                         |                 |                                    |
| 58.  | 05200200024  | Copper washer - 20X24X1.5 - DIN7603               |             | 6               | 8               | 8                                                       | 12                                 | 12                                                      | 16              | 18                                 |
| 59.  | 1.378.697    | Wrench                                            |             | 1               | 1               | 1                                                       | 1                                  | 1                                                       | 1               | 1                                  |
| 60.  | 1.379.298    | Gasket                                            | 2013 -2016. | 6               | 8               | 8                                                       | 12                                 | 12                                                      | 16              | 18                                 |
| 61.  | 1.379.465    | Chopper gearbox assy.                             |             | 6               | 8               | 8                                                       | 12                                 | 12                                                      | 16              | 18                                 |
| 62.  | 71656072030  | Shim - 56x72x0.3                                  | 2018->      | 6               | 7               | 8                                                       | 12                                 | 12                                                      | 16              | 18                                 |
| -    | 1.377.762    | Stalk chopper assy. (items 17, 18, 19, 20 and 61) |             | 6               | 4               | 8                                                       | 6                                  | 12                                                      | 16              | 9                                  |
| *-   | 1.379.707    | Stalk chopper assy. (items 17, 18, 19, 20 and 61) |             | -               | 4               | -                                                       | 6                                  | -                                                       | -               | 9                                  |

Note: Application of the shims depends on the backlash of the gears.  
The items marked with \* are used at every second snapping unit from the right in case of 20" and 22" machines!



6R 76.2cm\*

6R 70-76.2cm



8R 70cm

8R 76.2cm\*

8R 76.2cm

8R 96.5cm\*

8R 96.5cm
















12R 70cm

12R 76.2cm

12R 76.2cm\*



| Ref. | Part number | Description                                       |            | C3006 | C3006C | C3008 | C3008C | C3808 | C3808C | C3012 | C3012C |
|------|-------------|---------------------------------------------------|------------|-------|--------|-------|--------|-------|--------|-------|--------|
| 5.   | 1.376.517   | Hexagonal shaft - (L=548)                         |            | 1     | 1      | 1     | 1      | -     | -      | -     | -      |
| 6.   | 1.376.502   | Hexagonal shaft - (L=1220)                        |            | -     | 2      | -     | -      | -     | -      | 2     | 4      |
| 7.   | 1.376.503   | Hexagonal shaft - (L=480)                         |            | 1     | 1      | 1     | 3      | 2     | 2      | 2     | 2      |
| 8.   | 1.376.504   | Hexagonal shaft - (L=1582)                        |            | -     | -      | 2     | 2      | 2     | 2      | -     | -      |
| 9.   | 1.376.505   | Hexagonal shaft - (L=340)                         |            | -     | -      | -     | -      | -     | -      | -     | -      |
| 10.  | 1.376.501   | Hexagonal shaft - (L=1214)                        |            | -     | -      | -     | -      | -     | -      | 2     | 2      |
| 11.  | 1.376.490   | Spacer - (l=15)                                   |            | 6     | 6      | 8     | 8      | 5     | 6      | 8     | 8      |
| 12.  | 1.351.164   | Clamp - half piece only                           |            | 4     | 4      | 4     | 4      | -     | -      | -     | -      |
| 13.  | 72210000060 | Spring washer - M10 - DIN128/A                    |            | 12    | 12     | 16    | 16     | 10    | 12     | 24    | 24     |
| 14.  | 80210004066 | Hex socket head bolt - M10X40 - DIN912            |            | 12    | 12     | 16    | 16     | 10    | 12     | 24    | 24     |
| 15.  | 1.354.663   | Sprocket - 14T                                    |            | 4     | 4      | 8     | 8      | 12    | 12     | 12    | 12     |
| 16.  | 80108001266 | Set screw - M8X12 - DIN916                        |            | 4     | 4      | 8     | 8      | 12    | 12     | 12    | 12     |
| 17.  | 1.354.660   | Disk                                              |            | 2     | 2      | 4     | 4      | 6     | 6      | 6     | 6      |
| 18.  | 1.355.403   | Duplex chain t=1"                                 |            | 2     | 2      | 4     | 4      | 6     | 6      | 6     | 6      |
| 19.  | 84501000032 | Connecting link t=1"                              |            | 2     | 2      | 4     | 4      | 6     | 6      | 6     | 6      |
| 20.  | 1.355.909   | Clamp - half piece only                           |            | 8     | 8      | 12    | 12     | 10    | 12     | 20    | 20     |
| 22.  | 1.379.071   | Hexagonal shaft - (L=1636)                        |            | -     | -      | 1     | -      | -     | -      | -     | -      |
| 23.  | 1.378.400   | Hexagonal shaft - (L=1560)                        |            | -     | -      | -     | -      | -     | -      | 2     | -      |
| 24.  | 1.379.706   | Hexagonal shaft - (L=1826)                        | 2014->     | 1     | -      | -     | -      | -     | -      | -     | -      |
| 25.  | 1.377.809   | Hexagonal shaft - (L=1350)                        | 2014->2015 | 1     | -      | -     | -      | -     | -      | -     | -      |
| 25.  | 1.373.890   | Hexagonal shaft - (L=1436)                        | 2016->     | 1     | -      | -     | -      | -     | -      | -     | -      |
| 26.  | 1.376.506   | Hexagonal shaft - (L=960)                         |            | -     | -      | -     | -      | -     | -      | -     | -      |
| 27.  | 1.377.810   | Hexagonal shaft - (L=1260)                        |            | -     | -      | -     | -      | -     | -      | -     | -      |
| 28.  | 1.377.813   | Hexagonal shaft - (L=588)                         |            | -     | -      | -     | -      | 2     | 2      | -     | -      |
| 29.  | 1.379.587   | Hexagonal shaft - (L=600)                         |            | -     | -      | -     | -      | -     | 2      | -     | -      |
| 30.  | 1.372.764   | Hexagonal shaft - (L=2047)                        |            | -     | -      | -     | -      | 1     | -      | -     | -      |
| -    | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |            |       |        |       |        |       |        |       |        |
| -    | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |            |       |        |       |        |       |        |       |        |
| -    | 1.378.838   | Snapping unit assy. - LH - (knife roll)           |            |       |        |       |        |       |        |       |        |
| -    | 1.378.839   | Snapping unit assy. - RH - (knife roll)           |            |       |        |       |        |       |        |       |        |

Note: item 1 includes items 11, 13, 14, 20  
item 2 includes items 11, 12, 13, 14  
item 3 includes items 15, 16, 17, 18, 19  
item 4 includes items 12, 13, 14  
item 21 includes items 13, 14, 20  
Models marked with \* are non chopper headers!



12R 50,8cm

12R 50,8cm\*




16R 70cm

16R 76.2cm


16R 76.2cm\*

| Ref. | Part number | Description                                       |  | C2208 | C2208C | C2012 | C2012C | C22212 | C2212C | C3016 | C3016C |
|------|-------------|---------------------------------------------------|--|-------|--------|-------|--------|--------|--------|-------|--------|
| 5.   | 1.376.502   | Hexagonal shaft - (L=1220)                        |  | -     | -      | -     | -      | -      | -      | 4     | 4      |
| 6.   | 1.376.503   | Hexagonal shaft - (L=480)                         |  | 1     | 1      | 1     | 1      | -      | -      | 2     | 2      |
| 7.   | 1.376.505   | Hexagonal shaft - (L=340)                         |  | -     | 2      | -     | 2      | -      | 2      | -     | -      |
| 8.   | 1.376.506   | Hexagonal shaft - (L=960)                         |  | -     | -      | 2     | 2      | -      | -      | -     | -      |
| 9.   | 1.376.517   | Hexagonal shaft - (L=548)                         |  | -     | -      | 1     | 1      | -      | -      | -     | -      |
| 10.  | 1.377.809   | Hexagonal shaft - (L=1350)                        |  | -     | -      | -     | -      | -      | -      | 1     | 1      |
| 11.  | 1.377.811   | Hexagonal shaft - (L=1360)                        |  | -     | -      | -     | -      | -      | -      | 2     | 2      |
| 12.  | 1.379.096   | Hexagonal shaft - (L=1385)                        |  | -     | -      | -     | -      | -      | -      | 1     | 1      |
| 13.  | 1.379.586   | Hexagonal shaft - (L=1093)                        |  | -     | -      | -     | -      | 2      | 2      | -     | -      |
| 14.  | 1.379.587   | Hexagonal shaft - (L=600)                         |  | -     | -      | -     | -      | 2      | 2      | -     | -      |
| 15.  | 1.379.588   | Hexagonal shaft - (L=1114)                        |  | 3     | 2      | -     | -      | 3      | 2      | -     | -      |
| 16.  | 1.379.589   | Hexagonal shaft - (L=1030)                        |  | -     | -      | 2     | 2      | -      | -      | -     | -      |
| 17.  | 1.376.490   | Spacer - (l=15)                                   |  | 8     | 8      | 12    | 12     | 10     | 10     | 12    | 12     |
| 18.  | 1.351.164   | Clamp - half piece only                           |  | -     | -      | 4     | 4      | -      | -      | -     | -      |
| 19.  | 72210000060 | Spring washer - M10 - DIN128/A                    |  | 16    | 16     | 24    | 24     | 20     | 20     | 28    | 28     |
| 20.  | 80210004066 | Hex socket head bolt - M10X40 - DIN912            |  | 16    | 16     | 24    | 24     | 20     | 20     | 28    | 28     |
| 22.  | 1.354.663   | Sprocket - 14T                                    |  | 8     | 8      | 12    | 12     | 12     | 12     | 16    | 16     |
| 22.  | 1.376.519   | Sprocket                                          |  | -     | -      | -     | -      | -      | -      | -     | -      |
| 23.  | 80108001266 | Set screw - M8X12 - DIN916                        |  | 8     | 8      | 12    | 12     | 12     | 12     | 16    | 16     |
| 24.  | 1.354.660   | Disk                                              |  | 4     | 4      | 6     | 6      | 6      | 6      | 8     | 8      |
| 25.  | 1.355.403   | Duplex chain t=1"                                 |  | 4     | 4      | 6     | 6      | 6      | 6      | 8     | 8      |
| 26.  | 84501000032 | Connecting link t=1"                              |  | 4     | 4      | 6     | 6      | 6      | 6      | 8     | 8      |
| 27.  | 1.355.909   | Clamp - half piece only                           |  | 16    | 16     | 20    | 20     | 20     | 20     | 28    | 28     |
| 28.  | 1.378.399   | Hexagonal shaft - (L=579)                         |  | 1     | 1      | -     | -      | -      | -      | -     | -      |
| 29.  | 1.377.125   | Hexagonal shaft - (L=1065)                        |  | -     | -      | 1     | -      | -      | -      | -     | -      |
| -    | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |  |       |        |       |        |        |        |       |        |
| -    | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |  |       |        |       |        |        |        |       |        |
| -    | 1.378.838   | Snapping unit assy. - LH - (knife roll)           |  |       |        |       |        |        |        |       |        |
| -    | 1.378.839   | Snapping unit assy. - RH - (knife roll)           |  |       |        |       |        |        |        |       |        |
| -    | 1.379.711   | Snapping unit assy. - LH - (knife roll) + Chopper |  |       |        |       |        |        |        |       |        |
| -    | 1.379.712   | Snapping unit assy. - RH - (knife roll) + Chopper |  |       |        |       |        |        |        |       |        |


Note: item 1 includes items 17, 19, 20, 27  
item 2 includes items 17, 18, 19, 20  
item 3 includes items 22, 23, 24, 25, 26  
item 4 includes items 18, 19, 20  
item 21 includes items 19, 20, 27  
Models marked with \* are non chopper headers!




1.377.814 1.379.712 1.377.815 1.379.711 1.377.815 1.379.712 1.377.815 1.379.712 1.377.815




1.378.838 1.378.839 1.378.839 1.378.838 1.378.839 1.378.839 1.378.839 1.378.839 1.378.839




1.377.814 1.379.712 1.377.814 1.379.712 1.377.815 1.379.711 1.377.814 1.379.712 1.377.815




1.378.838 1.378.839 1.378.838 1.378.839 1.378.839 1.378.838 1.378.838 1.378.839 1.378.839




1.377.814 1.377.814 1.377.814 1.377.814 1.377.814 1.377.815




1.378.838 1.378.838 1.378.838 1.378.838 1.378.838 1.378.839




1.379.711 1.377.814 1.379.711 1.377.814 1.379.711 1.377.815 1.379.711 1.377.814 1.379.712




1.378.838 1.378.838 1.378.838 1.378.838 1.378.838 1.378.839 1.378.838 1.378.838 1.378.839




1.379.711 1.377.814 1.379.712 1.377.815 1.379.711 1.377.814 1.379.712 1.377.814 1.379.712



1.378.838 1.378.838 1.378.839 1.378.839 1.378.838 1.378.838 1.378.839 1.378.838 1.378.839



1.377.814 1.377.815 1.377.815 1.377.815 1.377.815 1.377.815



1.378.838 1.378.839 1.378.839 1.378.839 1.378.839 1.378.839

18R 50,8cm






18R 50,8cm\*

18R 55,8cm

18R 55,8cm\*



12R 96,5cm

12R 96,5cm\*




























| Ref. | Part number | Description                                       |  | C2018 | C2018C | C2218 | C2218C | C3812 | C3812C |
|------|-------------|---------------------------------------------------|--|-------|--------|-------|--------|-------|--------|
| 6.   | 1.376.517   | Hexagonal shaft - (L=548)                         |  | 1     | 1      | -     | -      | -     | -      |
| 7.   | 1.371.430   | Hexagonal shaft - (L=907)                         |  | 2     | 2      | -     | -      | -     | -      |
| 8.   | 1.379.587   | Hexagonal shaft - (L=600)                         |  | 2     | 2      | 2     | 2      | -     | 2      |
| 9.   | 1.376.506   | Hexagonal shaft - (L=960)                         |  | 2     | 2      | -     | -      | -     | -      |
| 10.  | 1.379.589   | Hexagonal shaft - (L=1030)                        |  | 2     | 2      | -     | -      | -     | -      |
| 11.  | 1.376.505   | Hexagonal shaft - (L=340)                         |  | 2     | 2      | 2     | 2      | -     | -      |
| 12.  | 1.379.586   | Hexagonal shaft - (L=1093)                        |  | -     | -      | 2     | 2      | -     | -      |
| 13.  | 1.371.418   | Hexagonal shaft - (L=1668)                        |  | -     | -      | 2     | 2      | -     | -      |
| 14.  | 1.379.588   | Hexagonal shaft - (L=1114)                        |  | -     | -      | 2     | 2      | -     | -      |
| 15.  | 1.377.813   | Hexagonal shaft - (L=588)                         |  | 1     | 1      | -     | -      | 2     | 2      |
| 16.  | 1.371.383   | Hexagonal shaft - (L=1922)                        |  | -     | -      | -     | -      | 2     | 2      |
| 17.  | 1.376.490   | Spacer - (l=15)                                   |  | 18    | 18     | 16    | 16     | 5     | 6      |
| 18.  | 1.351.164   | Clamp - half piece only                           |  | 4     | 4      | -     | -      | -     | -      |
| 19.  | 72210000060 | Spring washer - M10 - DIN128/A                    |  | 36    | 36     | 32    | 32     | 18    | 20     |
| 20.  | 80210004066 | Hex socket head bolt - M10X40 - DIN912            |  | 36    | 36     | 32    | 32     | 18    | 20     |
| 21.  | 1.372.764   | Hexagonal shaft - (L=2047)                        |  | -     | -      | -     | -      | 1     | -      |
| 22.  | 1.354.663   | Sprocket - 14T                                    |  | 20    | 20     | 16    | 16     | 16    | 16     |
| 22.  | 1.376.519   | Sprocket                                          |  | -     | -      |       |        |       |        |
| 23.  | 80108001266 | Set screw - M8X12 - DIN916                        |  | 20    | 20     | 16    | 16     | 16    | 16     |
| 24.  | 1.354.660   | Disk                                              |  | 10    | 10     | 8     | 8      | 8     | 8      |
| 25.  | 1.355.403   | Duplex chain t=1"                                 |  | 10    | 10     | 8     | 8      | 8     | 8      |
| 26.  | 84501000032 | Connecting link t=1"                              |  | 10    | 10     | 8     | 8      | 8     | 8      |
| 27.  | 1.355.909   | Clamp - half piece only                           |  | 32    | 32     | 32    | 32     | 18    | 20     |
| 28.  | 1.376.503   | Hexagonal shaft - (L=480)                         |  | -     | -      | -     | -      | 2     | 2      |
| 29.  | 1.376.504   | Hexagonal shaft - (L=1582)                        |  | -     | -      | -     | -      | 2     | 2      |
| -    | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |  |       |        |       |        |       |        |
| -    | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |  |       |        |       |        |       |        |
| -    | 1.378.838   | Snapping unit assy. - LH - (knife roll)           |  |       |        |       |        |       |        |
| -    | 1.378.839   | Snapping unit assy. - RH - (knife roll)           |  |       |        |       |        |       |        |
| -    | 1.379.711   | Snapping unit assy. - LH - (knife roll) + Chopper |  |       |        |       |        |       |        |
| -    | 1.379.712   | Snapping unit assy. - RH - (knife roll) + Chopper |  |       |        |       |        |       |        |

Note: item 1 includes items 17, 19, 20, 27  
item 2 includes items 17, 18, 19, 20  
item 3 includes items 22, 23, 24, 25, 26  
item 4 includes items 18, 19, 20  
item 5 includes items 19, 20, 27  
Models marked with \* are non chopper headers!



Lásd 9. o. 58-68 tételek  
See pg. 9 items 58-68



4+2R 70 cm / INT

4+2R 76.2-80cm / INT

4+2R 70-76.2-80cm / EXT

4+2x2R-76.2-80 / INT

4+2x2R-70 / INT

4+2x2R-70-76.2 -80/ EXT

5+2x2R-76.2 / INT

6+2x3R  
70 / INT

6+2x3R  
76.2 / INT

44





| Ref. | Part number | Description                                       |           | C3008F<br>INT. | C3012F<br>INT. |
|------|-------------|---------------------------------------------------|-----------|----------------|----------------|
| 5.   | 1.376.562   | Spacer - (l=231)                                  |           | -              | -              |
| 5.   | 1.377.123   | Spacer - (l=169)                                  |           | -              | -              |
| 6.   | 1.377.812   | Hexagonal shaft - (L=588)                         | ->2021    | -              | -              |
| 6.   | 1.371.778   | Hexagonal shaft - (L=561)                         | 2022->    | -              | -              |
| 7.   | 1.376.516   | Hexagonal shaft - (L=223)                         |           | 2              | 2              |
| 8.   | 1.376.506   | Hexagonal shaft - (L=960)                         |           | 2              | -              |
| 9.   | 1.376.503   | Hexagonal shaft - (L=480)                         |           | -              | 2              |
| 9.   | 1.376.517   | Hexagonal shaft - (L=548)                         |           | -              | -              |
| 9.   | 1.377.813   | Hexagonal shaft - (L=588)                         |           | -              | -              |
| 9.   | 1.377.508   | Hexagonal shaft - (L=1720)                        |           | -              | -              |
| 10.  | 1.376.502   | Hexagonal shaft - (L=1220)                        |           | -              | -              |
| 10.  | 1.377.125   | Hexagonal shaft - (L=1065)                        |           | -              | -              |
| 10.  | 1.377.125   | Hexagonal shaft - (L=1065)                        | ->2014    | -              | -              |
| 11.  | 1.377.809   | Hexagonal shaft - (L=1350)                        |           | 1              | -              |
| 11.  | 1.372.319   | Hexagonal shaft - (L=1323)                        | 2022->    | 1              | -              |
| 11.  | 1.373.478   | Hexagonal shaft - (L=1288)                        | 2015-2021 | -              | -              |
| 11.  | 1.371.624   | Hexagonal shaft - (L=1261)                        | 2022->    | -              | -              |
| 12.  | 1.378.398   | Hexagonal shaft - (L=544)                         |           | -              | 1              |
| 13.  | 1.378.399   | Hexagonal shaft - (L=579)                         |           | -              | 1              |
| 14.  | 1.379.588   | Hexagonal shaft - (L=1114)                        |           | -              | -              |
| 14.  | 1.377.048   | Hexagonal shaft - (L=1320)                        |           | -              | 2              |
| 15.  | 1.377.808   | Clutch half                                       | ->2021    | 4              | 4              |
| 16.  | 1.377.806   | Inset                                             | ->2021    | 2              | 2              |
| 17.  | 71701000060 | External tab washer                               |           | 4              | 4              |
| 18.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8                    |           | 4              | 4              |
| 19.  | 71637047100 | Shim - 37X47X1 - DIN988                           |           | 10             | 10             |
| 20.  | 1.377.804   | Inset                                             | ->2021    | 2              | 2              |
| 21.  | 1.377.805   | Inset                                             | ->2021    | 2              | 2              |
| 22.  | 1.377.807   | Spacer - (l=44)                                   | ->2021    | 2              | 2              |
| 23.  | 1.351.215   | Spring                                            | ->2021    | 2              | 2              |
| 24.  | 1.351.163   | Washer                                            | ->2021    | 2              | 2              |
| 25.  | 1.351.164   | Clamp - half piece only                           |           | 4              | 4              |
| 26.  | 72210000060 | Spring washer - M10 - DIN128/A                    |           | 20             | 28             |
| 27.  | 80210004066 | Hex socket head bolt - M10X40 - DIN912            |           | 20             | 28             |
| 28.  | 1.376.519   | Sprocket                                          |           | 4              | 8              |
| 29.  | 80108001266 | Set screw - M8X12 - DIN916                        |           | 4              | 12             |
| 30.  | 1.354.660   | Disk                                              |           | 2              | 4              |
| 31.  | 1.355.403   | Duplex chain t=1"                                 |           | 2              | 4              |
| 32.  | 84501000032 | Connecting link t=1"                              |           | 2              | 4              |
| 33.  | 1.376.490   | Spacer - (l=15)                                   |           | 10             | 14             |
| 34.  | 1.355.909   | Clamp - half piece only                           |           | 16             | 24             |
| 35.  | 1.377.676   | Spacer - (l=5)                                    |           | -              | -              |
| 35.  | 1.377.676   | Spacer - (l=5)                                    | ->2014    | -              | -              |
| 37.  | 1.377.810   | Hexagonal shaft - (L=1260)                        |           | 1              | -              |
| 38.  | 1.373.890   | Hexagonal shaft - (L=1436)                        | ->2021    | -              | -              |
| 38.  | 1.371.782   | Hexagonal shaft - (L=1409)                        | 2022->    | -              | -              |
| 38.  | 1.378.400   | Hexagonal shaft - (L=1560)                        | ->2021    | -              | 2              |
| 38.  | 1.371.781   | Hexagonal shaft - (L=1533)                        | 2022->    | -              | 2              |
| 39.  | 1.378.897   | Hub cpl.                                          |           | -              | 4              |
| 40.  | 1.378.896   | Disk                                              |           | -              | 2              |
| 41.  | 1.300.200   | Chain & connecting link                           |           | -              | 2              |
| 42.  | 84503400010 | Connecting link t=3/4"                            |           | -              | 2              |
| 45.  | 1.372.278   | Clutch assy.                                      | 2022->    | 2              | 2              |
| 46.  | 1.372.316   | Inset l.                                          | 2022->    | 2              | 2              |
| 47.  | 1.372.317   | Inset                                             | 2022->    | 2              | 2              |
| 48.  | 1.372.318   | Spacer                                            | 2022->    | 2              | 2              |
| -    | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |           |                |                |
| -    | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |           |                |                |







Note:
item 1 includes items
item 2 includes items
item 3 includes items
item 4 includes items

15-24 (1.378.427)
25-27
28-32
26, 27, 33, 34

item 36 includes items 26, 27, 34, 35
item 43 includes items 29, 39-42
item 44 includes items 17-19, 33, 45-48



Lásd 9. o. 58-68 tételek  
See pg. 9 items 58-68




4+2x2R-76.2 Special Gleaner/ INT




| Ref. | Part number | Description                                       |  | C3008F |
|------|-------------|---------------------------------------------------|--|--------|
| 5.   | 1.376.562   | Spacer - (l=231)                                  |  | 1      |
| 6.   | 1.379.419   | Hexagonal shaft - (L=1700)                        |  | 1      |
| 7.   | 1.376.516   | Hexagonal shaft - (L=223)                         |  | 1      |
| 8.   | 1.372.934   | Hexagonal shaft - (L=1523)                        |  | 1      |
| 9.   | 1.377.809   | Hexagonal shaft - (L=1350)                        |  | 1      |
| 10.  | 1.377.810   | Hexagonal shaft - (L=1260)                        |  | 1      |
| 15.  | 1.377.808   | Clutch half                                       |  | 4      |
| 16.  | 1.377.806   | Inset                                             |  | 2      |
| 17.  | 71701000060 | External tab washer                               |  | 4      |
| 18.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8                    |  | 4      |
| 19.  | 71637047100 | Shim - 37X47X1 - DIN988                           |  | 10     |
| 20.  | 1.377.804   | Inset                                             |  | 2      |
| 21.  | 1.377.805   | Inset                                             |  | 2      |
| 22.  | 1.377.807   | Spacer - (l=44)                                   |  | 2      |
| 23.  | 1.351.215   | Spring                                            |  | 2      |
| 24.  | 1.351.163   | Washer                                            |  | 2      |
| 25.  | 1.351.164   | Clamp - half piece only                           |  | 2      |
| 26.  | 72210000060 | Spring washer - M10 - DIN128/A                    |  | 20     |
| 27.  | 80210004066 | Hex socket head bolt - M10X40 - DIN912            |  | 20     |
| 28.  | 1.376.519   | Sprocket                                          |  | 2      |
| 29.  | 80108001266 | Set screw - M8X12 - DIN916                        |  | 2      |
| 30.  | 1.354.660   | Disk                                              |  | 1      |
| 31.  | 1.355.403   | Duplex chain t=1"                                 |  | 1      |
| 32.  | 84501000032 | Connecting link t=1"                              |  | 1      |
| 33.  | 1.376.490   | Spacer - (l=15)                                   |  | 8      |
| 34.  | 1.355.909   | Clamp - half piece only                           |  | 16     |
| -    | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |  |        |
| -    | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |  |        |

Note: item 1 includes items 15-24 (1.378.427)  
item 2 includes items 25-27  
item 3 includes items 28-32  
item 4 includes items 26, 27, 33, 34




| Ref. | Part number | Description                   |        | C3006<br>C3006C | C3008<br>C3008C | C3808<br>C3808C | C3012<br>C3012C |
|------|-------------|-------------------------------|--------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.377.364   | Bracket - LH                  | ->2015 | 1               | 1               | 1               | 1               |
| 2.   | 1.377.365   | Bracket - RH                  | ->2015 | 1               | 1               | 1               | 1               |
| 3.   | 91623938761 | Spring washer - 8X18 M8 - A8  |        | 124             | 168             | 156             | 257             |
| 4.   | 79408002066 | Hex bolt - M8X20 - DIN933/8.8 |        | 81              | 107             | 98              | 164             |
| 5.   | 1.378.296   | Shield - back - (I=536)       | ->2015 | 1               | 1               | -               | 1               |
| 5.   | 1.378.972   | Shield - back - (I=1572)      | 2016-> | 1               | 1               | -               | 1               |
| 5.   | 1.372.767   | Shield - back - (I=1808)      |        | -               | -               | 1               | -               |
| 6.   | 1.378.297   | Shield - back - (I=635)       | ->2015 | 1               | 1               | -               | 1               |
| 7.   | 1.378.298   | Shield - back - (I=627)       | ->2015 | 1               | 1               | -               | 1               |
| 8.   | 1.378.360   | Shield - back - (I=934)       | ->2015 | -               | -               | -               | -               |
| 8.   | 1.373.157   | Shield - back - (I=1197)      | 2016-> | -               | -               | -               | -               |
| 8.   | 1.378.299   | Shield - back - (I=1089)      | ->2015 | 1               | -               | -               | -               |
| 8.   | 1.379.423   | Shield - back - (I=1352)      | 2016-> | 1               | -               | -               | -               |
| 8.   | 1.378.301   | Shield - back - (I=1143)      | ->2015 | -               | 1               | -               | -               |
| 8.   | 1.373.169   | Shield - back - (I=1897)      | 2016-> | -               | -               | -               | -               |
| 8.   | 1.379.748   | Shield - back - (I=2114)      | 2016-> | -               | 1               | -               | -               |
| 9.   | 1.378.361   | Shield - back - (I=977)       | ->2015 | -               | -               | -               | -               |
| 9.   | 1.373.158   | Shield - back - (I=1232)      | 2016-> | -               | -               | -               | -               |
| 9.   | 1.378.300   | Shield - back - (I=1132)      | ->2015 | 1               | -               | -               | -               |
| 9.   | 1.379.424   | Shield - back - (I=1387)      | 2016-> | 1               | -               | -               | -               |
| 9.   | 1.378.302   | Shield - back - (I=1151)      | ->2015 | -               | 1               | -               | -               |
| 9.   | 1.373.170   | Shield - back - (I=1932)      | 2016-> | -               | -               | -               | -               |
| 9.   | 1.379.749   | Shield - back - (I=2149)      | 2016-> | -               | 1               | -               | -               |
| 10.  | 1.378.307   | Shield - back - (I=837)       | ->2015 | -               | -               | -               | 1               |
| 10.  | 1.378.969   | Shield - back - (I=1427)      | 2016-> | -               | -               | -               | 1               |
| 10.  | 1.378.799   | Shield - back - (I=588)       | ->2015 | -               | -               | -               | -               |
| 10.  | 1.373.139   | Shield - back - (I=2062)      | 2016-> | -               | -               | -               | -               |
| 10.  | 1.372.768   | Shield - back - (I=2017)      |        | -               | -               | 1               | -               |
| 11.  | 1.378.308   | Shield - back - (I=877)       | ->2015 | -               | -               | -               | 1               |
| 11.  | 1.378.975   | Shield - back - (I=1427)      | 2016-> | -               | -               | -               | 1               |
| 11.  | 1.378.791   | Shield - back - (I=623)       | ->2015 | -               | -               | -               | -               |
| 11.  | 1.373.141   | Shield - back - (I=2097)      | 2016-> | -               | -               | -               | -               |
| 11.  | 1.372.769   | Shield - back - (I=2017)      |        | -               | -               | 1               | -               |
| 12.  | 1.378.305   | Shield - back - (I=644)       | ->2015 | -               | 1               | -               | 1               |
| 12.  | 1.378.964   | Shield - back - (I=882)       | 2016-> | -               | -               | -               | 1               |
| 12.  | 1.378.800   | Shield - back - (I=556)       | ->2015 | -               | -               | -               | -               |
| 12.  | 1.373.140   | Shield - back - (I=1232)      | 2016-> | -               | -               | -               | -               |
| 12.  | 1.372.770   | Shield - back - (I=679)       |        | -               | -               | 1               | -               |
| 13.  | 1.378.306   | Shield - back - (I=679)       | ->2015 | -               | 1               | -               | -               |
| 13.  | 1.378.305   | Shield - back - (I=644)       | ->2015 | -               | -               | -               | 1               |
| 13.  | 1.378.970   | Shield - back - (I=882)       | 2016-> | -               | -               | -               | 1               |
| 13.  | 1.378.793   | Shield - back - (I=521)       | ->2015 | -               | -               | -               | -               |
| 13.  | 1.373.142   | Shield - back - (I=1232)      | 2016-> | -               | -               | -               | -               |
| 13.  | 1.372.771   | Shield - back - (I=714)       |        | -               | -               | 1               | -               |
| 14.  | 1.378.303   | Shield - back - (I=427)       | ->2015 | -               | -               | -               | -               |
| 14.  | 1.378.309   | Shield - back - (I=597)       | ->2015 | -               | -               | -               | 1               |
| 14.  | 1.378.963   | Shield - back - (I=1324)      | 2016-> | -               | -               | -               | 1               |
| 14.  | 1.378.802   | Shield - back - (I=595)       | ->2015 | -               | -               | -               | -               |
| 15.  | 1.378.304   | Shield - back - (I=462)       | ->2015 | -               | -               | -               | -               |
| 15.  | 1.378.310   | Shield - back - (I=592)       | ->2015 | -               | -               | -               | 1               |
| 15.  | 1.378.971   | Shield - back - (I=1359)      | 2016-> | -               | -               | -               | 1               |
| 15.  | 1.378.796   | Shield - back - (I=628)       | ->2015 | -               | -               | -               | -               |
| 16.  | 1.377.341   | Shield - bottom - (I=1758)    | ->2015 | -               | -               | -               | -               |
| 16.  | 1.373.143   | Shield - bottom - (I=1577)    | 2016-> | -               | -               | -               | -               |
| 16.  | 1.377.338   | Shield - bottom - (I=1758)    | ->2015 | 1               | 1               | -               | 1               |
| 16.  | 1.378.978   | Shield - bottom - (I=1577)    | 2016-> | 1               | 1               | -               | 1               |
| 16.  | 1.372.745   | Shield - bottom - (I=1813)    |        | -               | -               | 1               | -               |
| 17.  | 1.377.346   | Shield - bottom - (I=2205)    | ->2015 | -               | -               | -               | 1               |
| 17.  | 1.378.979   | Shield - bottom - (I=1423)    | 2016-> | -               | -               | -               | 1               |
| 17.  | 1.378.805   | Shield - bottom - (I=1959)    | ->2015 | -               | -               | -               | -               |
| 17.  | 1.373.146   | Shield - bottom - (I=1321)    | 2016-> | -               | -               | -               | -               |
| 17.  | 1.372.765   | Shield - bottom - (I=2719)    |        | -               | -               | 1               | -               |
| 18.  | 1.377.347   | Shield - bottom - (I=2253)    | ->2015 | -               | -               | -               | 1               |
| 18.  | 1.378.977   | Shield - bottom - (I=1427)    | 2016-> | -               | -               | -               | 1               |
| 18.  | 1.378.804   | Shield - bottom - (I=2002)    | ->2015 | -               | -               | -               | -               |
| 18.  | 1.373.144   | Shield - bottom - (I=1355)    | 2016-> | -               | -               | -               | -               |
| 18.  | 1.372.766   | Shield - bottom - (I=2757)    |        | -               | -               | 1               | -               |

Note: the items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxx16xxx




| Ref. | Part number | Description                               |        | C3006<br>C3006C | C3008<br>C3008C | C3808<br>C3808C | C3012<br>C3012C |
|------|-------------|-------------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|
| 19.  | 1.377.558   | Shield - bottom - (I=1116)                | ->2015 | -               | -               | -               | -               |
| 19.  | 1.373.156   | Shield - bottom - (I=1209)                | 2016-> | -               | -               | -               | -               |
| 19.  | 1.377.339   | Shield - bottom - (I=1271)                | ->2015 | 1               | -               | -               | -               |
| 19.  | 1.379.422   | Shield - bottom - (I=1364)                | 2016-> | 1               | -               | -               | -               |
| 19.  | 1.377.342   | Shield - bottom - (I=1816)                | ->2015 | -               | -               | -               | -               |
| 19.  | 1.373.168   | Shield - bottom - (I=1909)                | 2016-> | -               | -               | -               | -               |
| 19.  | 1.377.344   | Shield - bottom - (I=2033)                | ->2015 | -               | 1               | -               | -               |
| 19.  | 1.379.750   | Shield - bottom - (I=2126)                | 2016-> | -               | 1               | -               | -               |
| 19.  | 1.377.348   | Shield - bottom - (I=1350)                | ->2015 | -               | -               | -               | 1               |
| 19.  | 1.378.980   | Shield - bottom - (I=2225)                | 2016-> | -               | -               | -               | 1               |
| 19.  | 1.378.806   | Shield - bottom - (I=1255)                | ->2015 | -               | -               | -               | -               |
| 19.  | 1.373.147   | Shield - bottom - (I=1986)                | 2016-> | -               | -               | -               | -               |
| 20.  | 1.377.559   | Shield - bottom - (I=1159)                | ->2015 | -               | -               | -               | -               |
| 20.  | 1.373.155   | Shield - bottom - (I=1247)                | 2016-> | -               | -               | -               | -               |
| 20.  | 1.377.340   | Shield - bottom - (I=1314)                | ->2015 | 1               | -               | -               | -               |
| 20.  | 1.379.421   | Shield - bottom - (I=1402)                | 2016-> | 1               | -               | -               | -               |
| 20.  | 1.377.343   | Shield - bottom - (I=1859)                | ->2015 | -               | -               | -               | -               |
| 20.  | 1.373.167   | Shield - bottom - (I=1947)                | 2016-> | -               | -               | -               | -               |
| 20.  | 1.377.345   | Shield - bottom - (I=2076)                | ->2015 | -               | 1               | -               | -               |
| 20.  | 1.379.751   | Shield - bottom - (I=2164)                | 2016-> | -               | 1               | -               | -               |
| 20.  | 1.377.349   | Shield - bottom - (I=1345)                | ->2015 | -               | -               | -               | 1               |
| 20.  | 1.378.976   | Shield - bottom - (I=2259)                | 2016-> | -               | -               | -               | 1               |
| 20.  | 1.378.807   | Shield - bottom - (I=1255)                | ->2015 | -               | -               | -               | -               |
| 20.  | 1.373.145   | Shield - bottom - (I=1990)                | 2016-> | -               | -               | -               | -               |
| 21.  | 1.377.362   | Stiffener - LH                            | ->2015 | 2               | 4               | 4               | 6               |
| 21.  | 1.377.363   | Stiffener - RH                            | ->2015 | 2               | 4               | 4               | 6               |
| 21.  | 1.378.973   | Bracket - LH                              | 2016-> | 2               | 3               | 2               | 4               |
| 21.  | 1.378.974   | Bracket - RH                              | 2016-> | 2               | 3               | 2               | 4               |
| *22. | 1.376.131   | Rubber plate                              |        | 20              | 28              | 36              | 44              |
| *23. | 1.376.127   | Flat                                      |        | 20              | 28              | 36              | 44              |
| *24. | 79408003566 | Hex bolt - M8X35 - DIN933/8.8             |        | 19              | 27              | 35              | 43              |
| *25. | 74900800066 | Lock nut - plastic insert - M8 - DIN982/8 |        | 21              | 29              | 35              | 45              |
| *26. | 79408002566 | Hex head screw - M8X25 - DIN933/8.8       |        | 2               | 2               | 2               | 2               |
| *27. | 1.376.599   | Stiffener                                 |        | 1               | 1               | 1               | 1               |
| 28.  | 73508000066 | Hex nut - M8 - DIN934                     |        | 53              | 71              | 76              | 105             |
| *29. | 1.379.099   | Knife-shield                              |        | 1               | 1               | 1               | 1               |
| *30. | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10      |        | 6               | 6               | 6               | 6               |
| *31. | 79410002066 | Hex bolt - M10X20 - DIN933/8.8            |        | 6               | 6               | 6               | 6               |
| *32. | 1.376.600   | Side-shield                               |        | 1               | 1               | 1               | 1               |
| 33.  | 1.377.372   | Shim                                      |        | 2               | 2               | 2               | 2               |
| 34.  | 1.377.864   | Stiffener plate - (I=536)                 |        | 1               | 1               | -               | 1               |
| 35.  | 1.377.865   | Stiffener plate - (I=608)                 |        | 1               | 1               | -               | 1               |
| 36.  | 1.377.866   | Stiffener plate - (I=600)                 |        | 1               | 1               | -               | 1               |
| 37.  | 1.377.871   | Stiffener plate - (I=1143)                |        | -               | 1               | -               | -               |
| 37.  | 1.378.764   | Stiffener plate - (I=1175)                |        | -               | -               | -               | 1               |
| 37.  | 1.377.869   | Stiffener plate - (I=1120)                |        | -               | -               | -               | -               |
| 37.  | 1.377.867   | Stiffener plate - (I=1275)                |        | 1               | -               | -               | -               |
| 38.  | 1.377.872   | Stiffener plate - (I=1151)                |        | -               | 1               | -               | -               |
| 38.  | 1.378.765   | Stiffener plate - (I=1183)                |        | -               | -               | -               | 1               |
| 38.  | 1.377.870   | Stiffener plate - (I=1163)                |        | -               | -               | -               | -               |
| 38.  | 1.377.868   | Stiffener plate - (I=1318)                |        | 1               | -               | -               | -               |
| 39.  | 1.377.877   | Stiffener plate - (I=774)                 |        | -               | -               | -               | 1               |
| 39.  | 1.378.798   | Stiffener plate - (I=1023)                |        | -               | -               | -               | -               |
| 40.  | 1.377.878   | Stiffener plate - (I=1063)                |        | -               | -               | -               | 1               |
| 40.  | 1.378.792   | Stiffener plate - (I=809)                 |        | -               | -               | -               | -               |
| 41.  | 1.377.875   | Stiffener plate - (I=644)                 |        | -               | -               | -               | 1               |
| 41.  | 1.377.876   | Stiffener plate - (I=865)                 |        | -               | 1               | -               | -               |
| 41.  | 1.378.801   | Stiffener plate - (I=556)                 |        | -               | -               | -               | -               |
| 42.  | 1.377.875   | Stiffener plate - (I=644)                 |        | -               | -               | -               | 1               |
| 42.  | 1.378.060   | Stiffener plate - (I=830)                 |        | -               | 1               | -               | -               |
| 42.  | 1.378.795   | Stiffener plate - (I=521)                 |        | -               | -               | -               | -               |
| 43.  | 1.377.879   | Stiffener plate - (I=597)                 |        | -               | -               | -               | 1               |
| 43.  | 1.377.873   | Stiffener plate - (I=613)                 |        | -               | -               | -               | -               |
| 43.  | 1.378.803   | Stiffener plate - (I=595)                 |        | -               | -               | -               | -               |
| 44.  | 1.377.880   | Stiffener plate - (I=592)                 |        | -               | -               | -               | 1               |
| 44.  | 1.377.874   | Stiffener plate - (I=648)                 |        | -               | -               | -               | -               |
| 44.  | 1.378.797   | Stiffener plate - (I=628)                 |        | -               | -               | -               | -               |

Note: the items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxxx16xxx




| Ref.  | Part number | Description               |            | C3006<br>C3006C | C3008<br>C3008C | C3808<br>C3808C | C3012<br>C3012C |
|-------|-------------|---------------------------|------------|-----------------|-----------------|-----------------|-----------------|
| 45.   | 1.378.340   | Shield - back - (l=520)   |            | -               | -               | -               | 1               |
| 46.   | 1.378.751   | Stiffener plate - (l=621) |            | -               | -               | -               | 1               |
| 47.   | 1.378.341   | Shield - back - (l=527.5) |            | -               | -               | -               | 1               |
| 48.   | 1.378.752   | Stiffener plate - (l=621) |            | -               | -               | -               | 1               |
| *49.  | 1.379.534   | Deflector plate           | 2014-2020. | 5               | 7               | 7               | 11              |
| *49.  | 1.371.013   | Deflector plate           | 2021->     | 5               | 7               | 7               | 11              |
| **50. | 1.379.708   | Shield                    | 2015->     | 1               | 1               | 1               | 1               |
| **51. | 1.373.619   | Shield - back             | 2016->     | 1               | 1               | -               | -               |
| **51. | 1.372.684   | Shield                    |            | -               | -               | 1               | 1               |
| **52. | 1.372.937   | Shield                    | 2020->     | 1               | 1               | 1               | 1               |

Note: the items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxx16xxx




| Ref. | Part number | Description                   |  | C2208<br>C2208C | C2012<br>C2012C | C2212<br>C2212C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|-------------------------------|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.378.973   | Bracket - LH                  |  | 2               | 3               | 2               | 4               | 5               | 5               | 5               |
| 2.   | 1.378.974   | Bracket - RH                  |  | 2               | 3               | 2               | 4               | 5               | 3               | 3               |
| 3.   | 91623938761 | Spring washer - 8X18 M8 - A8  |  | 130             | 164             | 174             | 173             | 277             | 256             | 246             |
| 4.   | 79408002066 | Hex bolt - M8X20 - DIN933/8.8 |  | 78              | 96              | 104             | 153             | 172             | 152             | 144             |
| 5.   | 1.378.972   | Shield - back - (I=1572)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 5.   | 1.379.644   | Shield - back - (I=1397)      |  | -               | 1               | -               | -               | -               | 1               | -               |
| 5.   | 1.379.590   | Shield - back - (I=1498)      |  | 1               | -               | 1               | -               | -               | -               | 1               |
| 5.   | 1.372.767   | Shield - back - (I=1808)      |  | -               | -               | -               | 1               | -               | -               | -               |
| 6.   | 1.378.969   | Shield - back - (I=1427)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 6.   | 1.379.645   | Shield - back - (I=2328)      |  | -               | 1               | -               | -               | -               | -               | -               |
| 6.   | 1.379.591   | Shield - back - (I=1483,5)    |  | 1               | -               | 1               | -               | -               | -               | -               |
| 6.   | 1.373.113   | Shield - back - (I=1312)      |  | -               | -               | -               | -               | -               | -               | -               |
| 7.   | 1.378.975   | Shield - back - (I=1427)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 7.   | 1.379.646   | Shield - back - (I=2364)      |  | -               | 1               | -               | -               | -               | -               | -               |
| 7.   | 1.379.592   | Shield - back - (I=1438,5)    |  | 1               | -               | 1               | -               | -               | -               | -               |
| 7.   | 1.373.114   | Shield - back - (I=1348)      |  | -               | -               | -               | -               | -               | -               | -               |
| 8.   | 1.378.970   | Shield - back - (I=882)       |  | -               | -               | -               | -               | 1               | -               | -               |
| 8.   | 1.379.594   | Shield - back - (I=1106)      |  | -               | -               | 1               | -               | -               | -               | -               |
| 8.   | 1.372.769   | Shield - back - (I=2017)      |  | -               | -               | -               | 1               | -               | -               | -               |
| 8.   | 1.371.528   | Shield - back - (I=2413,5)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 8.   | 1.379.592   | Shield - back - (I=1438,5)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 9.   | 1.378.964   | Shield - back - (I=882)       |  | -               | -               | -               | -               | 1               | -               | -               |
| 9.   | 1.379.593   | Shield - back - (I=1106)      |  | -               | -               | 1               | -               | -               | -               | -               |
| 9.   | 1.372.768   | Shield - back - (I=2017)      |  | -               | -               | -               | 1               | -               | -               | -               |
| 9.   | 1.371.527   | Shield - back - (I=2378)      |  | -               | -               | -               | -               | -               | 1               | -               |
| 9.   | 1.379.591   | Shield - back - (I=1483,5)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 10.  | 1.379.035   | Shield - back - (I=1434)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 11.  | 1.379.034   | Shield - back - (I=1399)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 12.  | 1.379.036   | Shield - back - (I=1447)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 12.  | 1.371.424   | Shield - back - (I=2644)      |  | -               | -               | -               | 1               | -               | -               | -               |
| 12.  | 1.371.526   | Shield - back - (I=1458,5)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 12.  | 1.371.460   | Shield - back - (I=2782,4)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 13.  | 1.379.037   | Shield - back - (I=1447)      |  | -               | -               | -               | -               | 1               | -               | -               |
| 13.  | 1.371.423   | Shield - back - (I=2609,4)    |  | -               | -               | -               | 1               | -               | -               | -               |
| 13.  | 1.371.525   | Shield - back - (I=1458,5)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 13.  | 1.371.459   | Shield - back - (I=2782,4)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 14.  | 1.378.978   | Shield - bottom - (I=1577)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 14.  | 1.379.647   | Shield - bottom - (I=1398)    |  | -               | 1               | -               | -               | -               | 1               | -               |
| 14.  | 1.379.595   | Shield - bottom - (I=1498)    |  | 1               | -               | 1               | -               | -               | -               | 1               |
| 14.  | 1.372.745   | Shield - bottom - (I=1813)    |  | -               | -               | -               | 1               | -               | -               | -               |
| 15.  | 1.378.979   | Shield - bottom - (I=1423)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 15.  | 1.379.648   | Shield - bottom - (I=2344)    |  | -               | 1               | -               | -               | -               | -               | -               |
| 15.  | 1.379.596   | Shield - bottom - (I=853)     |  | -               | -               | 1               | -               | -               | -               | -               |
| 15.  | 1.373.115   | Shield - bottom - (I=1328)    |  | -               | -               | -               | -               | -               | -               | -               |
| 15.  | 1.373.082   | Shield - bottom - (I=1496)    |  | 1               | -               | -               | -               | -               | -               | -               |
| 15.  | 1.371.529   | Shield - bottom - (I=1506,5)  |  | -               | -               | -               | -               | -               | 1               | -               |
| 16.  | 1.378.977   | Shield - bottom - (I=1427)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 16.  | 1.379.649   | Shield - bottom - (I=2379)    |  | -               | 1               | -               | -               | -               | -               | -               |
| 16.  | 1.379.597   | Shield - bottom - (I=793)     |  | -               | -               | 1               | -               | -               | -               | -               |
| 16.  | 1.373.116   | Shield - bottom - (I=1363)    |  | -               | -               | -               | -               | -               | -               | -               |
| 16.  | 1.373.083   | Shield - bottom - (I=1451)    |  | 1               | -               | -               | -               | -               | -               | -               |
| 16.  | 1.371.530   | Shield - bottom - (I=1502)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 17.  | 1.379.041   | Shield - bottom - (I=2301)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 17.  | 1.379.598   | Shield - bottom - (I=1758,5)  |  | -               | -               | 1               | -               | -               | -               | -               |
| 17.  | 1.371.428   | Shield - bottom - (I=2965)    |  | -               | -               | -               | 1               | -               | -               | -               |
| 17.  | 1.371.539   | Shield - bottom - (I=2360)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 17.  | 1.371.455   | Shield - bottom - (I=2256)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 18.  | 1.379.042   | Shield - bottom - (I=2343)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 18.  | 1.379.599   | Shield - bottom - (I=1773,5)  |  | -               | -               | 1               | -               | -               | -               | -               |
| 18.  | 1.371.427   | Shield - bottom - (I=2968)    |  | -               | -               | -               | 1               | -               | -               | -               |
| 18.  | 1.371.540   | Shield - bottom - (I=2399)    |  | -               | -               | -               | -               | -               | 1               | -               |
| 18.  | 1.371.456   | Shield - bottom - (I=2217)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 19.  | 1.371.426   | Shield - bottom - (I=1682,6)  |  | -               | -               | -               | 1               | -               | -               | -               |
| 19.  | 1.379.038   | Shield - bottom - (I=1446)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 19.  | 1.371.457   | Shield - bottom - (I=2032)    |  | -               | -               | -               | -               | -               | -               | 1               |
| 20.  | 1.379.043   | Shield - bottom - (I=1438)    |  | -               | -               | -               | -               | 1               | -               | -               |
| 20.  | 1.371.425   | Shield - bottom - (I=1718,6)  |  | -               | -               | -               | 1               | -               | -               | -               |

Note: The items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!




| Ref.  | Part number | Description                            |        | C2208<br>C2208C | C2012<br>C2012C | C2212<br>C2212C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|-------|-------------|----------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 20.   | 1.371.458   | Shield - bottom - (I=2026)             |        | -               | -               | -               | -               | -               | -               | 1               |
| *21.  | 1.376.131   | Rubber plate                           |        | 21              | 30              | 33              | 56              | 60              | 46              | 49              |
| *22.  | 1.376.127   | Flat                                   |        | 21              | 30              | 33              | 56              | 60              | 46              | 49              |
| *23.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985 |        | 22              | 31              | 34              | 57              | 63              | 49              | 50              |
| *24.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8    |        | 2               | 2               | 2               | 2               | 4               | 2               | 2               |
| *25.  | 79408003566 | Hex bolt - M8X35 - DIN933/8.8          |        | 20              | 29              | 32              | 57              | 59              | 47              | 48              |
| *26.  | 73508000066 | Hex nut - M8 - DIN934                  |        | 62              | 76              | 80              | 73              | 158             | 138             | 115             |
| *27.  | 1.377.372   | Shim                                   |        | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| *28.  | 1.376.600   | Side-shield                            |        | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| *29.  | 1.379.534   | Deflector plate                        | ->2020 | -               | -               | -               | -               | 15              | -               | -               |
| *29.  | 1.371.013   | Deflector plate                        | 2021-> | -               | -               | -               | 11              | 15              | -               | -               |
| *29.  | 1.379.535   | Deflector plate                        | ->2020 | 7               | 11              | 11              | -               | -               | 17              | 17              |
| *29.  | 1.371.014   | Deflector plate                        | 2021-> | 7               | 11              | 11              | -               | -               | 17              | 17              |
| *30.  | 1.379.099   | Knife-shield                           |        | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| *31.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8         |        | 6               | 6               | 6               | 6               | 6               | 6               | 6               |
| *32.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10   |        | 6               | 6               | 6               | 6               | 6               | 6               | 6               |
| *33.  | 1.376.599   | Stiffener                              |        | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| **34. | 1.373.619   | Shield - back                          |        | 1               | -               | 1               | -               | -               | -               | 1               |
| **34. | 1.372.684   | Shield                                 |        | -               | 1               | -               | 1               | 1               | 1               | -               |
| **35. | 1.372.937   | Shield                                 | 2020-> | 1               | 1               | 1               | 1               | 1               | 1               | 1               |

Note: The items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!




| Ref. | Part number | Description                   |        | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|-------------------------------|--------|-------------------|-------------------|
| 1.   | 1.377.364   | Bracket - LH                  |        | -                 | -                 |
| 1.   | 1.377.364   | Bracket - LH                  | ->2014 | 1                 | 1                 |
| 1.   | 1.378.973   | Bracket - LH                  | 2015-> | 1                 | 1                 |
| 2.   | 1.377.365   | Bracket - RH                  |        | -                 | -                 |
| 2.   | 1.377.365   | Bracket - RH                  | ->2014 | 1                 | 1                 |
| 2.   | 1.378.974   | Bracket - RH                  | 2015-> | 1                 | 1                 |
| 3.   | 91623938761 | Spring washer - 8X18 M8 - A8  |        | 199               | 282               |
| 4.   | 79408002066 | Hex bolt - M8X20 - DIN933/8.8 |        | 129               | 188               |
| 5.   | 1.378.296   | Shield - back - (I=536)       | ->2015 | 1                 | 1                 |
| 5.   | 1.373.810   | Shield - back - (I=1764)      | 2016-> | 1                 | -                 |
| 5.   | 1.378.296   | Shield - back - (I=536)       | ->2014 | -                 | -                 |
| 5.   | 1.373.293   | Shield - back - (I=1578)      | 2015-> | -                 | -                 |
| 5.   | 1.378.353   | Shield - back - (I=367)       |        | -                 | -                 |
| 5.   | 1.373.957   | Shield - back - (I=2124)      | 2016-> | -                 | 1                 |
| 5.   | 1.373.976   | Shield - back - (I=1478)      |        | -                 | -                 |
| 6.   | 1.378.297   | Shield - back - (I=635)       |        | -                 | -                 |
| 6.   | 1.378.297   | Shield - back - (I=635)       | ->2014 | 1                 | 1                 |
| 7.   | 1.378.298   | Shield - back - (I=627)       | ->2014 | 1                 | 1                 |
| 7.   | 1.378.354   | Shield - back - (I=796)       |        | -                 | -                 |
| 8.   | 1.378.315   | Shield - back - (I=538)       | ->2015 | 1                 | -                 |
| 8.   | 1.373.811   | Shield - back - (I=729)       | 2016-> | 1                 | -                 |
| 8.   | 1.378.340   | Shield - back - (I=520)       | ->2015 | -                 | 1                 |
| 8.   | 1.373.958   | Shield - back - (I=1311)      | 2016-> | -                 | 1                 |
| 8.   | 1.373.978   | Shield - back - (I=1419)      |        | -                 | -                 |
| 9.   | 1.378.316   | Shield - back - (I=546)       | ->2015 | 1                 | -                 |
| 9.   | 1.373.812   | Shield - back - (I=729)       | 2016-> | 1                 | -                 |
| 9.   | 1.378.341   | Shield - back - (I=527.5)     | ->2015 | -                 | 1                 |
| 9.   | 1.373.959   | Shield - back - (I=1311)      | 2016-> | -                 | 1                 |
| 9.   | 1.373.977   | Shield - back - (I=1417)      |        | -                 | -                 |
| 10.  | 1.378.321   | Shield - back - (I=306)       | ->2015 | -                 | 1                 |
| 11.  | 1.378.322   | Shield - back - (I=306.5)     | ->2015 | -                 | 1                 |
| 12.  | 1.378.323   | Shield - back - (I=408)       | ->2015 | -                 | 1                 |
| 12.  | 1.378.334   | Shield - back - (I=939)       | ->2015 | -                 | -                 |
| 12.  | 1.378.311   | Shield - back - (I=383)       | ->2014 | -                 | -                 |
| 12.  | 1.373.294   | Shield - back - (I=667)       | 2015-> | -                 | -                 |
| 13.  | 1.378.324   | Shield - back - (I=408)       | ->2015 | -                 | 1                 |
| 13.  | 1.378.335   | Shield - back - (I=907)       |        | -                 | -                 |
| 13.  | 1.378.312   | Shield - back - (I=391)       | ->2014 | -                 | -                 |
| 13.  | 1.373.295   | Shield - back - (I=667)       | 2015-> | -                 | -                 |
| 14.  | 1.378.317   | Shield - back - (I=537)       |        | 1                 | -                 |
| 14.  | 1.378.325   | Shield - back - (I=1055)      | ->2015 | -                 | 1                 |
| 14.  | 1.373.960   | Shield - back - (I=1125)      | 2016-> | -                 | 1                 |
| 14.  | 1.373.979   | Shield - back - (I=1001)      |        | -                 | -                 |
| 15.  | 1.378.318   | Shield - back - (I=537)       |        | 1                 | -                 |
| 15.  | 1.378.326   | Shield - back - (I=1090)      | ->2015 | -                 | 1                 |
| 15.  | 1.373.961   | Shield - back - (I=1160)      | 2016-> | -                 | 1                 |
| 15.  | 1.373.980   | Shield - back - (I=1036)      |        | -                 | -                 |
| 16.  | 1.378.327   | Shield - back - (I=681)       | ->2015 | -                 | 1                 |
| 16.  | 1.373.962   | Shield - back - (I=909)       | 2016-> | -                 | 1                 |
| 16.  | 1.378.319   | Shield - back - (I=437)       |        | 1                 | -                 |
| 16.  | 1.378.313   | Shield - back - (I=276)       | ->2015 | -                 | -                 |
| 16.  | 1.378.313   | Shield - back - (I=276)       | ->2014 | -                 | -                 |
| 16.  | 1.373.296   | Shield - back - (I=512)       | 2016-> | -                 | -                 |
| 16.  | 1.373.981   | Shield - back - (I=909)       |        | -                 | -                 |
| 17.  | 1.378.328   | Shield - back - (I=681)       | ->2015 | -                 | 1                 |
| 17.  | 1.373.995   | Shield - back - (I=909)       | 2016-> | -                 | 1                 |
| 17.  | 1.378.320   | Shield - back - (I=472)       |        | 1                 | -                 |
| 17.  | 1.378.314   | Shield - back - (I=311)       | ->2015 | -                 | -                 |
| 17.  | 1.378.314   | Shield - back - (I=311)       | ->2014 | -                 | -                 |
| 17.  | 1.373.297   | Shield - back - (I=549)       | 2016-> | -                 | -                 |
| 17.  | 1.373.996   | Shield - back - (I=909)       |        | -                 | -                 |
| 18.  | 1.378.224   | Shield - back - (I=195)       | ->2015 | 1                 | 1                 |
| 18.  | 1.378.224   | Shield - back - (I=195)       |        | -                 | -                 |
| 19.  | 1.378.225   | Shield - back - (I=230)       | ->2015 | 1                 | 1                 |
| 19.  | 1.378.225   | Shield - back - (I=230)       |        | -                 | -                 |
| 20.  | 1.377.338   | Shield - bottom - (I=1758)    | ->2015 | 1                 | 1                 |
| 20.  | 1.373.847   | Shield - bottom - (I=1763)    | 2016-> | 1                 | -                 |

Note: The items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxx16xxx



| Ref. | Part number | Description                            |        | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|----------------------------------------|--------|-------------------|-------------------|
| 20.  | 1.377.341   | Shield - bottom - (l=1758)             | ->2014 | -                 | -                 |
| 20.  | 1.373.302   | Shield - bottom - (l=1577)             | 2015-> | -                 | -                 |
| 20.  | 1.377.515   | Shield - bottom - (l=1758)             |        | -                 | -                 |
| 20.  | 1.373.963   | Shield - bottom - (l=2123)             | 2016-> | -                 | 1                 |
| 20.  | 1.373.982   | Shield - bottom - (l=1470)             |        | -                 | -                 |
| 21.  | 1.377.354   | Shield - bottom - (l=728)              | ->2015 | 1                 | -                 |
| 21.  | 1.373.814   | Shield - bottom - (l=717)              | 2016-> | 1                 | -                 |
| 21.  | 1.377.356   | Shield - bottom - (l=1490)             | ->2015 | -                 | 1                 |
| 21.  | 1.373.965   | Shield - bottom - (l=1311)             | 2016-> | -                 | 1                 |
| 21.  | 1.377.350   | Shield - bottom - (l=573)              | ->2014 | -                 | -                 |
| 21.  | 1.373.299   | Shield - bottom - (l=666)              | 2015-> | -                 | -                 |
| 21.  | 1.377.516   | Shield - bottom - (l=1129)             |        | -                 | -                 |
| 21.  | 1.373.983   | Shield - bottom - (l=1421)             |        | -                 | -                 |
| 22.  | 1.377.355   | Shield - bottom - (l=736)              | ->2015 | 1                 | -                 |
| 22.  | 1.373.813   | Shield - bottom - (l=731)              | 2016-> | 1                 | -                 |
| 22.  | 1.377.357   | Shield - bottom - (l=1498)             | ->2015 | -                 | 1                 |
| 22.  | 1.373.964   | Shield - bottom - (l=1311)             | 2016-> | -                 | 1                 |
| 22.  | 1.377.351   | Shield - bottom - (l=581)              | ->2014 | -                 | -                 |
| 22.  | 1.373.298   | Shield - bottom - (l=669)              | 2015-> | -                 | -                 |
| 22.  | 1.377.517   | Shield - bottom - (l=1097)             |        | -                 | -                 |
| 22.  | 1.373.984   | Shield - bottom - (l=1421)             |        | -                 | -                 |
| 23.  | 1.377.688   | Shield - bottom - (l=539)              | ->2015 | -                 | -                 |
| 23.  | 1.377.688   | Shield - bottom - (l=539)              | ->2014 | -                 | -                 |
| 23.  | 1.373.300   | Shield - bottom - (l=541)              | 2016-> | -                 | -                 |
| 23.  | 1.377.700   | Shield - bottom - (l=1301)             |        | 1                 | -                 |
| 23.  | 1.378.348   | Shield - bottom - (l=2048)             | ->2015 | -                 | 1                 |
| 23.  | 1.373.967   | Shield - bottom - (l=2065)             | 2016-> | -                 | 1                 |
| 23.  | 1.373.986   | Shield - bottom - (l=1941)             |        | -                 | -                 |
| 24.  | 1.377.689   | Shield - bottom - (l=574)              | ->2015 | -                 | -                 |
| 24.  | 1.377.689   | Shield - bottom - (l=574)              | ->2014 | -                 | -                 |
| 24.  | 1.373.301   | Shield - bottom - (l=576)              | 2016-> | -                 | -                 |
| 24.  | 1.377.701   | Shield - bottom - (l=1336)             |        | 1                 | -                 |
| 24.  | 1.378.349   | Shield - bottom - (l=2083)             | ->2015 | -                 | 1                 |
| 24.  | 1.373.966   | Shield - bottom - (l=2100)             | 2016-> | -                 | 1                 |
| 24.  | 1.373.985   | Shield - bottom - (l=1976)             |        | -                 | -                 |
| 25.  | 1.377.362   | Stiffener - LH                         |        | -                 | -                 |
| 25.  | 1.377.363   | Stiffener - RH                         |        | -                 | -                 |
| 25.  | 1.377.362   | Stiffener - LH                         | ->2014 | 6                 | 6                 |
| 25.  | 1.377.363   | Stiffener - RH                         | ->2014 | 6                 | 5                 |
| *26. | 1.376.131   | Rubber plate                           |        | 29                | 43                |
| *27. | 1.376.127   | Flat                                   |        | 29                | 43                |
| *28. | 79408003566 | Hex bolt - M8X35 - DIN933/8.8          |        | 26                | 38                |
| *29. | 74908000066 | Hex nut - plastic insert - M8 - DIN985 |        | 36                | 48                |
| *30. | 79408003566 | Hex bolt - M8X35 - DIN933/8.8          |        | 10                | 10                |
| *31. | 1.376.599   | Stiffener                              |        | 1                 | 1                 |
| 32.  | 73508000066 | Hex nut - M8 - DIN934                  |        | 83                | 112               |
| *33. | 1.376.007   | Knife-shield                           | ->2012 | 1                 | 1                 |
| *33. | 1.379.099   | Knife-shield                           | 2013-> | 1                 | 1                 |
| *34. | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10   |        | 6                 | 6                 |
| *35. | 79410002066 | Hex bolt - M10X20 - DIN933/8.8         |        | 6                 | 6                 |
| *36. | 1.376.600   | Side-shield                            |        | 1                 | 1                 |
| *37. | 1.377.372   | Shim                                   |        | 2                 | 2                 |
| 38.  | 1.377.864   | Stiffener plate - (l=536)              |        | 1                 | 1                 |
| 38.  | 1.377.864   | Stiffener plate - (l=536)              | ->2014 | -                 | -                 |
| 38.  | 1.378.355   | Stiffener plate - (l=367)              |        | -                 | -                 |
| 39.  | 1.377.865   | Stiffener plate - (l=608)              |        | 1                 | 1                 |
| 39.  | 1.377.865   | Stiffener plate - (l=608)              | ->2014 | -                 | -                 |
| 40.  | 1.377.866   | Stiffener plate - (l=600)              |        | 1                 | 1                 |
| 40.  | 1.377.866   | Stiffener plate - (l=600)              | ->2014 | -                 | -                 |
| 40.  | 1.378.356   | Stiffener plate - (l=769)              |        | -                 | -                 |
| 41.  | 1.378.342   | Stiffener plate - (l=860)              |        | -                 | 1                 |
| 42.  | 1.378.343   | Stiffener plate - (l=867.5)            |        | -                 | 1                 |
| 43.  | 1.378.345   | Stiffener plate - (l=624)              |        | -                 | 1                 |
| 43.  | 1.377.885   | Stiffener plate - (l=724)              |        | 1                 | -                 |
| 43.  | 1.377.891   | Stiffener plate - (l=1125)             |        | -                 | -                 |
| 43.  | 1.377.881   | Stiffener plate - (l=569)              | ->2014 | -                 | -                 |
| 44.  | 1.378.346   | Stiffener plate - (l=624.5)            |        | -                 | 1                 |


Note: The items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxx16xxx



| Ref.  | Part number | Description                |            | C3008F<br>C3008CF | C3012F<br>C3012CF |
|-------|-------------|----------------------------|------------|-------------------|-------------------|
| 44.   | 1.377.886   | Stiffener plate - (l=732)  |            | 1                 | -                 |
| 44.   | 1.377.892   | Stiffener plate - (l=1093) |            | -                 | -                 |
| 44.   | 1.377.882   | Stiffener plate - (l=577)  | ->2014     | -                 | -                 |
| 45.   | 1.378.338   | Stiffener plate - (l=1172) |            | -                 | 1                 |
| 46.   | 1.378.339   | Stiffener plate - (l=1207) |            | -                 | 1                 |
| 47.   | 1.378.350   | Stiffener plate - (l=897)  |            | -                 | 1                 |
| 47.   | 1.378.336   | Stiffener plate - (l=1309) |            | 1                 | -                 |
| 47.   | 1.377.883   | Stiffener plate - (l=547)  |            | -                 | -                 |
| 47.   | 1.377.883   | Stiffener plate - (l=547)  | ->2014     | -                 | -                 |
| 48.   | 1.378.351   | Stiffener plate - (l=897)  |            | -                 | 1                 |
| 48.   | 1.378.337   | Stiffener plate - (l=1344) |            | 1                 | -                 |
| 48.   | 1.377.884   | Stiffener plate - (l=582)  |            | -                 | -                 |
| 48.   | 1.377.884   | Stiffener plate - (l=582)  | ->2014     | -                 | -                 |
| *49.  | 1.379.534   | Deflector plate            | 2014-2020. | 7                 | 11                |
| *49.  | 1.371.013   | Deflector plate            | 2021->     | 7                 | 11                |
| 50.   | 1.373.619   | Shield - back              | 2015->     | 2                 | -                 |
| **51. | 1.379.708   | Shield                     | 2015->     | 1                 | 1                 |
| **52. | 1.372.937   | Shield                     | 2020->     | 1                 | 1                 |

Note: The items marked with \* are only valid for machines with chopper!  
The items marked with \*\* are only valid for machines without a chopper!  
2016-> : only for machines with higher serial number than xxxxx16xxx


## Electric snapping plate adjuster.



| Ref. | Part number | Description                                     |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012<br>C3012C<br>C3812<br>3812C | C3016<br>C3016C | C3008F<br>C3008CF | C3012F<br>C3012CF | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|-------------------------------------------------|--------|-----------------|-----------------|------------------------------------|------------------------------------|-----------------------------------|-----------------|-------------------|-------------------|------------------------------------|
| 4.   | 1.376.104   | Hydraulic cylinder                              | ->2015 | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 4.   | 1.373.725   | Hydraulic cylinder                              | 2016-> | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 5.   | 1.377.839   | Cylinder console                                | ->2015 | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 5.   | 1.373.730   | Cylinder console                                | 2016-> | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 6.   | 71810000060 | Spring washer - M10 - DIN7980                   |        |                 |                 |                                    |                                    |                                   |                 |                   |                   |                                    |
| 7.   | 80210003563 | Hex socket head cap bolt - M10X35 - DIN912/10.9 |        |                 |                 |                                    |                                    |                                   |                 |                   |                   |                                    |
| 8.   | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10            |        | 2               | 2               | 2                                  | 2                                  | 2                                 | 2               | 2                 | 2                 | 2                                  |
| 9.   | 79410001666 | Hex bolt - M10X16 - DIN933/8.8                  |        | 2               | 2               | 2                                  | 2                                  | 2                                 | 2               | 2                 | 2                 | 2                                  |
| 10.  | 74910000066 | Lock nut - M10 - plastic insert - DIN985        | ->2019 | 25              | 32              | 33                                 | 48                                 | 49                                | 65              | 33                | 49                | 72                                 |
| 11.  | 1.376.105   | Bridge-piece                                    |        | 5               | 7               | 7                                  | 11                                 | 11                                | 15              | 5                 | 9                 | 17                                 |
| 12.  | 91623938761 | Spring washer - 8X18 M8 - A8                    |        | 30              | 42              | 42                                 | 66                                 | 66                                | 90              | 38                | 62                | 102                                |
| 13.  | 79408004066 | Hex head screw - M8X40 - DIN933/8.8             |        | 10              | 14              | 14                                 | 22                                 | 22                                | 30              | 10                | 18                | 34                                 |
| 14.  | 1.308.195   | Retainer                                        |        | 7               | 8               | 9                                  | 12                                 | 12                                | 17              | 9                 | 13                | 18                                 |
| 15.  | 1.376.006   | Bushing                                         | ->2014 | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 15.  | 1.373.648   | Bushing                                         | 2015-> | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 16.  | 71410000060 | Washer - M10 10,5X21X2 - DIN125                 |        | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 17.  | 79410006066 | Hex head screw - M10X60 - DIN933/8.8            |        | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 18.  | 70710000066 | Lock nut - M10 - DIN980/8.8                     |        | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 19.  | 1.375.772   | Spring                                          |        | -               | -               | -                                  | -                                  | -                                 | -               | 2                 | 2                 | -                                  |
| 20.  | 1.308.899   | Electric -actuator - D12 20A 804                |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 21.  | 1.310.553   | Wire - 4m                                       |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 22.  | 1.310.551   | Connector (12V, 25A)                            |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 23.  | 1.376.000   | Arm                                             |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 24.  | 1.376.003   | Shaft                                           |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 25.  | 79410007066 | Hex bolt - M10X70 - DIN933/8.8                  |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 26.  | 1.328.607   | Bushing                                         |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 27.  | 1.375.497   | Washer                                          |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 28.  | 71412000060 | Washer - M12 - DIN125 - 200HV                   |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 29.  | 72404002860 | Cotter pin - 4X28 - DIN94                       |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 30.  | 73008003601 | Spring pin - 8X36 - DIN1481                     |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 30.  | 73005003601 | Spring pin - 5X36 - DIN1481                     |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 31.  | 79412005566 | Hex bolt - M12X55 - DIN933/8.8                  |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 32.  | 74912000066 | Hex nut - plastic insert - M12 - DIN985/8.      |        | 1               | -               | 1                                  | -                                  | 1                                 | 1               | 1                 | 1                 | -                                  |
| 33.  | 1.377.837   | Shield                                          | ->2015 | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 34.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                  | ->2019 | 24              | 32              | 32                                 | 48                                 | 48                                | 64              | 32                | 48                | 68                                 |
| 34.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8             | 2020-> | 24              | 32              | 32                                 | 48                                 | 48                                | 64              | 32                | 48                | 68                                 |
| 35.  | 1.377.834   | Shield                                          |        | 5               | 7               | 7                                  | 11                                 | 11                                | 15              | 7                 | 11                | 17                                 |
| 36.  | 1.377.861   | Cover plate                                     |        | 5               | 7               | 7                                  | 11                                 | 11                                | 15              | 7                 | 11                | 17                                 |
| 37.  | 1.321.932   | Harness                                         |        | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 37.  | 1.337.143   | Harness - JD, CNH, AGCO                         | 2021-> | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 38.  | 1.310.554   | Switch                                          |        | 1               | 1               | 1                                  | 1                                  | 1                                 | 1               | 1                 | 1                 | 1                                  |
| 39.  | 714C1050060 | Spherical Washer - M10 - DIN6319/C              | 2015-> | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |
| 40.  | 714D1050060 | Spherical Washer M10 DIN6319/D                  | 2015-> | 6               | 8               | 8                                  | 12                                 | 12                                | 16              | 8                 | 12                | 18                                 |


Note: Item 6 and 7 are the same as item 6 and 5 pg. 49.  
Use item 35 instead of item 5 and 33 on electric SPA machine.  
Item 37 and 38: for combines without multclutch.  
2016-> : only for machines with higher serial number than xxxxxx16xxx

## Electric snapping plate adjuster.



| Ref. | Part number | Description                                   |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012<br>C3012C<br>C3812<br>3812C | C3016<br>C3016C | C3008F<br>C3008CF | C3012F<br>C3012CF | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|-----------------------------------------------|--------|-----------------|-----------------|------------------------------------|------------------------------------|-----------------------------------|-----------------|-------------------|-------------------|------------------------------------|
| 41.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8                 | ->2019 | 2               | 2               | 2                                  | 2                                  | 2                                 | 2               | 2                 | 2                 | 2                                  |
| 42.  | 74914000066 | Hex nut - plastic insert - M14 - DIN985       | ->2019 | 2               | 2               | 2                                  | 2                                  | 2                                 | 2               | 2                 | 2                 | 2                                  |
| 43.  | 1.377.851   | Pin                                           | -      | -               | -               | -                                  | -                                  | -                                 | -               | 1                 | 1                 | -                                  |
| 44.  | 80208002566 | Hex socket head cap bolt - M8X25 - DIN912/8.8 | -      | -               | -               | -                                  | -                                  | -                                 | -               | 1                 | 1                 | -                                  |
| 45.  | 71808000060 | Spring washer - M8 - DIN7980                  | -      | -               | -               | -                                  | -                                  | -                                 | -               | 1                 | 1                 | -                                  |

Note: Item 6 and 7 are the same as item 6 and 5 pg. 49.  
Use item 35 instead of item 5 and 33 on electric SPA machine.  
Item 37 and 38: for combines without multclutch.  
2016-> : only for machines with higher serial number than xxxxxx16xxx



| Ref. | Part number | Description                                                                |        | C3006<br>C3006C | C2208<br>2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|----------------------------------------------------------------------------|--------|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|-------------------|
| 1.   | -           | Hydraulic cylinder and accessories (items 4,5,6,7,8,9,41 & 42 on pg. 18/A) |        |                 |                |                 |                 |                 |                 |                 |                 |                 |                 |                 |                   |                   |
| 1.   | 1. 379. 963 | Rod - In case of electric adjustment only                                  | ->2015 | 1               | -              | 1               | 1               | -               | -               | 1               | 1               | 1               | -               | -               | 1                 | 1                 |
| 1.   | 1. 373. 927 | Rod - In case of electric adjustment only                                  | 2016-> | 1               | -              | 1               | 1               | -               | -               | 1               | 1               | 1               | -               | -               | 1                 | 1                 |
| 2.   | -           | Bridge-piece and hardwares (items 11-13 on pg. 18/A)                       |        | 5               | -              | 7               | 7               | -               | -               | 11              | 11              | 15              | -               | -               | 5                 | 9                 |
| 3.   | -           | Clamp and hardwares (items 14-18 on pg. 18/A)                              |        | 6               | 8              | 8               | 8               | 12              | 12              | 12              | 12              | 16              | 18              | 18              | 8                 | 12                |
| 4.   | 1. 377. 842 | Adjusting rod - (l=241)                                                    | ->2015 | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 4.   | 1. 373. 909 | Adjusting rod - LH - (l=209)                                               | 2016-> | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 4.   | 1. 373. 910 | Adjusting rod - RH- (l=209)                                                | 2016-> | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 4.   | 1. 377. 843 | Adjusting rod - (l=272)                                                    | ->2015 | 2               | -              | 2               | -               | -               | -               | 2               | -               | 2               | -               | -               | 2                 | 2                 |
| 4.   | 1. 373. 732 | Adjusting rod - LH - (l=240)                                               | 2016-> | 1               | -              | 1               | -               | -               | -               | 1               | -               | 1               | -               | -               | 1                 | 1                 |
| 4.   | 1. 373. 733 | Adjusting rod - RH - (l=240)                                               | 2016-> | 1               | -              | 1               | -               | -               | -               | 1               | -               | 1               | -               | -               | 1                 | 1                 |
| 4.   | 1. 373. 920 | Adjuster - LH                                                              | 2016-> | -               | 1              | -               | -               | 1               | 1               | -               | -               | -               | 1               | 1               | -                 | -                 |
| 4.   | 1. 373. 919 | Adjuster - RH                                                              | 2016-> | -               | 1              | -               | -               | 1               | 1               | -               | -               | -               | 1               | 1               | -                 | -                 |
| 4.   | 1. 372. 755 | Adjusting rod - (l=384)                                                    |        | -               | -              | -               | 1               | -               | -               | -               | 1               | -               | -               | -               | -                 | -                 |
| 4.   | 1. 372. 756 | Adjusting rod - (l=384)                                                    |        | -               | -              | -               | 1               | -               | -               | -               | 1               | -               | -               | -               | -                 | -                 |
| 5.   | 1. 377. 844 | Adjusting rod - (l=698)                                                    |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 5.   | 1. 377. 845 | Adjusting rod - (l=760)                                                    |        | 3               | -              | 5               | -               | -               | -               | 9               | -               | 13              | -               | -               | 5                 | 9                 |
| 5.   | 1. 372. 759 | Adjusting rod - (l=963)                                                    |        | -               | -              | -               | 5               | -               | -               | -               | 9               | -               | -               | -               | -                 | -                 |
| 6.   | 1. 377. 852 | Adjusting rod - (l=623)                                                    |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 6.   | 1. 377. 853 | Adjusting rod - (l=654)                                                    |        | 2               | -              | 2               | -               | -               | -               | 2               | -               | 2               | -               | -               | -                 | -                 |
| 6.   | 1. 372. 758 | Adjusting rod - (l=756)                                                    |        | -               | -              | -               | 2               | -               | -               | -               | 2               | -               | -               | -               | -                 | -                 |
| 7.   | 1. 377. 846 | Adjusting rod - (l=605)                                                    |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 7.   | 1. 377. 847 | Adjusting rod - (l=636)                                                    |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | 2                 | 2                 |
| 8.   | 1. 375. 772 | Spring                                                                     |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | 2                 | 2                 |
| 9.   | 1. 379. 624 | Adjusting rod - (l=3520)                                                   | ->2015 | -               | -              | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 373. 923 | Adjusting rod - (l=3485)                                                   | 2016-> | -               | -              | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 379. 668 | Adjusting rod - (l=3215)                                                   | ->2015 | -               | -              | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 373. 928 | Adjusting rod - (l=3180)                                                   | 2016-> | -               | -              | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 371. 609 | Adjusting rod - (l=4704)                                                   |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -                 | -                 |
| 9.   | 1. 371. 483 | Adjusting rod - (l=5161,4)                                                 |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -                 | -                 |
| 9.   | 1. 373. 117 | Adjusting rod - (l=2199)                                                   | ->2015 | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 373. 937 | Adjusting rod - (l=2164)                                                   | 2016-> | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 373. 084 | Adjusting rod - (l=2402)                                                   | ->2015 | -               | 1              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 9.   | 1. 373. 933 | Adjusting rod - (l=2367)                                                   | 2016-> | -               | 1              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 379. 625 | Adjusting rod - (l=2952)                                                   | ->2015 | -               | -              | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 924 | Adjusting rod - (l=2917)                                                   | 2016-> | -               | -              | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 379. 669 | Adjusting rod - (l=2698)                                                   | ->2015 | -               | -              | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 929 | Adjusting rod - (l=2663)                                                   | 2016-> | -               | -              | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 118 | Adjusting rod - (l=1682)                                                   | ->2015 | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 938 | Adjusting rod - (l=1647)                                                   | 2016-> | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 085 | Adjusting rod - (l=1834)                                                   | ->2015 | -               | 1              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 373. 934 | Adjusting rod - (l=1799)                                                   | 2016-> | -               | 1              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |
| 10.  | 1. 371. 610 | Adjusting rod - (l=4187)                                                   |        | -               | -              | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -                 | -                 |

Note: The exploded view of items 1, 2 and 3 are shown on page 18.  
Item 8 is the same as item 19 page 18/A.  
2016-> : only for machines with higher serial number than xxxxxx16xxx

6R / 70-76.2cm

8R / 50-56cm

8R / 70cm

8R / 76.2-96,5cm

12R/50-56cm

12R / 70-96.5cm

16R / 70-76.2cm

18R / 50-56cm

4+2R / 70-76.2-80cm


4+2x2R / 70-76.2-80cm

5+2R / 60cm

5+2x2R / 60-76.2cm


6+2x3R / 70-76.2cm

6+2x3R / 50.8cm




| Ref. | Part number | Description                |  | C3006<br>C3006C | C2208<br>2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|----------------------------|--|-----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|-------------------|
| 10.  | 1.371.484   | Adjusting rod - (l=4593,4) |  | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -                 | -                 |
| 11.  | 1.371.835   | Adjusting rod - (l=1526)   |  | -               | -              | -               | -               | -               | -               | -               | -               | -               | -               | -               | -                 | -                 |


Note: The exploded view of items 1, 2 and 3 are shown on page 18.  
Item 8 is the same as item 19 page 18/A.  
2016-> : only for machines with higher serial number than xxxxxx16xxx



| Ref. | Part number | Description                        |  | All models |
|------|-------------|------------------------------------|--|------------|
| 5.   | 91623938761 | Spring washer - 8X18 M8 - A8       |  | 20         |
| 6.   | 73508000066 | Hex nut - M8 - DIN934              |  | 12         |
| 18.  | 1.378.292   | Side-shield - LH                   |  | 1          |
| 18.  | 1.378.293   | Side-shield - RH                   |  | 1          |
| 19.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8      |  | 8          |
| 20.  | 1.378.390   | Hook                               |  | 2          |
| 21.  | 985AZ102725 | Lock                               |  | 2          |
| 22.  | 76308002066 | Carriage bolt - M8X20 - DIN603/8.8 |  | 4          |
| 23.  | 1.378.391   | Washer                             |  | 2          |
| 24.  | 975PV615000 | Rubber button                      |  | 6          |




1.373.153




| Ref. | Part number  | Description                                              |        | C3006<br>C3003C | C3008<br>C3008C | C3012<br>C3012C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|--------------|----------------------------------------------------------|--------|-----------------|-----------------|-----------------|-------------------|-------------------|
| 1.   | 1.377.738    | Bracket welded                                           |        | 5               | 7               | 11              | 5                 | 9                 |
| 2.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                            |        | 40              | 56              | 88              | 36                | 64                |
| 3.   | 91623938761  | Spring washer - 8X18 M8 - A8                             |        | 80              | 112             | 176             | 80                | 144               |
| 4.   | 1.376.793    | Gas spring - 1000N                                       |        | 5               | 7               | 11              | 5                 | 9                 |
| 5.   | 79408004566  | Hex bolt - M8X45 - DIN933/8.8                            |        | 5               | 7               | 11              | 5                 | 9                 |
| 6.   | 70708000066  | Lock nut - M8 - DIN980                                   |        | 50              | 70              | 110             | 50                | 90                |
| 7.   | 79408003566  | Hex bolt - M8X35 - DIN933/8.8                            |        | 5               | 7               | 11              | 5                 | 9                 |
| 8.   | 1.377.748    | Bracket                                                  |        | 5               | 7               | 11              | 5                 | 9                 |
| 9.   | 79308005066  | Hex bolt - M8X50 - DIN931/8.8                            |        | 10              | 14              | 22              | 10                | 18                |
| 10.  | 1.314.099    | Washer - M8                                              |        | 55              | 77              | 121             | 55                | 99                |
| 11.  | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |        | 10              | 14              | 22              | 10                | 18                |
| 12.  | 1.377.465    | Cleaning plate - LH                                      |        | 5               | 7               | 11              | 5                 | 9                 |
| 13.  | 1.377.466    | Cleaning plate - RH                                      |        | 5               | 7               | 11              | 5                 | 9                 |
| 14.  | 80408001266  | Hex socket countersunk-head bolt - M8X12 - DIN7991/8.8   |        | 20              | 28              | 44              | 20                | 36                |
| 15.  | 1.377.533.1  | Rear divider - CASE IH red                               |        | 5               | 7               | 11              | 5                 | 9                 |
| 15.  | 1.377.533.2  | Rear divider - NH yellow                                 |        | 5               | 7               | 11              | 5                 | 9                 |
| 15.  | 1.377.533.3  | Rear divider - JD green                                  |        | 5               | 7               | 11              | 5                 | 9                 |
| 15.  | 1.377.533.5  | Rear divider - Claas green                               |        | 5               | 7               | 11              | 5                 | 9                 |
| 15.  | 1.377.533.8  | Rear divider - Claas yellow                              |        | 5               | 7               | 11              | 5                 | 9                 |
| 15.  | 1.377.533.10 | Rear divider - standard grey                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 16.  | 1.377.462    | Support welded                                           |        | 5               | 7               | 11              | 5                 | 9                 |
| 17.  | 79308005566  | Hex bolt - M8X55 - DIN931/8.8                            |        | 10              | 14              | 22              | 10                | 18                |
| 18.  | 1.353.461    | Shaft                                                    |        | 10              | 14              | 22              | 10                | 18                |
| 19.  | 1.353.462    | Spacer                                                   |        | 10              | 14              | 22              | 10                | 18                |
| 20.  | 91623938961  | Spring washer - A12                                      |        | 10              | 14              | 22              | 10                | 18                |
| 21.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |        | 10              | 14              | 22              | 10                | 18                |
| 22.  | 79308004066  | Hex bolt - M8X40 - DIN931/8.8                            |        | 10              | 14              | 22              | 10                | 18                |
| 23.  | 1.354.571    | Washer plate                                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 24.  | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |        | 10              | 14              | 22              | 10                | 18                |
| 25.  | 73508000066  | Hex nut - M8 - DIN934                                    |        | 20              | 28              | 44              | 10                | 36                |
| 26.  | 1.377.862    | Support                                                  |        | 10              | 14              | 22              | 10                | 18                |
| 27.  | 1.376.747    | Flat                                                     |        | 10              | 14              | 22              | 10                | 18                |
| 28.  | 967PSF30526  | Lynch pin D=4.5 - DIN11023                               |        | 10              | 14              | 22              | 10                | 18                |
| 29.  | 1.377.855    | Bracket                                                  |        | 5               | 7               | 11              | 5                 | 9                 |
| 30.  | 1.375.957    | Shim - (I=1)                                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 30.  | 1.375.958    | Shim - (I=2)                                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 30.  | 1.372.888    | Shim - (I=5)                                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 31.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |        | 25              | 35              | 55              | 25                | 45                |
| 32.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |        | 20              | 28              | 44              | 20                | 36                |
| 33.  | 1.377.902    | Roll                                                     |        | 5               | 7               | 11              | 5                 | 9                 |
| 34.  | 1.378.269    | Arm welded                                               |        | 5               | 7               | 11              | 5                 | 9                 |
| 35.  | 1.354.667    | Plate                                                    |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.1  | Central snout - CASE IH red                              |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.2  | Central snout - NH yellow                                |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.3  | Central snout - JD green                                 |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.5  | Central snout - Claas green                              |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.8  | Central snout - Claas yellow                             |        | 5               | 7               | 11              | 5                 | 9                 |
| 36.  | 1.377.380.10 | Central snout - standard grey                            |        | 5               | 7               | 11              | 5                 | 9                 |
| 37.  | 1.378.053    | Rubber earsaver                                          |        | 10              | 14              | 22              | 10                | 18                |
| 38.  | 1.329.164    | Shim                                                     |        | 10              | 14              | 22              | 10                | 18                |
| 39.  | 72208000060  | Spring washer - M8 - DIN128/A                            |        | 25              | 35              | 55              | 25                | 45                |
| 40.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |        | 20              | 28              | 44              | 20                | 36                |
| 41.  | 1.329.747    | Spacer                                                   |        | 25              | 35              | 55              | 25                | 45                |
| 42.  | 1.354.310    | Skid shoe - black                                        |        | 5               | 7               | 11              | 5                 | 9                 |
| 42.  | 1.354.310A   | Skid shoe - white                                        |        | 5               | 7               | 11              | 5                 | 9                 |
| 43.  | 79308009063  | Hex bolt - M8X90 - DIN931/10.9                           |        | 5               | 7               | 11              | 5                 | 9                 |
| 44.  | 1.379.914    | Chain - 4X32X15,2                                        |        | -               | -               | -               | 2                 | 4                 |
| 45.  | 993.454.0    | Bushing                                                  |        | 10              | 14              | 22              | 10                | 18                |
| 46.  | 1.314.099    | Washer - M8                                              |        | 10              | 14              | 22              | 10                | 18                |
| 47.  | 1.377.751    | Washer                                                   |        | 10              | 14              | 22              | 10                | 18                |
| 48.  | 1.377.741    | Hinge                                                    |        | 5               | 7               | 11              | 5                 | 9                 |
| 49.  | 1.377.747    | Shaft                                                    |        | 5               | 7               | 11              | 5                 | 9                 |
| 50.  | 1.377.744    | Hinge                                                    |        | 5               | 7               | 11              | 5                 | 9                 |
| 51.  | 1.310.009    | Support pin                                              |        | 5               | 7               | 11              | 5                 | 9                 |
| 52.  | 1.325.892    | Retainer                                                 | ->2014 | 5               | 7               | 11              | 5                 | 9                 |
| 53.  | 1.325.440    | Spring                                                   | ->2014 | 5               | 7               | 11              | 5                 | 9                 |
| 54.  | 67210000011  | Key ring                                                 | ->2014 | 5               | 7               | 11              | 5                 | 9                 |

Note: Application of shims if necessary.  
In case of snout colored to Standard gray item 42 is white.



1.373.153




| Ref. | Part number | Description                                        |         | C3006<br>C3003C | C3008<br>C3008C | C3012<br>C3012C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|----------------------------------------------------|---------|-----------------|-----------------|-----------------|-------------------|-------------------|
| 55.  | 1.379.913   | Chain - 2.2X31X10                                  | ->2014  | 5               | 7               | 11              | 5                 | 9                 |
| 56.  | 77208004560 | Eye bolt - A2K M8X45 - DIN44/LB                    |         | 5               | 7               | 11              | 5                 | 9                 |
| 57.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985             |         | 10              | 14              | 22              | 10                | 18                |
| 58.  | 70710000066 | Lock nut - M10 - DIN980/8.8                        |         | 5               | 7               | 11              | 5                 | 9                 |
| 59.  | 79308006566 | Hex bolt - M8X65 - DIN931/8.8                      |         | 5               | 7               | 11              | 5                 | 9                 |
| 60.  | 79408003066 | Hex bolt - M8X30 - DIN933/8.8                      |         | 5               | 7               | 11              | 5                 | 9                 |
| 61.  | 70110000001 | Toothed washer                                     |         | 10              | 14              | 22              | 10                | 18                |
| 62.  | 79408008066 | Hex bolt - M8X80 - DIN933/8.8                      |         | 10              | 14              | 22              | 10                | 18                |
| 63.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8                |         | 10              | 14              | 22              | 10                | 18                |
| 64.  | 96720070601 | Strip 1-4,5mm (/m)                                 | 2014.-> | 5               | 7               | 11              | 5                 | 9                 |
| 65.  | 96700000002 | Cap                                                |         | 5               | 7               | 11              | 5                 | 9                 |
| 66.  | 1.379.152   | Hinge                                              |         | 10              | 14              | 22              | 10                | 18                |
| 67.  | 1.379.151   | Support                                            |         | 5               | 7               | 11              | 5                 | 9                 |
| 68.  | 1.328.006   | Spring clamp                                       |         | 5               | 7               | 11              | 5                 | 9                 |
| 69.  | 1.373.148   | Bracket welded                                     |         | 4               | 6               | 10              | 6                 | 10                |
| 70.  | 81108001663 | Hex socket button-head bolt - M8X16 - ISO7380/10.9 |         | 8               | 12              | 20              | 12                | 20                |
| 71.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10               |         | 8               | 12              | 20              | 12                | 20                |
| 72.  | 1.373.152   | Rubber earsaver                                    | ->2019  | 4               | 6               | 10              | 6                 | 10                |
| 72.  | 1.372.945   | Rubber earsaver                                    | 2020.-> | 4               | 6               | 10              | 6                 | 10                |
| 73.  | 1.373.151   | Plate                                              |         | 4               | 6               | 10              | 6                 | 10                |
| 74.  | 76308002566 | Carriage bolt - M8X25 - DIN603                     |         | 12              | 18              | 30              | 18                | 30                |
| 75.  | 91623938761 | Spring washer - 8X18 M8 - A8                       |         | 12              | 18              | 30              | 18                | 30                |
| 76.  | 73508000066 | Hex nut - M8 - DIN934                              |         | 12              | 18              | 30              | 18                | 30                |
| 77.  | 71408000060 | Washer - M8 8,4X16X1,6 - DIN125                    |         | 10              | 14              | 22              | 10                | 18                |
| 78.  | 79406003066 | Hex head screw - M6X30 - DIN933/8.8                | 2016->  | 5               | 7               | 11              | 5                 | 9                 |
| 79.  | 1.373.749   | Retainer                                           | 2016->  | 5               | 7               | 11              | 5                 | 9                 |
| 80.  | 96702361800 | Washer - M6                                        | 2016->  | 5               | 7               | 11              | 5                 | 9                 |
| 81.  | 1.327.689   | Spring                                             | 2016->  | 5               | 7               | 11              | 5                 | 9                 |
| 82.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982             | 2016->  | 5               | 7               | 11              | 5                 | 9                 |
| 83.  | 1.372.352   | Angle                                              | 2017->  | 5               | 7               | 11              | 5                 | 9                 |
| -    | 1.373.153   | Ear saver kit for 28-30 (items 69-76)              | 2015.-> | 5               | 7               | 11              | 7                 | 11                |

Note: Application of shims if necessary.  
In case of snout colored to Standard gray item 42 is white.

# 21/B

(21B) PLASTIC CENTRAL DIVIDERS - (20", 22") 2014->




| Ref. | Part number  | Description                                              |  | C2208<br>C2208C | C2012<br>C2012C | C2212<br>C2212C | C2018<br>C2018C | C2218<br>C2218C |
|------|--------------|----------------------------------------------------------|--|-----------------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.379.502.1  | Central snout - CASE IH red                              |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.502.2  | Central snout - NH yellow                                |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.502.3  | Central snout - JD green                                 |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.502.5  | Central snout - Claas green                              |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.502.8  | Central snout - Claas yellow                             |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.502.10 | Central snout - standard grey                            |  | 7               | -               | 11              | -               | 17              |
| 1.   | 1.379.500.1  | Central snout - CASE IH red                              |  | -               | 11              | -               | 17              | -               |
| 1.   | 1.379.500.2  | Central snout - NH yellow                                |  | -               | 11              | -               | 17              | -               |
| 1.   | 1.379.500.3  | Central snout - JD green                                 |  | -               | 11              | -               | 17              | -               |
| 1.   | 1.379.500.5  | Central snout - Claas green                              |  | -               | 11              | -               | 17              | -               |
| 1.   | 1.379.500.8  | Central snout - Claas yellow                             |  | -               | 11              | -               | 17              | -               |
| 1.   | 1.379.500.10 | Central snout - standard grey                            |  | -               | 11              | -               | 17              | -               |
| 2.   | 1.354.310    | Skid shoe - black                                        |  | 7               | 11              | 11              | 17              | 17              |
| 2.   | 1.354.310A   | Skid shoe - white                                        |  | 7               | 11              | 11              | 17              | 17              |
| 3.   | 1.314.099    | Washer - M8                                              |  | 21              | 33              | 33              | 51              | 51              |
| 4.   | 72208000060  | Spring washer - M8 - DIN128/A                            |  | 35              | 55              | 55              | 85              | 85              |
| 5.   | 79308009063  | Hex bolt - M8X90 - DIN931/10.9                           |  | 7               | 11              | 11              | 17              | 17              |
| 6.   | 1.355.195    | Plate                                                    |  | 7               | 11              | 11              | 17              | 17              |
| 7.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                            |  | 35              | 66              | 55              | 102             | 85              |
| 8.   | 91623938761  | Spring washer - 8X18 M8 - A8                             |  | 105             | 176             | 165             | 272             | 255             |
| 9.   | 1.379.499    | Rubber earsaver                                          |  | 14              | 22              | 22              | 36              | 36              |
| 10.  | 1.329.164    | Shim                                                     |  | 14              | 22              | 22              | 36              | 36              |
| 11.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |  | 28              | 44              | 44              | 72              | 72              |
| 12.  | 967PSF30526  | Lynch pin D=4.5 - DIN11023                               |  | 14              | 22              | 22              | 36              | 36              |
| 13.  | 1.329.747    | Spacer                                                   |  | 28              | 44              | 44              | 72              | 72              |
| 14.  | 1.379.494    | Arm welded                                               |  | 7               | 11              | 11              | 17              | 17              |
| 15.  | 1.379.495    | Support                                                  |  | 14              | 22              | 22              | 36              | 36              |
| 16.  | 73508000066  | Hex nut - M8 - DIN934                                    |  | 7               | 11              | 11              | 17              | 17              |
| 17.  | 1.379.516    | Bushing                                                  |  | 7               | 11              | 11              | 17              | 17              |
| 18.  | 79408004066  | Hex head screw - M8X40 - DIN933/8.8                      |  | 7               | 11              | 11              | 17              | 17              |
| 19.  | 79408003066  | Hex bolt - M8X30 - DIN933/8.8                            |  | 14              | 22              | 22              | 36              | 36              |
| 20.  | 77208004560  | Eye bolt - A2K M8X45 - DIN44/LB                          |  | 7               | 11              | 11              | 17              | 17              |
| 21.  | 79308007066  | Hex bolt - M8X70 - DIN931/8.8                            |  | 7               | 11              | 11              | 17              | 17              |
| 22.  | 1.377.902    | Roll                                                     |  | 7               | 11              | 11              | 17              | 17              |
| 23.  | 70708000066  | Lock nut - M8 - DIN980                                   |  | 28              | 44              | 44              | 72              | 72              |
| 24.  | 1.379.701    | Bracket welded                                           |  | 7               | -               | 11              | -               | 17              |
| 24.  | 1.379.496    | Bracket welded                                           |  | -               | 11              | -               | 17              | -               |
| 25.  | 1.375.957    | Shim - (l=1)                                             |  | 7               | 11              | 11              | 17              | 17              |
| 25.  | 1.375.958    | Shim - (l=2)                                             |  | 7               | 11              | 11              | 17              | 17              |
| 25.  | 1.372.888    | Shim - (l=5)                                             |  | 7               | 11              | 11              | 17              | 17              |
| 26.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |  | 28              | 44              | 44              | 72              | 72              |
| 27.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |  | 28              | 44              | 44              | 72              | 72              |
| 28.  | 79308005566  | Hex bolt - M8X55 - DIN931/8.8                            |  | 7               | 11              | 11              | 17              | 17              |
| 29.  | 79308004066  | Hex bolt - M8X40 - DIN931/8.8                            |  | 14              | 22              | 22              | 36              | 36              |
| 30.  | 1.377.862    | Support                                                  |  | 14              | 22              | 22              | 36              | 36              |
| 31.  | 1.376.747    | Flat                                                     |  | 14              | 22              | 22              | 36              | 36              |
| 32.  | 1.379.490    | Support                                                  |  | 7               | -               | 11              | -               | 17              |
| 32.  | 1.379.489    | Support                                                  |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.503.1  | Rear divider - CASE IH red                               |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.503.2  | Rear divider - NH yellow                                 |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.503.3  | Rear divider - JD green                                  |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.503.5  | Rear divider - Claas green                               |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.503.8  | Rear divider - Claas yellow                              |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.503.10 | Rear divider - standard grey                             |  | 7               | -               | 11              | -               | 17              |
| 33.  | 1.379.501.1  | Rear divider - CASE IH red                               |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.501.2  | Rear divider - NH yellow                                 |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.501.3  | Rear divider - JD green                                  |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.501.5  | Rear divider - Claas green                               |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.501.8  | Rear divider - Claas yellow                              |  | -               | 11              | -               | 17              | -               |
| 33.  | 1.379.501.10 | Rear divider - standard grey                             |  | -               | 11              | -               | 17              | -               |
| 34.  | 1.353.461    | Shaft                                                    |  | 14              | 22              | 22              | 36              | 36              |
| 35.  | 1.353.462    | Spacer                                                   |  | 14              | 22              | 22              | 36              | 36              |
| 36.  | 91623938961  | Spring washer - A12                                      |  | 14              | 22              | 22              | 36              | 36              |
| 37.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |  | 14              | 22              | 22              | 36              | 36              |
| 38.  | 1.379.704    | Bracket welded                                           |  | 7               | -               | 11              | -               | 17              |
| 38.  | 1.379.513    | Bracket welded                                           |  | -               | 11              | -               | 17              | -               |
| 39.  | 80400802063  | Hex socket countersunk-head bolt - M8X20 - DIN7991/10.9  |  | 28              | 44              | 44              | 72              | 72              |

Note: In case of snout colored to Standard gray item 2 is white.

# 21/B

(21B) PLASTIC CENTRAL DIVIDERS - (20", 22") 2014->




1.371.245

2021.


| Ref. | Part number | Description                                         |        | C2208<br>C2208C | C2012<br>C2012C | C2212<br>C2212C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|-----------------------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 40.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                 |        | 7               | 11              | 11              | 17              | 17              |
| 41.  | 1.379.702   | Bracket welded                                      |        | 7               | -               | 11              | -               | 17              |
| 41.  | 1.379.510   | Bracket welded                                      |        | -               | 11              | -               | 17              | -               |
| 42.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985              |        | 56              | 88              | 88              | 136             | 136             |
| 43.  | 1.379.887   | Hinge welded                                        |        | -               | 11              | -               | 17              | -               |
| 44.  | 1.379.889   | Shaft                                               |        | -               | 11              | -               | 17              | -               |
| 45.  | 72402001660 | Cotter pin - 2X16                                   |        | -               | 11              | -               | 17              | -               |
| 46.  | 70110000001 | Toothed washer                                      |        | -               | 22              | -               | 36              | -               |
| 47.  | 1.372.352   | Angle                                               | 2017-> | 7               | 11              | 11              | 17              | 17              |
| 48.  | 1.371.240   | Bracket welded 20"-22"                              |        | 7               | 11              | 11              | 17              | 17              |
| 49.  | 81108002563 | Hex socket button-head screw - M8X25 - ISO7380 10.9 |        | 14              | 22              | 22              | 34              | 34              |
| 50.  | 1.371.243   | Rubber earsaver                                     |        | 7               | 11              | 11              | 17              | 17              |
| 51.  | 1.371.244   | Plate                                               |        | 7               | 11              | 11              | 17              | 17              |
| 52.  | 76308002066 | Carriage bolt - M8X20 - DIN603/8.8                  |        | 21              | 33              | 33              | 51              | 51              |
| -    | 1.371.245   | Ear saver kit for 20"-22" (items 8, 42, 48-52)      |        | 7               | 11              | 11              | 17              | 17              |

Note: In case of snout colored to Standard gray item 2 is white.



| Ref. | Part number  | Description                                              |  | C3808<br>C3808C | C3812<br>C3812C |
|------|--------------|----------------------------------------------------------|--|-----------------|-----------------|
| 1.   | 1.373.507.1  | Outer divider - LH - CASE IH red                         |  | 7               | 11              |
| 1.   | 1.373.507.10 | Outer divider - LH - standard grey                       |  | 7               | 11              |
| 2.   | 1.377.748    | Bracket                                                  |  | 7               | 11              |
| 3.   | 1.377.751    | Washer                                                   |  | 14              | 22              |
| 4.   | 1.377.465    | Cleaning plate - LH                                      |  | 7               | 11              |
| 5.   | 1.377.466    | Cleaning plate - RH                                      |  | 7               | 11              |
| 6.   | 1.372.696    | Holder                                                   |  | 7               | 11              |
| 7.   | 1.354.571    | Washer plate                                             |  | 7               | 11              |
| 8.   | 1.353.461    | Shaft                                                    |  | 14              | 28              |
| 9.   | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |  | 28              | 44              |
| 10.  | 91623938761  | Spring washer - 8X18 M8 - A8                             |  | 104             | 165             |
| 11.  | 1.353.462    | Spacer                                                   |  | 14              | 22              |
| 12.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |  | 14              | 22              |
| 13.  | 91623938961  | Spring washer - A12                                      |  | 14              | 22              |
| 14.  | 96701314099  | Washer - M8 8,4X25X3,0                                   |  | 43              | 78              |
| 15.  | 70708000066  | Lock nut - M8 - DIN980                                   |  | 58              | 90              |
| 16.  | 79308005066  | Hex bolt - M8X50 - DIN931/8.8                            |  | 14              | 22              |
| 17.  | 79408001666  | Hex head screw - M8X16 - DIN933/8.8                      |  | 28              | 44              |
| 18.  | 79308005566  | Hex bolt - M8X55 - DIN931/8.8                            |  | 14              | 22              |
| 19.  | 79308004066  | Hex bolt - M8X40 - DIN931/8.8                            |  | 14              | 22              |
| 20.  | 73508000066  | Hex nut - M8 - DIN934                                    |  | 16              | 24              |
| 21.  | 80408001266  | Hex socket countersunk-head bolt - M8X12 - DIN7991/8.8   |  | 28              | 44              |
| 22.  | 1.372.816    | Retainer                                                 |  | 7               | 11              |
| 23.  | 80408005063  | Hex socket countersunk-head bolt - M8X50 - DIN7991/8.8   |  | 7               | 11              |
| 24.  | 1.354.310    | Skid shoe - black                                        |  | 7               | 11              |
| 24.  | 1.354.310A   | Skid shoe - white                                        |  | 7               | 11              |
| 25.  | 1.373.506.1  | Central snout - CASE IH red                              |  | 7               | 11              |
| 25.  | 1.373.506.10 | Central snout - standard grey                            |  | 7               | 11              |
| 26.  | 79308009063  | Hex bolt - M8X90 - DIN931/10.9                           |  | 7               | 11              |
| 27.  | 1.378.053    | Rubber earsaver                                          |  | 14              | 22              |
| 28.  | 1.329.164    | Shim                                                     |  | 14              | 22              |
| 29.  | 1.354.667    | Plate                                                    |  | 7               | 11              |
| 30.  | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                            |  | 32              | 48              |
| 31.  | 1.329.747    | Spacer                                                   |  | 28              | 44              |
| 32.  | 72208000060  | Spring washer - M8 - DIN128/A                            |  | 28              | 44              |
| 33.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |  | 28              | 44              |
| 34.  | 1.372.352    | Angle                                                    |  | 7               | 11              |
| 35.  | 96720070601  | Strip 1-4,5mm (/m)                                       |  | 7               | 11              |
| 36.  | 1.372.893    | Retaining plate welded                                   |  | 7               | 11              |
| 37.  | 96702361800  | Washer - M6                                              |  | 14              | 22              |
| 38.  | 79406002066  | Hex bolt - M6X20 - DIN933/8.8                            |  | 14              | 22              |
| 39.  | 74906000066  | Hex nut - plastic insert - M6 - DIN982                   |  | 14              | 22              |
| 40.  | 1.377.862    | Support                                                  |  | 14              | 22              |
| 41.  | 1.376.747    | Flat                                                     |  | 14              | 22              |
| 42.  | 1.310.009    | Support pin                                              |  | 7               | 11              |
| 43.  | 1.372.694    | Support welded                                           |  | 7               | 11              |
| 44.  | 967PSE30526  | Lynch pin D=4.5 - DIN11023                               |  | 14              | 22              |
| 45.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |  | 30              | 48              |
| 46.  | 70710000066  | Lock nut - M10 - DIN980/8.8                              |  | 7               | 11              |
| 47.  | 1.375.957    | Shim - (l=1)                                             |  | 7               | 11              |
| 48.  | 1.375.958    | Shim - (l=2)                                             |  | 7               | 11              |
| 49.  | 1.372.888    | Shim - (l=5)                                             |  | 7               | 11              |
| 50.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |  | 28              | 44              |
| 51.  | 1.377.902    | Roll                                                     |  | 7               | 11              |
| 52.  | 79308006566  | Hex bolt - M8X65 - DIN931/8.8                            |  | 7               | 11              |
| 53.  | 77208004560  | Eye bolt - A2K M8X45 - DIN44/LB                          |  | 7               | 11              |
| 54.  | 79408003066  | Hex bolt - M8X30 - DIN933/8.8                            |  | 7               | 11              |
| 55.  | 74908000066  | Hex nut - plastic insert - M8 - DIN985                   |  | 14              | 22              |
| 56.  | 79408008066  | Hex bolt - M8X80 - DIN933/8.8                            |  | 7               | 11              |
| 57.  | 1.378.269    | Arm welded                                               |  | 7               | 11              |
| 58.  | 1.372.692    | Support welded                                           |  | 7               | 11              |
| 59.  | 1.377.741    | Hinge                                                    |  | 7               | 11              |
| 60.  | 1.377.744    | Hinge                                                    |  | 7               | 11              |
| 61.  | 1.377.747    | Shaft                                                    |  | 7               | 11              |
| 62.  | 70110000001  | Toothed washer                                           |  | 14              | 22              |
| 63.  | 1.372.915    | Gas spring - 1400N                                       |  | 7               | 11              |
| 64.  | 79408004566  | Hex bolt - M8X45 - DIN933/8.8                            |  | 7               | 11              |


Note: In case of snout colored to Standard gray item 24 is white.



| Ref. | Part number | Description                     |  | C3808<br>C3808C | C3812<br>C3812C |
|------|-------------|---------------------------------|--|-----------------|-----------------|
| 65.  | 993.454.0   | Bushing                         |  | 14              | 22              |
| 66.  | 79408003566 | Hex bolt - M8X35 - DIN933/8.8   |  | 7               | 11              |
| 67.  | 71408000060 | Washer - M8 8,4X16X1,6 - DIN125 |  | 14              | 22              |
| 68.  | 96700000002 | Cap                             |  | 7               | 11              |
| 69.  | 1.371.601   | Plate                           |  | 7               | 11              |

Note: In case of snout colored to Standard gray item 24 is white.

|                        |
|------------------------|
| 1.378.065 - Bal/Left   |
| 1.378.066 - Jobb/Right |
| 1.376.693 - Bal/Left   |
| 1.376.694 - Jobb/Right |




| Ref. | Part number  | Description                                              |         | All models |
|------|--------------|----------------------------------------------------------|---------|------------|
| 1.   | 1.376.662    | Support welded                                           |         | 2          |
| 2.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                            |         | 4          |
| 3.   | 91623938761  | Spring washer - 8X18 M8 - A8                             |         | 26         |
| 4.   | 1.376.663    | Plate                                                    |         | 2          |
| 5.   | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |         | 6          |
| 6.   | 73508000066  | Hex nut - M8 - DIN934                                    |         | 8          |
| 7.   | 1.377.967    | Bracket - LH                                             | ->2015. | 1          |
| 7.   | 1.377.968    | Bracket - RH                                             | ->2015. | 1          |
| 7.   | 1.373.767    | Bracket - LH                                             | 2016->  | 1          |
| 7.   | 1.373.768    | Bracket - RH                                             | 2016->  | 1          |
| 8.   | 80400802063  | Hex socket countersunk-head bolt - M8X20 - DIN7991/10.9  |         | 2          |
| 9.   | 1.376.095.1  | Outer divider - LH - CASE IH red                         |         | 1          |
| 9.   | 1.376.095.2  | Outer divider - LH - NH yellow                           |         | 1          |
| 9.   | 1.376.095.3  | Outer divider - LH - JD green                            |         | 1          |
| 9.   | 1.376.095.5  | Outer divider - LH - Claas green                         |         | 1          |
| 9.   | 1.376.095.8  | Outer divider - LH - Claas yellow                        |         | 1          |
| 9.   | 1.376.095.10 | Outer divider - LH - standard grey                       |         | 1          |
| 9.   | 1.376.096.1  | Outer divider - RH - CASE IH red                         |         | 1          |
| 9.   | 1.376.096.2  | Outer divider - RH - NH yellow                           |         | 1          |
| 9.   | 1.376.096.3  | Outer divider - RH - JD green                            |         | 1          |
| 9.   | 1.376.096.5  | Outer divider - RH - Claas green                         |         | 1          |
| 9.   | 1.376.096.8  | Outer divider - RH - Claas yellow                        |         | 1          |
| 9.   | 1.376.096.10 | Outer divider - RH - standard grey                       |         | 1          |
| 10.  | 1.377.087    | Hollow shaft                                             | ->2017  | 2          |
| 10.  | 1.372.566    | Hollow shaft                                             | 2018->  | 2          |
| 11.  | 81108002563  | Hex socket button-head screw - M8X25 - ISO7380 10.9      |         | 4          |
| 12.  | 967PSF30526  | Lynch pin D=4.5 - DIN11023                               | ->2020  | 4          |
| 13.  | 1.353.461    | Shaft                                                    |         | 3          |
| 13.  | 1.376.677    | Shaft - RH                                               |         | 1          |
| 14.  | 1.353.462    | Spacer                                                   |         | 4          |
| 15.  | 91623938961  | Spring washer - A12                                      |         | 4          |
| 16.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |         | 4          |
| 17.  | 1.371.093.1  | Outer snout - LH - CASE IH red                           |         | 1          |
| 17.  | 1.371.093.2  | Outer snout - LH - NH yellow                             |         | 1          |
| 17.  | 1.371.093.3  | Outer snout - LH - JD green                              |         | 1          |
| 17.  | 1.371.093.5  | Outer snout - LH - Claas green                           |         | 1          |
| 17.  | 1.371.093.8  | Outer snout - LH - Claas yellow                          |         | 1          |
| 17.  | 1.371.093.10 | Outer snout - LH - standard gray                         |         | 1          |
| 17.  | 1.371.094.1  | Outer snout - RH - CASE IH red                           |         | 1          |
| 17.  | 1.371.094.2  | Outer snout - RH - NH yellow                             |         | 1          |
| 17.  | 1.371.094.3  | Outer snout - RH - JD green                              |         | 1          |
| 17.  | 1.371.094.5  | Outer snout - RH - Claas green                           |         | 1          |
| 17.  | 1.371.094.8  | Outer snout - RH - Claas yellow                          |         | 1          |
| 17.  | 1.371.094.10 | Outer snout - RH - standard gray                         |         | 1          |
| 18.  | 1.376.676    | Plate                                                    |         | 2          |
| 19.  | 79408001666  | Hex head screw - M8X16 - DIN933/8.8                      |         | 6          |
| 20.  | 1.377.975    | Arm welded - LH - to the RH of header                    | ->2019. | 1          |
| 20.  | 1.377.976    | Arm welded - RH - to the LH of header                    | ->2019. | 1          |
| 20.  | 1.372.861    | Arm welded - LH - to the RH of header                    | 2020.-> | 1          |
| 20.  | 1.372.862    | Arm welded - RH - to the LH of header                    | 2020.-> | 1          |
| 21.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |         | 6          |
| 22.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |         | 6          |
| 23.  | 1.377.969    | Support welded - LH                                      | ->2015. | 1          |
| 23.  | 1.377.970    | Support welded - RH                                      | ->2015. | 1          |
| 23.  | 1.373.772    | Support welded - LH                                      | 2016->  | 1          |
| 23.  | 1.373.773    | Support welded - RH                                      | 2016->  | 1          |
| 24.  | 1.377.960    | Arm welded - LH                                          |         | 1          |
| 24.  | 1.377.961    | Arm welded - RH                                          |         | 1          |
| 25.  | 79408006066  | Hex bolt - M8X60 - DIN933/8.8                            |         | 2          |
| 26.  | 70708000066  | Lock nut - M8 - DIN980                                   |         | 12         |
| 27.  | 1.329.163    | Rubber ear                                               |         | 2          |
| 28.  | 1.329.164    | Shim                                                     |         | 2          |
| 29.  | 72208000060  | Spring washer - M8 - DIN128/A                            |         | 4          |
| 30.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |         | 8          |
| 31.  | 1.329.747    | Spacer                                                   |         | 4          |
| 32.  | 1.354.310    | Skid shoe - black                                        | ->2015  | 2          |
| 32.  | 1.373.997    | Skid shoe - black                                        | 2016->  | 2          |

Note: 1.376.677 item 13 only for the RH outer divider!  
In case of snout colored to Standard gray item 32 is white.  
\* In case of Rotary End Divider

# 22/A


|                        |
|------------------------|
| 1.378.065 - Bal/Left   |
| 1.378.066 - Jobb/Right |
| 1.376.693 - Bal/Left   |
| 1.376.694 - Jobb/Right |



2020.


| Ref. | Part number  | Description                                                                               |        | All models |
|------|--------------|-------------------------------------------------------------------------------------------|--------|------------|
| 32.  | 1.373.997A   | Skid shoe - white                                                                         | 2016-> | 2          |
| 33.  | 1.314.099    | Washer - M8                                                                               |        | 8          |
| 34.  | 79308010063  | Hex bolt - M8X100 - DIN931/10.9                                                           |        | 2          |
| 35.  | 1.377.086    | Support                                                                                   |        | 2          |
| 36.  | 1.377.902    | Roll                                                                                      |        | 2          |
| 37.  | 79308006566  | Hex bolt - M8X65 - DIN931/8.8                                                             |        | 2          |
| 38.  | 1.325.892    | Retainer                                                                                  | ->2014 | 2          |
| 39.  | 1.325.440    | Spring                                                                                    | ->2014 | 2          |
| 40.  | 67210000011  | Key ring                                                                                  | ->2014 | 2          |
| 41.  | 1.379.913    | Chain - 2.2X31X10                                                                         | ->2014 | 2          |
| 42.  | 74908000066  | Hex nut - plastic insert - M8 - DIN985                                                    |        | 4          |
| 43.  | 77208004560  | Eye bolt - A2K M8X45 - DIN44/LB                                                           |        | 2          |
| 44.  | 79408003066  | Hex bolt - M8X30 - DIN933/8.8                                                             |        | 2          |
| *45. | 1.379.914    | Chain - 4X32X15.2                                                                         | ->2020 | 2          |
| *45. | 1.371.420    | Chain - 4X32X15.2                                                                         | 2021-> | 2          |
| 46.  | 96716002720  | Lynch pin - 6x27 - DIN1382                                                                | 2016-> | 2          |
| 47.  | 1.373.998    | Safety plate                                                                              | 2016-> | 2          |
| 47.  | 1.373.998A   | Cover plate - white                                                                       | 2016-> | 2          |
| 48.  | 79308004066  | Hex bolt - M8X40 - DIN931/8.8                                                             |        | 4          |
| 49.  | -            | See items 21. on page 55.!                                                                |        |            |
| 50.  | 72405004060  | Cotter pin - 5X40 - DIN94                                                                 | 2021-> | 4          |
| -    | 1.378.065.1  | Outer divider cpl. - LH - red (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)           |        | 1          |
| -    | 1.378.065.2  | Outer divider cpl. - LH - yellow (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)        |        | 1          |
| -    | 1.378.065.3  | Outer divider cpl. - LH - JD green (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)      |        | 1          |
| -    | 1.378.065.5  | Outer divider cpl. - LH - Claas green (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)   |        | 1          |
| -    | 1.378.065.8  | Outer divider cpl. - LH - Claas yellow (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)  |        | 1          |
| -    | 1.378.065.10 | Outer divider cpl. - LH - standard grey (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46) |        | 1          |
| -    | 1.378.066.1  | Outer divider cpl. - RH - red (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)           |        | 1          |
| -    | 1.378.066.2  | Outer divider cpl. - RH - yellow (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)        |        | 1          |
| -    | 1.378.066.3  | Outer divider cpl. - RH - JD green (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)      |        | 1          |
| -    | 1.378.066.5  | Outer divider cpl. - RH - Claas green (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)   |        | 1          |
| -    | 1.378.066.8  | Outer divider cpl. - RH - Claas yellow (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46)  |        | 1          |
| -    | 1.378.066.10 | Outer divider cpl. - RH - standard grey (items 1-16, 20-26, 30, 33, 35-37, 42-44, and 46) |        | 1          |
| -    | 1.376.693.1  | Outer divider cpl. - LH - red (items 3, 17-19, 27-34)                                     |        | 1          |
| -    | 1.376.693.2  | Outer divider cpl. - LH - yellow (items 3, 17-19, 27-34)                                  |        | 1          |
| -    | 1.376.693.3  | Outer divider cpl. - LH - JD green (items 3, 17-19, 27-34)                                |        | 1          |
| -    | 1.376.693.5  | Outer divider cpl. - LH - Claas green (items 3, 17-19, 27-34)                             |        | 1          |
| -    | 1.376.693.8  | Outer divider cpl. - LH - Claas yellow (items 3, 17-19, 27-34)                            |        | 1          |
| -    | 1.376.693.10 | Outer divider cpl. - LH - standard grey (items 3, 17-19, 27-34)                           |        | 1          |
| -    | 1.376.694.1  | Outer divider cpl. - RH - red (items 3, 17-19, 27-34)                                     |        | 1          |
| -    | 1.376.694.2  | Outer divider cpl. - RH - yellow (items 3, 17-19, 27-34)                                  |        | 1          |
| -    | 1.376.694.3  | Outer divider cpl. - RH - JD green (items 3, 17-19, 27-34)                                |        | 1          |
| -    | 1.376.694.5  | Outer divider cpl. - RH - Claas green (items 3, 17-19, 27-34)                             |        | 1          |
| -    | 1.376.694.8  | Outer divider cpl. - RH - Claas yellow (items 3, 17-19, 27-34)                            |        | 1          |
| -    | 1.376.694.10 | Outer divider cpl. - RH - standard grey (items 3, 17-19, 27-34)                           |        | 1          |

Note: 1.376.677 item 13 only for the RH outer divider!  
 In case of snout colored to Standard gray item 32 is white.  
 \* In case of Rotary End Divider




| Ref. | Part number  | Description                                              |  | All models |
|------|--------------|----------------------------------------------------------|--|------------|
| 1.   | 1.371.156    | Support                                                  |  | 2          |
| 2.   | 79408007066  | Hex bolt - M10X70 - DIN933                               |  | 4          |
| 3.   | 91623938761  | Spring washer - 8X18 M8 - A8                             |  | 24         |
| 4.   | 1.376.793    | Gas spring - 1000N                                       |  | 4          |
| 5.   | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |  | 6          |
| 6.   | 73508000066  | Hex nut - M8 - DIN934                                    |  | 18         |
| 7.   | 1.371.600    | Bracket                                                  |  | 2          |
| 8.   | 1.354.107    | Spacer                                                   |  | 16         |
| 9.   | 1.371.095.1  | Outer divider - LH - CASE IH red                         |  | 1          |
| 9.   | 1.371.095.2  | Outer divider - LH - NH yellow                           |  | 1          |
| 9.   | 1.371.095.3  | Outer divider - LH - JD green                            |  | 1          |
| 9.   | 1.371.095.5  | Outer divider - LH - Claas green                         |  | 1          |
| 9.   | 1.371.095.8  | Outer divider - LH - Claas yellow                        |  | 1          |
| 9.   | 1.371.095.10 | Outer divider - LH - standard grey                       |  | 1          |
| 9.   | 1.371.096.1  | Outer divider - RH - white                               |  | 1          |
| 9.   | 1.371.096.2  | Outer divider - RH - NH yellow                           |  | 1          |
| 9.   | 1.371.096.3  | Outer divider - RH - JD green                            |  | 1          |
| 9.   | 1.371.096.5  | Outer divider - RH - Claas green                         |  | 1          |
| 9.   | 1.371.096.8  | Outer divider - RH - Claas yellow                        |  | 1          |
| 9.   | 1.371.096.10 | Outer divider - RH - standard grey                       |  | 1          |
| 10.  | 1.372.566    | Hollow shaft                                             |  | 2          |
| 11.  | 91623938661  | Lock washer - 6X14 - A6                                  |  | 4          |
| 12.  | 1.371.602    | Retainer                                                 |  | 4          |
| 13.  | 1.332.689    | Hollow shaft - LH                                        |  | 1          |
| 13.  | 1.332.690    | Hollow shaft - RH                                        |  | 1          |
| 14.  | 1.353.462    | Spacer                                                   |  | 4          |
| 15.  | 91623938961  | Spring washer - A12                                      |  | 4          |
| 16.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |  | 4          |
| 17.  | 1.371.093.1  | Outer snout - LH - CASE IH red                           |  | 1          |
| 17.  | 1.371.093.2  | Outer snout - LH - NH yellow                             |  | 1          |
| 17.  | 1.371.093.3  | Outer snout - LH - JD green                              |  | 1          |
| 17.  | 1.371.093.5  | Outer snout - LH - Claas green                           |  | 1          |
| 17.  | 1.371.093.8  | Outer snout - LH - Claas yellow                          |  | 1          |
| 17.  | 1.371.093.10 | Outer snout - LH - standard gray                         |  | 1          |
| 17.  | 1.371.094.1  | Outer snout - RH - CASE IH red                           |  | 1          |
| 17.  | 1.371.094.2  | Outer snout - RH - NH yellow                             |  | 1          |
| 17.  | 1.371.094.3  | Outer snout - RH - JD green                              |  | 1          |
| 17.  | 1.371.094.5  | Outer snout - RH - Claas green                           |  | 1          |
| 17.  | 1.371.094.8  | Outer snout - RH - Claas yellow                          |  | 1          |
| 17.  | 1.371.094.10 | Outer snout - RH - standard gray                         |  | 1          |
| 18.  | 1.376.676    | Plate                                                    |  | 2          |
| 19.  | 79408001666  | Hex head screw - M8X16 - DIN933/8.8                      |  | 6          |
| 20.  | 1.372.861    | Arm welded - LH - to the RH of header                    |  | 1          |
| 20.  | 1.372.862    | Arm welded - RH - to the LH of header                    |  | 1          |
| 21.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |  | 6          |
| 22.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |  | 6          |
| 23.  | 1.371.166    | Support welded - LH                                      |  | 1          |
| 23.  | 1.371.167    | Support welded - RH                                      |  | 1          |
| 24.  | 1.377.960    | Arm welded - LH                                          |  | 1          |
| 24.  | 1.377.961    | Arm welded - RH                                          |  | 1          |
| 25.  | 1.371.160    | Gas spring - Support - LH                                |  | 1          |
| 25.  | 1.371.161    | Gas spring - Support - RH                                |  | 1          |
| 26.  | 70708000066  | Lock nut - M8 - DIN980                                   |  | 10         |
| 27.  | 1.329.163    | Rubber ear                                               |  | 2          |
| 28.  | 1.329.164    | Shim                                                     |  | 2          |
| 29.  | 72208000060  | Spring washer - M8 - DIN128/A                            |  | 6          |
| 30.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |  | 6          |
| 31.  | 1.329.747    | Spacer                                                   |  | 4          |
| 32.  | 1.373.997    | Skid shoe - black                                        |  | 2          |
| 32.  | 1.373.997A   | Skid shoe - white                                        |  | 2          |
| 33.  | 1.314.099    | Washer - M8                                              |  | 26         |
| 34.  | 79308010063  | Hex bolt - M8X100 - DIN931/10.9                          |  | 2          |
| 35.  | 1.371.159    | Holder - Outer divider                                   |  | 2          |
| 36.  | 1.377.902    | Roll                                                     |  | 2          |
| 37.  | 79408006566  | Hex head screw - M8X65 - DIN933/8.8                      |  | 2          |
| 38.  | 77208004560  | Eye bolt - A2K M8X45 - DIN44/LB                          |  | 2          |
| 39.  | 79408003066  | Hex bolt - M8X30 - DIN933/8.8                            |  | 2          |

Note: In case of snout colored to chassis gray item 32 is white.  
 \* In case of Rotary divider




| Ref. | Part number  | Description                                                                 |  | All models |
|------|--------------|-----------------------------------------------------------------------------|--|------------|
| 40.  | 96716002720  | Lynch pin - 6x27 - DIN1382                                                  |  | 2          |
| 41.  | 1.373.998    | Safety plate                                                                |  | 2          |
| 42.  | 79406001666  | Hex head screw - M6X16 - DIN933                                             |  | 4          |
| 43.  | -            | See items 21. on page 55.!                                                  |  |            |
| -    | 1.371.413.1  | Outer divider assy. - LH - red (#1-16,20-26,30,33,35-37,42-44,46)           |  | 1          |
| -    | 1.371.413.2  | Outer divider assy. - LH - yellow (#1-16,20-26,30,33,35-37,42-44,46)        |  | 1          |
| -    | 1.371.413.3  | Outer divider assy. - LH - JD green (#1-16,20-26,30,33,35-37,42-44,46)      |  | 1          |
| -    | 1.371.413.5  | Outer divider assy. - LH - Claas green (#1-16,20-26,30,33,35-37,42-44,46)   |  | 1          |
| -    | 1.371.413.8  | Outer divider assy. - LH - Claas yellow (#1-16,20-26,30,33,35-37,42-44,46)  |  | 1          |
| -    | 1.371.413.10 | Outer divider assy. - LH - standard grey (#1-16,20-26,30,33,35-37,42-44,46) |  | 1          |
| -    | 1.371.414.1  | Outer divider assy. - RH - red (#1-16,20-26,30,33,35-37,42-44,46)           |  | 1          |
| -    | 1.371.414.2  | Outer divider assy. - RH - yellow (#1-16,20-26,30,33,35-37,42-44,46)        |  | 1          |
| -    | 1.371.414.3  | Outer divider assy. - RH - JD green (#1-16,20-26,30,33,35-37,42-44,46)      |  | 1          |
| -    | 1.371.414.5  | Outer divider assy. - RH - Claas green (#1-16,20-26,30,33,35-37,42-44,46)   |  | 1          |
| -    | 1.371.414.8  | Outer divider assy. - RH - Claas yellow (#1-16,20-26,30,33,35-37,42-44,46)  |  | 1          |
| -    | 1.371.414.10 | Outer divider assy. - RH - standard grey (#1-16,20-26,30,33,35-37,42-44,46) |  | 1          |
| -    | 1.376.693.1  | Outer divider cpl. - LH - red (items 3, 17-19, 27-34)                       |  | 1          |
| -    | 1.376.693.2  | Outer divider cpl. - LH - yellow (items 3, 17-19, 27-34)                    |  | 1          |
| -    | 1.376.693.3  | Outer divider cpl. - LH - JD green (items 3, 17-19, 27-34)                  |  | 1          |
| -    | 1.376.693.5  | Outer divider cpl. - LH - Claas green (items 3, 17-19, 27-34)               |  | 1          |
| -    | 1.376.693.8  | Outer divider cpl. - LH - Claas yellow (items 3, 17-19, 27-34)              |  | 1          |
| -    | 1.376.693.10 | Outer divider cpl. - LH - standard grey (items 3, 17-19, 27-34)             |  | 1          |
| -    | 1.376.694.1  | Outer divider cpl. - RH - red (items 3, 17-19, 27-34)                       |  | 1          |
| -    | 1.376.694.2  | Outer divider cpl. - RH - yellow (items 3, 17-19, 27-34)                    |  | 1          |
| -    | 1.376.694.3  | Outer divider cpl. - RH - JD green (items 3, 17-19, 27-34)                  |  | 1          |
| -    | 1.376.694.5  | Outer divider cpl. - RH - Claas green (items 3, 17-19, 27-34)               |  | 1          |
| -    | 1.376.694.8  | Outer divider cpl. - RH - Claas yellow (items 3, 17-19, 27-34)              |  | 1          |
| -    | 1.376.694.10 | Outer divider cpl. - RH - standard grey (items 3, 17-19, 27-34)             |  | 1          |
| 44.  | 1.371.172    | Retainer - LH                                                               |  | 1          |
| 44.  | 1.371.173    | Retainer - RH                                                               |  | 1          |
| 45.  | 78200802563  | Hex socket button-head bolt TORX - M8X25 - ISO7380/10.9                     |  | 6          |
| 46.* | 1.371.420    | Chain - 4X32X15.2                                                           |  | 2          |

Note: In case of snout colored to chassis gray item 32 is white.  
 \* In case of Rotary divider




| Ref. | Part number  | Description                                              |         | C3008F<br>C3008CF<br>C3012F<br>C3012CF |
|------|--------------|----------------------------------------------------------|---------|----------------------------------------|
| 1.   | 1.376.039    | Bracket welded - LH                                      | ->2015  | 1                                      |
| 1.   | 1.376.041    | Bracket welded - LH                                      | 2016->  | 1                                      |
| 1.   | 1.376.040    | Bracket welded - RH                                      | ->2015  | 1                                      |
| 1.   | 1.376.042    | Bracket welded - RH                                      | 2016->  | 1                                      |
| 2.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                            |         | 16                                     |
| 3.   | 91623938761  | Spring washer - 8X18 M8 - A8                             |         | 40                                     |
| 4.   | 1.376.793    | Gas spring - 1000N                                       |         | 2                                      |
| 5.   | 79408004566  | Hex bolt - M8X45 - DIN933/8.8                            |         | 2                                      |
| 6.   | 70708000066  | Lock nut - M8 - DIN980                                   |         | 24                                     |
| 7.   | 79408003566  | Hex bolt - M8X35 - DIN933/8.8                            |         | 2                                      |
| 8.   | 1.377.748    | Bracket                                                  |         | 2                                      |
| 9.   | 79308005066  | Hex bolt - M8X50 - DIN931/8.8                            |         | 4                                      |
| 10.  | 1.314.099    | Washer - M8                                              |         | 14                                     |
| 11.  | 76308002066  | Carriage bolt - M8X20 - DIN603/8.8                       |         | 8                                      |
| 12.  | 1.377.465    | Cleaning plate - LH                                      |         | 2                                      |
| 13.  | 1.377.466    | Cleaning plate - RH                                      |         | 2                                      |
| 14.  | 80408001266  | Hex socket countersunk-head bolt - M8X12 - DIN7991/8.8   |         | 8                                      |
| 15.  | 1.377.534.1  | Rear divider - CASE IH red                               |         | 2                                      |
| 15.  | 1.377.534.2  | Rear divider - NH yellow                                 |         | 2                                      |
| 15.  | 1.377.534.3  | Rear divider - JD green                                  |         | 2                                      |
| 15.  | 1.377.534.5  | Rear divider - Claas green                               |         | 2                                      |
| 15.  | 1.377.534.8  | Rear divider - Claas yellow                              |         | 2                                      |
| 15.  | 1.377.534.10 | Rear divider - standard grey                             |         | 2                                      |
| 16.  | 1.377.462    | Support welded                                           |         | 2                                      |
| 17.  | 79308005566  | Hex bolt - M8X55 - DIN931/8.8                            |         | 4                                      |
| 18.  | 1.353.461    | Shaft                                                    |         | 4                                      |
| 19.  | 1.353.462    | Spacer                                                   |         | 4                                      |
| 20.  | 91623938961  | Spring washer - A12                                      |         | 4                                      |
| 21.  | 78212003563  | Hex socket button-head bolt TORX - M12X35 - ISO7380/10.9 |         | 4                                      |
| 22.  | 79308004066  | Hex bolt - M8X40 - DIN931/8.8                            |         | 4                                      |
| 23.  | 1.354.571    | Washer plate                                             |         | 2                                      |
| 24.  | 76308002566  | Carriage bolt - M8X25 - DIN603                           |         | 4                                      |
| 25.  | 73508000066  | Hex nut - M8 - DIN934                                    |         | 16                                     |
| 26.  | 1.377.862    | Support                                                  |         | 4                                      |
| 27.  | 1.376.747    | Flat                                                     |         | 4                                      |
| 28.  | 967P5F30526  | Lynch pin D=4.5 - DIN11023                               |         | 4                                      |
| 29.  | 1.377.023    | Support welded - LH                                      |         | 1                                      |
| 29.  | 1.377.024    | Support welded - RH                                      |         | 1                                      |
| 30.  | 1.377.025    | Support welded - LH                                      |         | 1                                      |
| 30.  | 1.377.026    | Support welded - RH                                      |         | 1                                      |
| 31.  | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                     |         | 19                                     |
| 32.  | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                           |         | 17                                     |
| 33.  | 1.377.975    | Arm welded - LH - to the RH of header                    | ->2019. | 1                                      |
| 33.  | 1.377.976    | Arm welded - RH - to the LH of header                    | ->2019. | 1                                      |
| 33.  | 1.372.861    | Arm welded - LH - to the RH of header                    | 2020.-> | 1                                      |
| 33.  | 1.372.862    | Arm welded - RH - to the LH of header                    | 2020.-> | 1                                      |
| 34.  | 79408003066  | Hex bolt - M8X30 - DIN933/8.8                            |         | 6                                      |
| 35.  | 1.354.667    | Plate                                                    |         | 2                                      |
| 36.  | 1.377.380.1  | Central snout - CASE IH red                              |         | 2                                      |
| 36.  | 1.377.380.2  | Central snout - NH yellow                                |         | 2                                      |
| 36.  | 1.377.380.3  | Central snout - JD green                                 |         | 2                                      |
| 36.  | 1.377.380.5  | Central snout - Claas green                              |         | 2                                      |
| 36.  | 1.377.380.8  | Central snout - Claas yellow                             |         | 2                                      |
| 36.  | 1.377.380.10 | Central snout - standard grey                            |         | 2                                      |
| 37.  | 1.378.053    | Rubber earsaver                                          |         | 4                                      |
| 38.  | 1.329.164    | Shim                                                     |         | 4                                      |
| 39.  | 72208000060  | Spring washer - M8 - DIN128/A                            |         | 10                                     |
| 40.  | 78200802063  | Hex socket button-head bolt TORX - M8X20 - ISO7380/10.9  |         | 8                                      |
| 41.  | 1.329.747    | Spacer                                                   |         | 9                                      |
| 42.  | 1.354.310    | Skid shoe - black                                        |         | 2                                      |
| 42.  | 1.354.310A   | Skid shoe - white                                        |         | 2                                      |
| 43.  | 79308009063  | Hex bolt - M8X90 - DIN931/10.9                           |         | 2                                      |
| 44.  | 993.454.0    | Bushing                                                  |         | 4                                      |
| 45.  | 1.378.048    | Hinged frame welded - LH                                 |         | 1                                      |
| 45.  | 1.378.049    | Hinged frame welded - RH                                 |         | 1                                      |
| 46.  | 1.377.741    | Hinge                                                    |         | 2                                      |
| 47.  | 1.310.009    | Support pin                                              |         | 2                                      |

Note: Item 60 and 61 are the same as item 6 and 4 pg. 11/A.  
In case of snout colored to Standard gray item 42 is white.




| Ref. | Part number | Description                                     |            | C3008F<br>C3008CF<br>C3012F<br>C3012CF |
|------|-------------|-------------------------------------------------|------------|----------------------------------------|
| 48.  | 73510000066 | Hex nut - M10 - DIN934                          |            | 2                                      |
| 49.  | 1.354.397   | Hydraulic cylinder                              |            | 2                                      |
| 50.  | 1.354.382   | Screw - M12                                     |            | 2                                      |
| 51.  | 1.354.381   | Screw - M10                                     |            | 4                                      |
| 52.  | 1.377.018   | Console welded - LH                             |            | 1                                      |
| 52.  | 1.377.013   | Console - RH welded                             |            | 1                                      |
| 53.  | 1.377.019   | Arm                                             |            | 2                                      |
| 54.  | 1.377.020   | Console - LH                                    |            | 1                                      |
| 54.  | 1.377.015   | Console - RH                                    |            | 1                                      |
| 55.  | 1.329.744   | Bolt                                            |            | 2                                      |
| 56.  | 71412000060 | Washer - M12 - DIN125 - 200HV                   |            | 2                                      |
| 57.  | 70712000066 | Lock nut - VM12 - DIN980                        |            | 4                                      |
| 58.  | 72402502560 | Split pin - 2.5X25 - DIN94                      |            | 2                                      |
| 59.  | 1.378.056   | Chain guide - LH                                |            | 1                                      |
| 59.  | 1.378.057   | Chain guide - RH                                |            | 1                                      |
| 60.  | 71810000060 | Spring washer - M10 - DIN7980                   |            | 8                                      |
| 61.  | 80210003063 | Hex socket head cap bolt - M10X30 - DIN912/10.9 |            | 8                                      |
| 62.  | 1.377.022   | Plate                                           |            | 2                                      |
| 63.  | 1.376.043   | Cover plate - LH                                |            | 1                                      |
| 63.  | 1.376.044   | Cover plate - RH                                |            | 1                                      |
| 64.  | 79408003063 | Hex head screw - M8X30 - DIN933                 |            | 4                                      |
| 65.  | 1.329.746   | Spacer                                          |            | 2                                      |
| 66.  | 1.377.744   | Hinge                                           |            | 2                                      |
| 67.  | 1.377.751   | Washer                                          |            | 4                                      |
| 68.  | 1.377.747   | Shaft                                           |            | 2                                      |
| 69.  | 70110000001 | Toothed washer                                  |            | 4                                      |
| 70.  | 77208004560 | Eye bolt - A2K M8X45 - DIN44/LB                 |            | 2                                      |
| 71.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8             |            | 4                                      |
| 72.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985          |            | 4                                      |
| 73.  | 1.325.892   | Retainer                                        |            | 2                                      |
| 74.  | 1.325.440   | Spring                                          |            | 2                                      |
| 75.  | 67210000011 | Key ring                                        |            | 2                                      |
| 76.  | 1.379.914   | Chain - 4X32X15.2                               | 2012-2020. | 2                                      |
| 76.  | 1.371.420   | Chain - 4X32X15.2                               | 2021->     | 2                                      |
| 77.  | 1.377.902   | Roll                                            |            | 2                                      |
| 78.  | 79408006566 | Hex head screw - M8X65 - DIN933/8.8             |            | 2                                      |
| 79.  | 70710000066 | Lock nut - M10 - DIN980/8.8                     |            | 2                                      |
| 80.  | 79408006066 | Hex bolt - M8X60 - DIN933/8.8                   |            | 2                                      |
| 81.  | 1.379.151   | Support                                         |            | 1                                      |
| 82.  | 1.379.152   | Hinge                                           |            | 2                                      |
| 83.  | 1.328.006   | Spring clamp                                    | ->2015     | 1                                      |
| 84.  | 96720070601 | Strip 1-4,5mm (/m)                              |            | 2                                      |
| 85.  | 71408000060 | Washer - M8 8,4X16X1,6 - DIN125                 |            | 4                                      |
| 86.  | 79406003066 | Hex head screw - M6X30 - DIN933/8.8             | 2016->     | 1                                      |
| 87.  | 1.373.749   | Retainer                                        | 2016->     | 1                                      |
| 88.  | 96702361800 | Washer - M6                                     | 2016->     | 1                                      |
| 89.  | 1.327.689   | Spring                                          | 2016->     | 1                                      |
| 90.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982          | 2016->     | 1                                      |
| 91.  | 1.372.352   | Angle                                           | 2017->     | 2                                      |

Note: Item 60 and 61 are the same as item 6 and 4 pg. 11/A.  
In case of snout colored to Standard gray item 42 is white.




| Ref. | Part number | Description                            |        | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|----------------------------------------|--------|-------------------|-------------------|
| 1.   | 1.376.278   | Hydraulic cylinder                     |        | -                 | -                 |
| 1.   | 1.375.144   | Hydraulic cylinder                     |        | 2                 | -                 |
| 1.   | 1.378.415   | Hydraulic cylinder                     |        | -                 | 2                 |
| 2.   | 1.310.514   | Fitting - 1 mm hole                    |        | 4                 | 4                 |
| *2.  | 1.355.481   | Fitting - 0.7 mm hole                  |        | 4                 | 4                 |
| 3.   | 1.376.796   | Hydraulic hose - 1SNDN6-400            |        | 4                 | -                 |
| 3.   | 1.352.896   | Hydraulic hose - 1SNDN6-450            |        | -                 | 4                 |
| 4.   | 1.354.511   | T-form - T8PL                          |        | 2                 | 2                 |
| 5.   | 1.377.061   | Clamp                                  |        | 2                 | 2                 |
| 6.   | 1.378.373   | Hydraulic tube                         |        | 1                 | -                 |
| 6.   | 1.378.379   | Hydraulic tube - (L=74)                |        | -                 | 1                 |
| 6.   | 1.378.376   | Hydraulic tube - (L=1840)              |        | -                 | 1                 |
| 6.   | 1.378.380   | Hydraulic tube - (L=1078)              |        | -                 | -                 |
| 7.   | 1.378.372   | Hydraulic tube                         |        | 1                 | -                 |
| 7.   | 1.378.379   | Hydraulic tube - (L=74)                |        | -                 | 1                 |
| 7.   | 1.378.376   | Hydraulic tube - (L=1840)              |        | -                 | 1                 |
| 7.   | 1.378.380   | Hydraulic tube - (L=1078)              |        | -                 | -                 |
| 8.   | 1.377.062   | Fitting - M14X1.5                      |        | 6                 | 6                 |
| 9.   | 1.378.845   | Hydraulic tube                         |        | 1                 | 1                 |
| 10.  | 1.378.846   | Hydraulic tube                         |        | 1                 | 1                 |
| 11.  | 1.375.669   | Fitting - GE8PLR-ED                    | ->2015 | 16                | 16                |
| 11.  | 1.375.669   | Fitting - GE8PLR-ED                    | 2016-> | 19                | 19                |
| 12.  | 1.378.837   | Dual controlled check valve - FDP 1/4  |        | 1                 | 1                 |
| 13.  | 79406004066 | Hex bolt - M6X40                       |        | 2                 | 2                 |
| 13.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982 |        | 2                 | 2                 |
| 14.  | 96703800001 | Pressure limit valve - C. VS2 3/8"     |        | 1                 | 1                 |
| 15.  | 1.377.065   | Hydraulic tube                         |        | 1                 | -                 |
| 15.  | 1.378.638   | Hydraulic tube                         |        | -                 | 1                 |
| 16.  | 1.377.066   | Hydraulic tube                         |        | 1                 | -                 |
| 16.  | 1.378.637   | Hydraulic tube                         |        | -                 | 1                 |
| 17.  | 1.378.842   | Hydraulic tube                         |        | 1                 | -                 |
| 17.  | 1.378.854   | Hydraulic tube                         |        | -                 | 1                 |
| 18.  | 1.377.843   | Adjusting rod - (l=272)                |        | 1                 | -                 |
| 18.  | 1.378.857   | Hydraulic tube                         |        | -                 | 1                 |
| 19.  | 1.308.783   | Fitting - bulkhead - HYP 160-8-575 SV8 |        | 12                | 12                |
| 20.  | 1.377.072   | Hydraulic tube - (L=1501,5)            |        | 1                 | 1                 |
| 21.  | 1.377.073   | Hydraulic tube - (L=1531,5)            |        | 1                 | 1                 |
| 22.  | 1.377.074   | Hydraulic tube                         |        | 2                 | 2                 |
| 23.  | 1.378.619   | Hydraulic hose - 1SNDN6-320 M14x1.5/45 |        | 2                 | -                 |
| 23.  | 1.378.639   | Hydraulic hose - 1SNDN6-320            |        | -                 | 2                 |
| 24.  | 1.378.614   | Hydraulic tube                         |        | 1                 | -                 |
| 24.  | 1.378.647   | Hydraulic tube                         |        | -                 | -                 |
| 24.  | 1.378.648   | Hydraulic tube                         |        | -                 | 1                 |
| 25.  | 1.378.615   | Hydraulic tube                         |        | 1                 | -                 |
| 25.  | 1.378.643   | Hydraulic tube                         |        | -                 | -                 |
| 25.  | 1.378.644   | Hydraulic tube                         |        | -                 | 1                 |
| 26.  | 1.378.616   | Hydraulic tube                         |        | 1                 | -                 |
| 26.  | 1.378.641   | Hydraulic tube                         |        | -                 | -                 |
| 26.  | 1.378.642   | Hydraulic tube                         |        | -                 | 1                 |
| 27.  | 1.314.510   | Fitting - 90deg. EVW 8 PL              |        | 10                | 10                |
| 28.  | 1.377.089   | Hydraulic hose - 1SNDN6-355            | ->2013 | 4                 | 4                 |
| 28.  | 1.379.477   | Hydraulic hose - 1SNDN6-410            | 2014-> | 4                 | 4                 |
| 29.  | 1.309.601   | Fitting - GE-8-PSM-ED                  |        | 4                 | 4                 |
| *29. | 1.310.514   | Fitting - 1 mm hole                    |        | 4                 | 4                 |
| 30.  | 1.354.397   | Hydraulic cylinder                     |        | 2                 | 2                 |
| 31.  | 1.378.613   | Hydraulic tube                         |        | 1                 | -                 |
| 31.  | 1.378.645   | Hydraulic tube                         |        | -                 | -                 |
| 31.  | 1.378.646   | Hydraulic tube                         |        | -                 | 1                 |
| 32.  | 1.356.118   | Hydraulic cylinder                     |        | 2                 | 2                 |
| 33.  | 1.377.593   | Bolt                                   |        | 2                 | 2                 |
| 34.  | 1.314.509   | Fitting - SVWE 8 PL                    | ->2015 | 14                | 14                |
| 34.  | 1.314.509   | Fitting - SVWE 8 PL                    | 2016-> | 15                | 15                |
| 35.  | 1.378.526   | Endswitch - VFCA - 1401                |        | 2                 | 2                 |
| 36.  | 79406005066 | Hex bolt - M6X50 - DIN933              |        | 4                 | 4                 |
| 36.  | 96702361800 | Washer - M6                            |        | 4                 | 4                 |
| 36.  | 74900600066 | Nut with non-met. insert - M6 - DIN982 |        | 4                 | 4                 |
| 37.  | 1.378.530   | Washer plate                           |        | 2                 | 2                 |

Note: \* Loose parts




| Ref. | Part number | Description                                   |        | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|-----------------------------------------------|--------|-------------------|-------------------|
| 38.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8                 |        | 4                 | 4                 |
| 38.  | 74900800066 | Lock nut - plastic insert - M8 - DIN982/8     |        | 4                 | 4                 |
| 39.  | 1.377.076   | Hydraulic tube                                |        | 1                 | 1                 |
| 40.  | 1.330.772   | Hydraulic hose - 1SNDN6-375                   |        | 4                 | 4                 |
| 41.  | 1.378.522   | Divider                                       |        | 2                 | 2                 |
| 42.  | 1.353.318   | Fitting - M14X1.5 G3/8                        |        | 2                 | 2                 |
| 43.  | 1.378.844   | Hydraulic tube                                |        | 1                 | -                 |
| 44.  | 1.378.836   | T-form - TH-8-PLR                             |        | 2                 | 2                 |
| 45.  | 80208001666 | Hex socket head cap bolt - M8X16 - DIN912/8.8 |        | 2                 | 2                 |
| 45.  | 71808000060 | Spring washer - M8 - DIN7980                  |        | 2                 | 2                 |
| 46.  | 1.378.612   | Hydraulic tube                                |        | 4                 | 4                 |
| 47.  | 1.330.757   | Hydraulic hose - 1SNDN6-200                   |        | 1                 | 1                 |
| 48.  | 79406004566 | Hex bolt - M6X45 - DIN933                     |        | 2                 | 2                 |
| 49.  | 1.376.795   | Hydraulic tube - 1SNDN6-290                   |        | 1                 | 1                 |
| 50.  | 1.378.381   | Hydraulic tube - (L=655)                      |        | -                 | -                 |
| 50.  | 1.378.377   | Hydraulic tube - (L=294)                      |        | -                 | 1                 |
| 51.  | 1.378.382   | Hydraulic tube - (L=832)                      |        | -                 | -                 |
| 51.  | 1.378.378   | Hydraulic tube - (L=471)                      |        | -                 | 1                 |
| 52.  | 1.378.696   | Fitting - GE8PLR-ED                           |        | 2                 | 2                 |
| 53.  | 1.379.458   | Dual controlled check valve - FPDLE 1/4 GS    | ->2015 | 2                 | 2                 |
| 53.  | 1.379.458   | Dual controlled check valve - FPDLE 1/4 GS    | 2016-> | 3                 | 3                 |
| 54.  | 1.379.457   | Hydraulic tube                                |        | 2                 | 2                 |
| 55.  | 1.379.456   | Hydraulic tube - (L=45)                       |        | 2                 | 2                 |
| 56.  | 1.373.449   | Hydraulic tube                                | 2016-> | 1                 | 1                 |
| 57.  | 1.373.991   | Hydraulic tube                                | 2016-> | 1                 | 1                 |
| 58.  | 1.379.776   | Orifice DIA 0,5                               |        | 2                 | 2                 |
| 59.  | 1.373.488   | Hydraulic hose - 1SNDN6-535                   | 2016-> | 1                 | 1                 |
| 60.  | 1.373.585   | Hydraulic hose - 1SNDN6-470                   | 2016-> | 1                 | 1                 |

Note: \* Loose parts




| Ref. | Part number | Description                                   |  | C3008F<br>C3008CF |
|------|-------------|-----------------------------------------------|--|-------------------|
| 1.   | 1.354.397   | Hydraulic cylinder                            |  | 2                 |
| 2.   | 1.309.601   | Fitting - GE-8-PSM-ED                         |  | 4                 |
| *2.  | 1.310.514   | Fitting - 1 mm hole                           |  | 4                 |
| 3.   | 1.314.510   | Fitting - 90deg. EVW 8 PL                     |  | 10                |
| 4.   | 1.379.477   | Hydraulic hose - 1SNDN6-410                   |  | 4                 |
| 5.   | 1.379.458   | Dual controlled check valve - FPDLE 1/4 GS    |  | 3                 |
| 6.   | 1.314.509   | Fitting - SVWE 8 PL                           |  | 15                |
| 7.   | 1.375.669   | Fitting - GE8PLR-ED                           |  | 21                |
| 8.   | 1.379.456   | Hydraulic tube - (L=45)                       |  | 2                 |
| 9.   | 1.379.457   | Hydraulic tube                                |  | 2                 |
| 10.  | 1.378.522   | Divider                                       |  | 2                 |
| 11.  | 1.356.118   | Hydraulic cylinder                            |  | 2                 |
| 12.  | 1.378.612   | Hydraulic tube                                |  | 4                 |
| 13.  | 1.378.613   | Hydraulic tube                                |  | 1                 |
| 14.  | 1.378.619   | Hydraulic hose - 1SNDN6-320 M14x1.5/45        |  | 2                 |
| 15.  | 1.330.757   | Hydraulic hose - 1SNDN6-200                   |  | 1                 |
| 16.  | 1.376.278   | Hydraulic cylinder                            |  | -                 |
| 16.  | 1.375.144   | Hydraulic cylinder                            |  | 2                 |
| 17.  | 1.308.783   | Fitting - bulkhead - HYP 160-8-575 SV8        |  | 12                |
| 18.  | 1.373.577   | Hydraulic tube                                |  | 1                 |
| 19.  | 1.373.313   | Hydraulic tube                                |  | 1                 |
| 20.  | 1.373.315   | Hydraulic tube                                |  | 1                 |
| 21.  | 1.373.314   | Hydraulic tube                                |  | 1                 |
| 22.  | 1.378.526   | Endswitch - VFCA - 1401                       |  | 2                 |
| 23.  | 1.377.076   | Hydraulic tube                                |  | 1                 |
| 24.  | 1.377.062   | Fitting - M14X1.5                             |  | 9                 |
| 25.  | 1.375.615   | Hydraulic tube                                |  | 1                 |
| 26.  | 1.378.616   | Hydraulic tube                                |  | 1                 |
| 27.  | 1.354.511   | T-form - T8PL                                 |  | 2                 |
| 28.  | 1.378.614   | Hydraulic tube                                |  | 1                 |
| 29.  | 1.377.074   | Hydraulic tube                                |  | 2                 |
| 30.  | 1.373.775   | Hydraulic tube                                |  | 1                 |
| 31.  | 1.373.774   | Hydraulic tube                                |  | 1                 |
| 32.  | 1.378.837   | Dual controlled check valve - FDP 1/4         |  | 1                 |
| 33.  | 79406004066 | Hex bolt - M6X40                              |  | 2                 |
| 33.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982        |  | 2                 |
| 34.  | 1.378.836   | T-form - TH-8-PLR                             |  | 2                 |
| 35.  | 1.373.583   | Hydraulic tube                                |  | 1                 |
| 36.  | 1.378.844   | Hydraulic tube                                |  | 1                 |
| 37.  | 96703800001 | Pressure limit valve - C. VS2 3/8"            |  | 1                 |
| 38.  | 1.353.318   | Fitting - M14X1.5 G3/8                        |  | 2                 |
| 39.  | 1.373.584   | Hydraulic tube                                |  | 1                 |
| 40.  | 1.373.328   | Hydraulic tube                                |  | 1                 |
| 41.  | 1.373.330   | Hydraulic tube                                |  | 1                 |
| 42.  | 1.373.329   | Hydraulic tube                                |  | 1                 |
| 43.  | 1.373.331   | Hydraulic tube                                |  | 1                 |
| 44.  | 1.372.268   | Hydraulic tube                                |  | 2                 |
| 45.  | 1.330.772   | Hydraulic hose - 1SNDN6-375                   |  | 4                 |
| 46.  | 1.310.514   | Fitting - 1 mm hole                           |  | 4                 |
| *46. | 1.355.481   | Fitting - 0.7 mm hole                         |  | 4                 |
| 47.  | 1.373.725   | Hydraulic cylinder                            |  | 1                 |
| 48.  | 1.378.696   | Fitting - GE8PLR-ED                           |  | 2                 |
| 49.  | 1.373.449   | Hydraulic tube                                |  | 1                 |
| 50.  | 1.373.991   | Hydraulic tube                                |  | 1                 |
| 51.  | 1.379.776   | Orifice DIA 0,5                               |  | 2                 |
| 52.  | 79406005066 | Hex bolt - M6X50 - DIN933                     |  | 2                 |
| 52.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982        |  | 2                 |
| 53.  | 1.373.585   | Hydraulic hose - 1SNDN6-470                   |  | 1                 |
| 54.  | 1.373.488   | Hydraulic hose - 1SNDN6-535                   |  | 1                 |
| 55.  | 1.373.777   | Hydraulic tube                                |  | 1                 |
| 56.  | 1.373.776   | Hydraulic tube                                |  | 1                 |
| 57.  | 1.377.061   | Clamp                                         |  | 2                 |
| 58.  | 1.377.072   | Hydraulic tube - (L=1501,5)                   |  | 1                 |
| 59.  | 1.377.073   | Hydraulic tube - (L=1531,5)                   |  | 1                 |
| 60.  | 80208001666 | Hex socket head cap bolt - M8X16 - DIN912/8.8 |  | 2                 |
| 60.  | 71808000060 | Spring washer - M8 - DIN7980                  |  | 2                 |
| 61.  | 79408005066 | Hex bolt - M8X50 - DIN933/8.8                 |  | 4                 |

Note: \* Loose parts




| Ref. | Part number | Description            |  | C3008F<br>C3008CF |
|------|-------------|------------------------|--|-------------------|
| 61.  | 96701314099 | Washer - M8 8,4X25X3,0 |  | 4                 |
| 62.  | 1.373.327   | Washer                 |  | 2                 |
| 63.  | 1.314.511   | Fitting - EVT 8 PL     |  | 2                 |

Note: \* Loose parts






| Ref. | Part number | Description                                |  | C3012F<br>C3012CF |
|------|-------------|--------------------------------------------|--|-------------------|
| 1.   | 1.354.397   | Hydraulic cylinder                         |  | 2                 |
| 2.   | 1.309.601   | Fitting - GE-8-PSM-ED                      |  | 4                 |
| *2.  | 1.310.514   | Fitting - 1 mm hole                        |  | 4                 |
| 3.   | 1.314.510   | Fitting - 90deg. EVW 8 PL                  |  | 18                |
| 4.   | 1.379.477   | Hydraulic hose - 1SNDN6-410                |  | 4                 |
| 5.   | 1.379.458   | Dual controlled check valve - FPDLE 1/4 GS |  | 3                 |
| 6.   | 1.314.509   | Fitting - SVWE 8 PL                        |  | 15                |
| 7.   | 1.375.669   | Fitting - GE8PLR-ED                        |  | 21                |
| 8.   | 1.379.456   | Hydraulic tube - (L=45)                    |  | 2                 |
| 9.   | 1.379.457   | Hydraulic tube                             |  | 2                 |
| 10.  | 1.378.522   | Divider                                    |  | 2                 |
| 11.  | 1.356.118   | Hydraulic cylinder                         |  | 2                 |
| 12.  | 1.378.612   | Hydraulic tube                             |  | 4                 |
| 13.  | 1.373.901   | Hydraulic tube                             |  | -                 |
| 13.  | 1.373.916   | Hydraulic tube                             |  | 1                 |
| 14.  | 1.378.639   | Hydraulic hose - 1SNDN6-320                |  | 2                 |
| 15.  | 1.330.757   | Hydraulic hose - 1SNDN6-200                |  | 1                 |
| 16.  | 1.378.415   | Hydraulic cylinder                         |  | 2                 |
| 17.  | 1.308.783   | Fitting - bulkhead - HYP 160-8-575 SV8     |  | 16                |
| 18.  | 1.373.577   | Hydraulic tube                             |  | 1                 |
| 19.  | 1.373.313   | Hydraulic tube                             |  | 1                 |
| 20.  | 1.373.315   | Hydraulic tube                             |  | 1                 |
| 21.  | 1.373.314   | Hydraulic tube                             |  | 1                 |
| 22.  | 1.378.526   | Endswitch - VFCA - 1401                    |  | 2                 |
| 23.  | 1.377.076   | Hydraulic tube                             |  | 1                 |
| 24.  | 1.377.062   | Fitting - M14X1.5                          |  | 8                 |
| 25.  | 1.373.917   | Hydraulic tube                             |  | 1                 |
| 25.  | 1.373.903   | Hydraulic tube                             |  | -                 |
| 26.  | 1.373.900   | Hydraulic tube                             |  | -                 |
| 26.  | 1.373.918   | Hydraulic tube                             |  | 1                 |
| 27.  | 1.354.511   | T-form - T8PL                              |  | 4                 |
| 28.  | 1.373.902   | Hydraulic tube                             |  | 1                 |
| 28.  | 1.373.915   | Hydraulic tube                             |  | -                 |
| 29.  | 1.373.899   | Hydraulic tube                             |  | 1                 |
| 30.  | 1.373.908   | Hydraulic tube                             |  | 1                 |
| 31.  | 1.373.907   | Hydraulic tube                             |  | 1                 |
| 32.  | 1.378.837   | Dual controlled check valve - FDP 1/4      |  | 1                 |
| 33.  | 79406004066 | Hex bolt - M6X40                           |  | 2                 |
| 33.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982     |  | 2                 |
| 34.  | 1.378.836   | T-form - TH-8-PLR                          |  | 2                 |
| 35.  | 1.373.583   | Hydraulic tube                             |  | 1                 |
| 36.  | 1.378.844   | Hydraulic tube                             |  | 1                 |
| 37.  | 96703800001 | Pressure limit valve - C. VS2 3/8"         |  | 1                 |
| 38.  | 1.353.318   | Fitting - M14X1.5 G3/8                     |  | 2                 |
| 39.  | 1.373.584   | Hydraulic tube                             |  | 1                 |
| 40.  | 1.373.970   | Hydraulic tube                             |  | 2                 |
| 41.  | 1.373.971   | Hydraulic tube                             |  | 2                 |
| 42.  | 1.373.974   | Hydraulic tube                             |  | 1                 |
| 43.  | 1.373.973   | Hydraulic tube                             |  | 1                 |
| 44.  | 1.373.975   | Hydraulic tube                             |  | 2                 |
| 45.  | 1.330.772   | Hydraulic hose - 1SNDN6-375                |  | 4                 |
| 46.  | 1.310.514   | Fitting - 1 mm hole                        |  | 4                 |
| *46. | 1.355.481   | Fitting - 0.7 mm hole                      |  | 4                 |
| 47.  | 1.373.725   | Hydraulic cylinder                         |  | 1                 |
| 48.  | 1.378.696   | Fitting - GE8PLR-ED                        |  | 2                 |
| 49.  | 1.373.449   | Hydraulic tube                             |  | 1                 |
| 50.  | 1.373.991   | Hydraulic tube                             |  | 1                 |
| 51.  | 1.379.776   | Orifice DIA 0,5                            |  | 2                 |
| 52.  | 79406005066 | Hex bolt - M6X50 - DIN933                  |  | 2                 |
| 52.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982     |  | 2                 |
| 53.  | 1.373.585   | Hydraulic hose - 1SNDN6-470                |  | 1                 |
| 54.  | 1.373.488   | Hydraulic hose - 1SNDN6-535                |  | 1                 |
| 55.  | 1.379.065   | Hydraulic tube - (L=609,7)                 |  | 1                 |
| 56.  | 1.379.066   | Hydraulic tube - (L=610,7)                 |  | 1                 |
| 57.  | 1.377.061   | Clamp                                      |  | 2                 |
| 58.  | 1.377.072   | Hydraulic tube - (L=1501,5)                |  | 1                 |
| 58.  | 1.373.304   | Hydraulic tube                             |  | -                 |

Note: \* Loose parts



| Ref. | Part number | Description                                   |  | C3012F<br>C3012CF |
|------|-------------|-----------------------------------------------|--|-------------------|
| 59.  | 1.377.073   | Hydraulic tube - (L=1531,5)                   |  | 1                 |
| 59.  | 1.373.305   | Hydraulic tube                                |  | -                 |
| 60.  | 80208001666 | Hex socket head cap bolt - M8X16 - DIN912/8.8 |  | 2                 |
| 60.  | 71808000060 | Spring washer - M8 - DIN7980                  |  | 2                 |
| 61.  | 79408005066 | Hex bolt - M8X50 - DIN933/8.8                 |  | 4                 |
| 61.  | 96701314099 | Washer - M8 8,4X25X3,0                        |  | 4                 |
| 62.  | 1.373.327   | Washer                                        |  | 2                 |
| 63.  | 1.379.067   | Hydraulic tube                                |  | 2                 |
| 64.  | 1.377.021   | Fitting - M14x1.5                             |  | 2                 |


Note: \* Loose parts



| Ref. | Part number | Description                                |        | C3006<br>C3006C | C3008<br>C3008C | C3808<br>C3808C | C3012<br>C3012C | C2208<br>C2208C | C2012<br>C2012C<br>C2012<br>C2212C |
|------|-------------|--------------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------------------------|
| 1.   | 1.376.104   | Hydraulic cylinder                         | ->2015 | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 1.   | 1.373.725   | Hydraulic cylinder                         | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 2.   | 1.378.696   | Fitting - GE8PLR-ED                        |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 3.   | 1.376.795   | Hydraulic tube - 1SNDN6-290                | ->2015 | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 3.   | 1.373.585   | Hydraulic hose - 1SNDN6-470                | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 4.   | 1.330.772   | Hydraulic hose - 1SNDN6-375                | ->2015 | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 4.   | 1.373.488   | Hydraulic hose - 1SNDN6-535                | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 5.   | 1.377.062   | Fitting - M14X1.5                          |        | 4               | 4               | 4               | 4               | 6               | 6                                  |
| 6.   | 1.377.061   | Clamp                                      |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 7.   | 79406005066 | Hex bolt - M6X50 - DIN933                  |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| -    | 74900600066 | Nut with non-met. insert - M6 - DIN982     |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 8.   | 1.377.073   | Hydraulic tube - (L=1531,5)                |        | 1               | 1               | -               | 1               | -               | -                                  |
| 8.   | 1.372.762   | Hydraulic tube - (L=1614,5)                |        | -               | -               | 1               | -               | -               | -                                  |
| 8.   | 1.379.679   | Hydraulic tube - (L=1430,5)                |        | -               | -               | -               | -               | 1               | 1                                  |
| 9.   | 1.377.072   | Hydraulic tube - (L=1501,5)                |        | 1               | 1               | -               | 1               | -               | -                                  |
| 9.   | 1.372.761   | Hydraulic tube - (L=1584,5)                |        | -               | -               | 1               | -               | -               | -                                  |
| 9.   | 1.379.678   | Hydraulic tube - (L=1400,5)                |        | -               | -               | -               | -               | 1               | 1                                  |
| 10.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                  |        | -               | -               | -               | -               | 4               | 4                                  |
| 11.  | 1.379.067   | Hydraulic tube                             |        | -               | -               | 2               | -               | 2               | 2                                  |
| 12.  | 1.308.783   | Fitting - bulkhead - HYP 160-8-575 SV8     |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 13.  | 1.379.065   | Hydraulic tube - (L=609,7)                 | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 13.  | 1.377.065   | Hydraulic tube                             | ->2015 | 1               | 1               | 1               | -               | -               | -                                  |
| 13.  | 1.378.637   | Hydraulic tube                             | ->2015 | -               | -               | -               | 1               | -               | -                                  |
| 14.  | 1.379.066   | Hydraulic tube - (L=610,7)                 | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 14.  | 1.377.066   | Hydraulic tube                             | ->2015 | 1               | 1               | 1               | -               | -               | -                                  |
| 14.  | 1.378.638   | Hydraulic tube                             | ->2015 | -               | -               | -               | 1               | -               | -                                  |
| 15.  | 1.379.458   | Dual controlled check valve - FPDLE 1/4 GS | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 16.  | 1.373.449   | Hydraulic tube                             | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 17.  | 1.373.991   | Hydraulic tube                             | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 18.  | 1.379.776   | Orifice DIA 0,5                            |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 18.  | 1.356.468   | Fitting                                    |        | 2               | 2               | 2               | 2               | 2               | 2                                  |
| 19.  | 1.314.509   | Fitting - SVWE 8 PL                        | 2016-> | 1               | 1               | 1               | 1               | 1               | 1                                  |
| 20.  | 1.375.669   | Fitting - GE8PLR-ED                        | 2016-> | 3               | 3               | 3               | 3               | 3               | 3                                  |

1.329.215

This diagram shows an exploded view of a mechanical assembly. The components are identified by numbered callouts: 4 (a long thin plate), 5 (a shorter plate with two holes), 6 (a thin plate with a pointed end), 7 (a shorter plate with two holes), 15 (a bracket with a curved end), 16 (a small circular component), 17 (a small rectangular component), 18 (a larger rectangular component with four holes), and 19 (a rectangular component with two holes). A bracket labeled 20 groups components 15, 16, 17, 18, and 19.




| Ref. | Part number | Description                               |            | 6-8R | 12-16R |
|------|-------------|-------------------------------------------|------------|------|--------|
| 1.   | 1.329.216   | Frame welded NH                           |            | 1    | 1      |
| 2.   | 1.326.285   | Inlet - LH for NH TR                      |            | 1    | 1      |
| 2.   | 1.326.286   | Inlet - RH for NH TR                      |            | 1    | 1      |
| 3.   | 1.329.238   | Inlet - LH for NH TR                      |            | 1    | 1      |
| 3.   | 1.329.239   | Inlet - RH for NH TR                      |            | 1    | 1      |
| 4.   | 1.328.547   | Rubber plate                              | ->2019     | 2    | 2      |
| 4.   | 1.372.947   | Rubber plate                              | 2020->     | 2    | 2      |
| 5.   | 1.328.548   | Flat iron                                 |            | 2    | 2      |
| 6.   | 1.329.254   | Rubber plate                              | ->2019     | 2    | 2      |
| 6.   | 1.372.948   | Rubber plate                              | 2020->     | 2    | 2      |
| 7.   | 1.329.255   | Flat iron                                 |            | 2    | 2      |
| 8.   | 1.329.236   | Inlet - LH - (I=119) for NH TR            |            | 1    | 1      |
| 8.   | 1.329.237   | Inlet - RH - (I=119) for NH TR            |            | 1    | 1      |
| 9.   | 1.329.240   | Inlet - LH - (I=119) for NH AFX           |            | 1    | 1      |
| 9.   | 1.329.241   | Inlet - RH - (I=119) for NH AFX           |            | 1    | 1      |
| 10.  | 1.329.242   | Inlet - LH - (I=347) for NH CR970-980     |            | 1    | 1      |
| 10.  | 1.329.243   | Inlet - RH - (I=347) for NH CR970-980     |            | 1    | 1      |
| 11.  | 1.329.244   | Inlet - LH - (I=472) for NH CR920-940-960 |            | 1    | 1      |
| 11.  | 1.329.245   | Inlet - RH - (I=472) for NH CR920-940-960 |            | 1    | 1      |
| 12.  | 1.329.235   | Support                                   |            | 2    | 2      |
| 13.  | 1.329.294   | Angle                                     |            | -    | -      |
| 13.  | 1.329.294   | Angle                                     |            | -    | -      |
| 13.  | 1.329.294   | Angle                                     | ->2013     | 1    | 1      |
| 13.  | 1.379.632   | Angle                                     | 2014->     | 1    | 1      |
| 13.  | 1.329.294   | Angle                                     | ->2013     | 2    | 2      |
| 13.  | 1.379.632   | Angle                                     | 2014->     | 2    | 2      |
| 14.  | 1.329.295   | Angle                                     | ->2013     | 2    | 2      |
| 14.  | 1.379.631   | Angle                                     | 2014->     | 2    | 2      |
| 14.  | 1.329.295   | Angle                                     | ->2013     | 2    | 2      |
| 14.  | 1.379.631   | Angle                                     | 2014->     | 2    | 2      |
| 14.  | 1.329.295   | Angle                                     |            | -    | -      |
| 14.  | 1.329.295   | Angle                                     | ->2013     | 2    | 2      |
| 14.  | 1.379.631   | Angle                                     | 2014->     | 2    | 2      |
| 15.  | 1.329.247   | Arm welded                                |            | 1    | 1      |
| 16.  | 1.329.253   | Spring                                    |            | 1    | 1      |
| 17.  | 1.329.250   | Bushing                                   |            | 1    | 1      |
| 18.  | 1.329.251   | Support plate                             |            | 1    | 1      |
| 19.  | 1.329.296   | Support welded                            |            | 1    | 1      |
| 20.  | 1.329.246   | Support assy. - NH (items 15-19)          |            | 1    | 1      |
| 21.  | 1.329.233   | Flat iron                                 |            | 1    | 1      |
| 22.  | 1.329.234   | Rubber plate                              | ->2019     | 1    | 1      |
| 22.  | 1.372.949   | Rubber plate                              | 2020->     | 1    | 1      |
| 23.  | 1.327.601   | Retainer - for NH TR only                 |            | 2    | 2      |
| 24.  | 1.327.536   | Pin - for NH TR only                      |            | 2    | 2      |
| 25.  | 1.327.638   | Wire                                      |            | 1    | 1      |
| 26.  | 1.353.422   | Wire - CASE AFX, NH CR                    |            | 1    | 1      |
| 26.  | 1.353.561   | Wire - CASE AFX, NH CR                    |            | 1    | 1      |
| 27.  | 1.327.663   | Yoke - 6 spline (I=112)                   |            | 2    | 2      |
| 27.  | 1.327.488   | Yoke - 6 spline (P500)                    | 2016-2017. | -    | 2      |
| 28.  | 1.332.458   | Header recognizer CNH,AFX                 | 2014->     | 1    | 1      |
| -    | 1.329.215   | Mounting kit: NH (items 1-22)             |            | 1    | 1      |

Note for item:

26.- 1.353.422 is for those machines which have hydraulic snapping plate adjustment

26.- 1.353.561 is for those machines which have electric snapping plate adjustment




| Ref. | Part number | Description                                                             |                    | 6-8R | 12-16R |
|------|-------------|-------------------------------------------------------------------------|--------------------|------|--------|
| 1.   | 1.379.307   | Filler welded                                                           |                    | 1    | 1      |
| 2.   | 1.376.548   | Inlet - RH - for NH TX 62,64,66,68 ; TC 56,59 ; TF 76 - >2002           |                    | 1    | 1      |
| 3.   | 1.376.547   | Inlet - LH - for NH TX 62,64,66,68 ; TC 56,59 ; TF 76 - >2002           |                    | 1    | 1      |
| 4.   | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10                                    |                    | 8    | 8      |
| 5.   | 79410002566 | Hex bolt - M10X25 - DIN933/8.8                                          |                    | 8    | 8      |
| 6.   | 1.329.253   | Spring                                                                  |                    | 1    | 1      |
| 7.   | 1.329.250   | Bushing                                                                 |                    | 1    | 1      |
| 8.   | 1.329.247   | Arm welded                                                              |                    | 1    | 1      |
| 9.   | 1.376.541   | Spacer                                                                  |                    | 1    | 1      |
| 10.  | 1.376.542   | Spacer                                                                  |                    | 1    | 1      |
| 11.  | 1.372.283   | Support                                                                 |                    | 1    | 1      |
| 12.  | 91623938761 | Spring washer - 8X18 M8 - A8                                            |                    | 18   | 18     |
| 13.  | 73508000066 | Hex nut - M8 - DIN934                                                   |                    | 18   | 18     |
| 14.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                     |                    | 18   | 18     |
| 15.  | 79312016066 | Hex bolt - M12X160                                                      |                    | 1    | 1      |
| 16.  | 74901200066 | Lock nut - M12 - plastic insert - DIN982                                |                    | 1    | 1      |
| 17.  | 1.379.322   | Inlet - (I=125)                                                         |                    | 2    | 2      |
| 18.  | 1.379.323   | Inlet - (I=345)                                                         |                    | 2    | 2      |
| 19.  | 1.372.282   | Inlet - for NH TX 62,64,66,68 ; TC 56,59 ; TF 76 - >2002                |                    | 2    | 2      |
| 20.  | 1.327.663   | Yoke - 6 spline (I=112)                                                 |                    | 2    | 2      |
| 20.  | 1.327.488   | Yoke - 6 spline (P500)                                                  | 2016-2017., 2021-> | -    | 2      |
| *20. | 1.327.662   | Yoke - 21 spline (I=112)                                                |                    | 2    | 2      |
| *20. | 1.327.486   | Yoke - 21 spline (P500)                                                 | 2016-2017., 2021-> | -    | 2      |
| 21.  | 1.327.638   | Wire                                                                    |                    | 1    | 1      |
| 22.  | 1.353.422   | Wire - CASE AFX, NH CR                                                  | ->2020             | 1    | 1      |
| 22.  | 1.353.561   | Wire - CASE AFX, NH CR                                                  | ->2020             | 1    | 1      |
| 22.  | 1.337.137   | Harness                                                                 | 2021->             | 1    | 1      |
| 23.  | 1.332.458   | Header recognizer CNH,AFX                                               | ->2021             | 1    | 1      |
| 24.  | 1.372.940   | Inlet - LH - I=162,5                                                    | 2020->             | 1    | 1      |
| 24.  | 1.372.941   | Inlet - RH - I=162,5                                                    | 2020->             | 1    | 1      |
| 25.  | 76308002566 | Carriage bolt - M8X25 - DIN603                                          |                    | 4    | 4      |
| 26.  | 1.314.099   | Washer - M8                                                             |                    | 4    | 4      |
| -    | 1.379.308   | Mounting kit (items 1,6,7,8,9,10,11,12,13,14,15,16,17,18, 24,25 and 26) |                    | 1    | 1      |
| -    | 1.372.680   | Window Frame Completion Bundle (items 1, 6-18 and 24-26)                |                    | 1    | 1      |

Note for item:

22.- 1.353.422 is for those machines which have hydraulic snapping plate adjustment,

22.- 1.353.561 is for those machines which have electric snapping plate adjustment.

\* For combines manufactured during or after 2017.




CLAAS LEXION  
2021.

| Ref. | Part number | Description                                                       |                    | 6-8R | 12-16R |
|------|-------------|-------------------------------------------------------------------|--------------------|------|--------|
| 1.   | 1.329.485   | Filler welded                                                     |                    | 1    | 1      |
| 2.   | 1.320.280   | Flat iron                                                         |                    | 2    | 2      |
| 3.   | 1.328.539   | Rubber plate                                                      | ->2019             | 2    | 2      |
| 3.   | 1.372.950   | Rubber plate                                                      | 2020->             | 2    | 2      |
| 4.   | 1.329.500   | Fixture welded                                                    |                    | 1    | 1      |
| 5.   | 1.329.501   | Fixture                                                           |                    | 2    | 2      |
| 6.   | 1.329.498   | Safety-pin                                                        |                    | 2    | 2      |
| 7.   | 1.329.484   | Window Frame Completion Bundle (items 1,2,3,4,5,6,11,12,13,14,15) |                    | 1    | 1      |
| 8.   | -           | See page 1!                                                       |                    |      |        |
| 9.   | 1.354.171   | Wire                                                              | ->2020             | 1    | 1      |
| 9.   | 1.337.147   | Wire                                                              | 2021->             | 1    | 1      |
| 10.  | 1.327.662   | Yoke - 21 spline (l=112)                                          |                    | 2    | 2      |
| 10.  | 1.327.486   | Yoke - 21 spline (P500)                                           | 2016-2017., 2021-> | -    | 2      |
| 11.  | 1.332.478   | Rubber plate                                                      | 2014-2019          | 1    | 1      |
| 11.  | 1.372.951   | Rubber plate                                                      | 2020->             | 1    | 1      |
| 12.  | 1.332.479   | Flat iron                                                         | 2014->             | 1    | 1      |
| 13.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                               | 2014->             | 11   | 11     |
| 14.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985                            | 2014->             | 11   | 11     |
| 15.  | 1.379.635   | Angle                                                             | 2014->             | 2    | 2      |
| 16.  | 1.309.255   | Bushing                                                           | 2020->             | 2    | 2      |
| 17.  | 1.371.030   | Deflector plate - LH - (l=314)                                    | 2021->             | 1    | 1      |
| 17.  | 1.371.031   | Deflector plate - RH - (l=314)                                    | 2021->             | 1    | 1      |
| 17.  | 1.371.032   | Deflector plate - LH - (l=477)                                    | 2021->             | 1    | 1      |
| 17.  | 1.371.033   | Deflector plate - RH - (l=477)                                    | 2021->             | 1    | 1      |

1.329.386

1.372.259




| Ref. | Part number | Description                                             |            | All models |
|------|-------------|---------------------------------------------------------|------------|------------|
| 1.   | 1.329.387   | Frame welded JD                                         | ->2018     | 1          |
| *1.  | 1.372.260   | Frame welded JD                                         | 2017-2018. | 1          |
| 1.   | 1.372.260   | Frame welded JD                                         | 2019->     | 1          |
| 2.   | 1.329.398   | Retainer                                                |            | 2          |
| 3.   | 1.328.539   | Rubber plate                                            | ->2019     | 2          |
| 3.   | 1.372.950   | Rubber plate                                            | 2020->     | 2          |
| 4.   | 1.320.280   | Flat iron                                               |            | 2          |
| 5.   | 1.329.397   | Filler                                                  |            | 3          |
| 6.   | 1.320.828   | Rubber plate                                            | ->2019     | 1          |
| 6.   | 1.372.952   | Rubber plate                                            | 2020->     | 1          |
| 7.   | 1.329.400   | Plate                                                   |            | 1          |
| 8.   | 1.321.225   | Shaft welded - 21 spline                                |            | 2          |
| 9.   | 1.327.638   | Wire                                                    |            | 1          |
| 10.  | 1.327.662   | Yoke - 21 spline (l=112)                                |            | 2          |
| 11.  | -           | See page 1!                                             |            |            |
| 12.  | 1.353.562   | Wire                                                    |            | 1          |
| 13.  | 1.353.559   | Wire, electric RAP + Lighting                           |            | 1          |
| 14.  | 1.379.635   | Angle                                                   | 2014-2018. | 2          |
| 14.  | 1.372.273   | Angle - LH l=221                                        | 2019->     | 1          |
| 14.  | 1.372.274   | Angle - RH l=141                                        | 2019->     | 1          |
| 15.  | 1.327.062   | Wire batch                                              |            | 1          |
| 16.  | 1.327.066   | Jumper                                                  |            | 1          |
| -    | 1.329.386   | Mounting kit: JD (items 1,2,3,4,5,6,7,14)               |            | 1          |
| *-   | 1.372.259   | Window Frame Completion Bundle (items 1,2,3,4,5,6,7,14) | 2017-2018. | 1          |

Note for item: 12.- 1.353.562 is for those machines which have hydraulic snapping plate adjustment, for US only

Note for item: 13.- 1.353.559 is for those machines which have electric snapping plate adjustment, for US only

# 15-16. for EU only

1.372.259




| Ref. | Part number | Description                                             |        | All models |
|------|-------------|---------------------------------------------------------|--------|------------|
| 1.   | 1.372.260   | Frame welded JD                                         | ->2021 | 1          |
| 1.   | 1.371.850   | Frame welded JD                                         | 2022-> | 1          |
| 2.   | 1.329.398   | Retainer                                                |        | 2          |
| 3.   | 1.328.539   | Rubber plate                                            | ->2019 | 2          |
| 3.   | 1.372.950   | Rubber plate                                            | 2020-> | 2          |
| 4.   | 1.320.280   | Flat iron                                               |        | 2          |
| 5.   | 1.329.397   | Filler                                                  |        | 3          |
| 6.   | 1.320.828   | Rubber plate                                            | ->2019 | 1          |
| 6.   | 1.372.952   | Rubber plate                                            | 2020-> | 1          |
| 7.   | 1.329.400   | Plate                                                   |        | 1          |
| 8.   | 1.321.225   | Shaft welded - 21 spline                                |        | 2          |
| 9.   | 1.327.638   | Wire                                                    |        | 1          |
| 10.  | 1.327.662   | Yoke - 21 spline (I=112)                                |        | 2          |
| 11.  | -           | See page 1!                                             |        |            |
| 12.  | 1.353.562   | Wire                                                    | ->2020 | 1          |
| 13.  | 1.353.559   | Wire, electric RAP + Lighting                           | ->2020 | 1          |
| 13.  | 1.337.140   | Harness - JD "60" series                                | 2021-> | 1          |
| 14.  | 1.372.273   | Angle - LH I=221                                        |        | 1          |
| 14.  | 1.372.274   | Angle - RH I=141                                        |        | 1          |
| 15.  | 1.327.062   | Wire batch                                              | ->2020 | 1          |
| 16.  | 1.327.066   | Jumper                                                  |        | 1          |
| 17.  | 1.371.034   | Deflector plate - LH                                    | 2021-> | 1          |
| 17.  | 1.371.035   | Deflector plate - RH                                    | 2021-> | 1          |
| -    | 1.372.259   | Window Frame Completion Bundle (items 1,2,3,4,5,6,7,14) | ->2021 | 1          |
| -    | 1.371.849   | Window Frame Completion Bundle (items 1,2,3,4,5,6,7,14) | 2022-> | 1          |

Note for item: 12.- 1.353.562 is for those machines which have hydraulic snapping plate adjustment, for US only


Note for item: 13.- 1.353.559 is for those machines which have electric snapping plate adjustment, for US only

# 15-16. for EU only



Fix vázú csőtörő hidraulikus törőléccállítással  
Fixed corn heads with hydr. SPA



Csukható csőtörő hidraulikus törőléccállítással  
Foldable corn heads with hydr. SPA




Csukható csőtörő elektromos törőléccállítással  
Foldable corn heads with electr. SPA




#### CLAAS LEXION

- 1.372.358 - LEXION 400 for folding with electr. SPA or rigid with hydr. SPA
- 1.372.357 - LEXION 400 for folding with hydr. SPA
- 1.372.356 - LEXION 500 for folding with electr. SPA or rigid with hydr. SPA
- 1.372.355 - LEXION 500 for folding with hydr. SPA

| Ref. | Part number | Description                                                                                               |        | Rigid models with hydr. SPA or folding models with electr. SPA | Folding models with hydr. SPA |
|------|-------------|-----------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------|-------------------------------|
| 1.   | 668.800.0   | Multi-coupling for Lexion 400 series                                                                      |        | 1                                                              | 1                             |
| 2.   | 013.208.3   | Cable-kit                                                                                                 |        | 1                                                              | 1                             |
| 3.   | 668.818.0   | Cover - Lexion 400                                                                                        |        | 1                                                              | 1                             |
| 4.   | 1.323.327   | Hydraulic hose - 1SNDN6-400                                                                               |        | 2                                                              | 2                             |
| 5.   | 1.314.510   | Fitting - 90deg. EVW 8 PL                                                                                 |        | 2                                                              | 2                             |
| 6.   | 013.268.0   | Block                                                                                                     | ->2016 | 1                                                              | 1                             |
| 7.   | 1.309.604   | Plate                                                                                                     |        | 1                                                              | -                             |
| 8.   | 994.610.0   | Console                                                                                                   |        | 1                                                              | 1                             |
| 9.   | 905.875.0   | Hydraulic kit for LEXION 500 series                                                                       |        | 1                                                              | 1                             |
| 10.  | 683.725.0   | Cover - Lexion 500+                                                                                       |        | 1                                                              | 1                             |
| 11.  | 683.721.1   | Socket                                                                                                    |        | 1                                                              | 1                             |
| 12.  | 73612000066 | Hex nut - M12 - DIN936                                                                                    |        | 1                                                              | 1                             |
| 13.  | 213.607.0   | Plug                                                                                                      |        | 2                                                              | 2                             |
| 14.  | 683.722.1   | Stud-bolt                                                                                                 |        | 1                                                              | 1                             |
| 15.  | 1.378.528   | Support                                                                                                   |        | 1                                                              | 1                             |
| 16.  | 1.372.373   | Hydraulic valve                                                                                           |        | 1                                                              | -                             |
| 17.  | 1.319.233   | Hydraulic hose - 1SNDN6-315                                                                               |        | 2                                                              | 2                             |
| 18.  | 1.353.195   | Hydraulic hose - 1SNDN6-1200                                                                              |        | -                                                              | 2                             |
| 19.  | 1.372.374   | Hydraulic valve                                                                                           |        | -                                                              | 1                             |
| 20.  | 1.314.514   | Hydraulic hose - 1SNDN6-365                                                                               |        | 1                                                              | 2                             |
| 21.  | 1.351.402   | Hydraulic hose - 1SNDN6-475                                                                               |        | 1                                                              | 2                             |
| -    | 1.372.358   | Lexion 400 Hydraulic kit                                                                                  |        | 1                                                              | -                             |
| -    | 1.372.357   | Lexion 400 Hydraulic kit                                                                                  |        | -                                                              | 1                             |
| -    | 1.372.356   | Lexion 500 Hydraulic kit                                                                                  |        | 1                                                              | -                             |
| -    | 1.372.355   | Lexion 500 Hydraulic kit                                                                                  |        | -                                                              | 1                             |
| -    | 1.372.703   | Multicoupler Assy: LEXION 500+ Rigid, Hydraulic SPA - B6758 (items 2,4,10-16,20,21 and item 9 on page 26) |        | 1                                                              | -                             |
| -    | 1.372.704   | Multicoupler: LEXION 500+ Folding, Hydraulic SPA - B6759 (items 2,4,10-15,19-21 and item 9 on page 26)    |        | -                                                              | 1                             |



| Ref. | Part number | Description                                                                                            |        | RIGID<br>with<br>hydr.<br>SPA | RIGID<br>with<br>electr.<br>SPA | FOLDING<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>electr.<br>SPA |
|------|-------------|--------------------------------------------------------------------------------------------------------|--------|-------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| 1.   | -           | See mounting kit pages                                                                                 |        |                               |                                 |                                 |                                   |
| 2.   | 1.355.489   | Support plate                                                                                          |        | 1                             | 1                               | 1                               | 1                                 |
| 3.   | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                                                    |        | 5                             | 5                               | 5                               | 5                                 |
| 4.   | 91623938761 | Spring washer - 8X18 M8 - A8                                                                           |        | 7                             | 7                               | 7                               | 7                                 |
| 5.   | 73508000066 | Hex nut - M8 - DIN934                                                                                  |        | 3                             | 3                               | 3                               | 3                                 |
| 6.   | 70808000026 | Rivet nut - M8                                                                                         | ->2019 | 2                             | 2                               | 2                               | 2                                 |
| 6.   | 70708000066 | Lock nut - M8 - DIN980                                                                                 | 2020-> | 2                             | 2                               | 2                               | 2                                 |
| 7.   | 1.379.398   | Bracket welded                                                                                         |        | 1                             | 1                               | 1                               | 1                                 |
| 8.   | 1.353.553   | Pad - H201010                                                                                          |        | 1                             | 1                               | 1                               | 1                                 |
| 9.   | 70200004561 | Retainer ring - for shaft - D45X1.6 - DIN471                                                           |        | 1                             | 1                               | 1                               | 1                                 |
| 10.  | 1.327.000   | Support                                                                                                |        | 1                             | 1                               | 1                               | 1                                 |
| 11.  | 1.327.003   | Pin                                                                                                    |        | 2                             | 2                               | 2                               | 2                                 |
| 12.  | 1.354.106   | Arm                                                                                                    |        | 1                             | 1                               | 1                               | 1                                 |
| 13.  | 1.327.002   | Ring                                                                                                   |        | 2                             | 2                               | 2                               | 2                                 |
| 14.  | 1.377.251   | Washer                                                                                                 |        | 2                             | 2                               | 2                               | 2                                 |
| 15.  | 1.327.001   | Screw                                                                                                  |        | 2                             | 2                               | 2                               | 2                                 |
| 16.  | 1.354.107   | Spacer                                                                                                 |        | 2                             | 2                               | 2                               | 2                                 |
| 17.  | 1.314.099   | Washer - M8                                                                                            |        | 2                             | 2                               | 2                               | 2                                 |
| 18.  | 72208000060 | Spring washer - M8 - DIN128/A                                                                          |        | 2                             | 2                               | 2                               | 2                                 |
| 19.  | 1.353.552   | Plug - H176288                                                                                         |        | 1                             | 1                               | 1                               | 1                                 |
| 20.  | 1.327.052   | Retainer ring - external - D32X1.3 - DIN471                                                            |        | 2                             | -                               | 2                               | 2                                 |
| 21.  | 1.327.054   | Hydraulic quick-coupler - AH 171017                                                                    |        | 2                             | -                               | 2                               | 2                                 |
| 22.  | 1.327.053   | Fitting - M14X1.5/UNF 3/4-16                                                                           |        | 2                             | -                               | 2                               | 2                                 |
| 23.  | 1.353.195   | Hydraulic hose - 1SNDN6-1200                                                                           |        | 2                             | -                               | 2                               | 2                                 |
| 24.  | 1.379.394   | Directional valve - LC 6/2                                                                             |        | -                             | -                               | 1                               | -                                 |
| 25.  | 80206004066 | Hex socket head cap bolt - M6X40 - DIN912/8.8                                                          |        | -                             | -                               | 3                               | -                                 |
| 26.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982                                                                 |        | -                             | -                               | 3                               | -                                 |
| 27.  | 1.353.318   | Fitting - M14X1.5 G3/8                                                                                 |        | -                             | -                               | 6                               | -                                 |
| 28.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                                                                              |        | -                             | -                               | 2                               | -                                 |
| 29.  | 1.331.795   | Hydraulic hose - 1SNDN6-630                                                                            |        | -                             | -                               | 4                               | -                                 |
| 30.  | 1.353.204   | Harness electrical                                                                                     |        | -                             | -                               | 1                               | -                                 |
| 31.  | 1.353.213   | Switch - 6FH 007 832-121 HELLA                                                                         |        | -                             | -                               | 1                               | -                                 |
| 32.  | 1.379.399   | Holder assy. (item 3,7,12,16,17,18)                                                                    |        | 1                             | 1                               | 1                               | 1                                 |
| 33.  | 79308012066 | Hex bolt - M8X120 - DIN931/10.9                                                                        | 2020-> | 2                             | 2                               | 2                               | 2                                 |
| -    | 1.379.472   | Directional valve assy. (items 24-31)                                                                  |        | -                             | -                               | 1                               | -                                 |
| -    | 1.379.474   | Hydraulic multipoint kit. (items 2, 6, 8-11, 13-15, 19-22, 32)                                         |        | 1                             | 1                               | 1                               |                                   |
| -    | 1.356.471   | Electric multi connection (items 2-6, 8-11, 13-15, 19, 32)                                             |        | -                             | 1                               | -                               | -                                 |
| -    | 1.372.701   | Multicoupler: JD rigid hydraulic - B6755 (items 2, 6, 8-11, 13-15, 19-23, 32 and item 12 on page 27/A) |        |                               |                                 |                                 |                                   |
| -    | 1.372.702   | Multicoupler: JD folding hydraulic - B6757 (items 2, 6, 8-11, 13-15, 19-32 and item 12 on page 27/A)   |        |                               |                                 |                                 |                                   |



Csukható csőtörő hidraulikus törőléccal  
Foldable corn heads with hydr. SPA

Csukható csőtörő elektromos törőléccal  
Foldable corn heads with electric SPA


Fix vázú csőtörőhöz elektromos törőléccal/SPA:  
For rigid-framed corn heads with electr. SPA:  
2-19 tételek / items 2-19

Kábeleket és kábelkötegeket lásd a felszerelő klt. lapokon!


For wires and harnesses see  
mounting kit pages!

| Ref. | Part number | Description                                                                                                             |        | RIGID<br>with<br>hydr.<br>SPA | RIGID<br>with<br>electr.<br>SPA | FOLDING<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>electr.<br>SPA |
|------|-------------|-------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| 1.   | -           | See mounting kit pages                                                                                                  |        |                               |                                 |                                 |                                   |
| 2.   | 1.355.489   | Support plate                                                                                                           |        | 1                             | 1                               | 1                               | 1                                 |
| 3.   | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                                                                     |        | 5                             | 5                               | 5                               | 5                                 |
| 4.   | 91623938761 | Spring washer - 8X18 M8 - A8                                                                                            |        | 7                             | 7                               | 7                               | 7                                 |
| 5.   | 73508000066 | Hex nut - M8 - DIN934                                                                                                   |        | 3                             | 3                               | 3                               | 3                                 |
| 6.   | 70808000026 | Rivet nut - M8                                                                                                          | ->2019 | 2                             | 2                               | 2                               | 2                                 |
| 6.   | 70708000066 | Lock nut - M8 - DIN980                                                                                                  | 2020-> | 2                             | 2                               | 2                               | 2                                 |
| 7.   | 1.379.398   | Bracket welded                                                                                                          |        | 1                             | 1                               | 1                               | 1                                 |
| 8.   | 1.353.553   | Pad - H201010                                                                                                           |        | 1                             | 1                               | 1                               | 1                                 |
| 9.   | 70200004561 | Retainer ring - for shaft - D45X1.6 - DIN471                                                                            |        | 1                             | 1                               | 1                               | 1                                 |
| 10.  | 1.356.060   | Multi coupler                                                                                                           |        | 1                             | 1                               | 1                               | 1                                 |
| 11.  | 1.327.003   | Pin                                                                                                                     |        | 2                             | 2                               | 2                               | 2                                 |
| 12.  | 1.354.106   | Arm                                                                                                                     |        | 1                             | 1                               | 1                               | 1                                 |
| 13.  | 1.327.002   | Ring                                                                                                                    |        | 2                             | 2                               | 2                               | 2                                 |
| 14.  | 1.377.251   | Washer                                                                                                                  |        | 2                             | 2                               | 2                               | 2                                 |
| 15.  | 1.327.001   | Screw                                                                                                                   |        | 2                             | 2                               | 2                               | 2                                 |
| 16.  | 1.354.107   | Spacer                                                                                                                  |        | 2                             | 2                               | 2                               | 2                                 |
| 17.  | 1.314.099   | Washer - M8                                                                                                             |        | 2                             | 2                               | 2                               | 2                                 |
| 18.  | 72208000060 | Spring washer - M8 - DIN128/A                                                                                           |        | 2                             | 2                               | 2                               | 2                                 |
| 19.  | 1.353.552   | Plug - H176288                                                                                                          |        | 1                             | 1                               | 1                               | 1                                 |
| 20.  | 1.327.052   | Retainer ring - external - D32X1.3 - DIN471                                                                             |        | 2                             | -                               | 2                               | 2                                 |
| 21.  | 1.327.054   | Hydraulic quick-coupler - AH 171017                                                                                     |        | 2                             | -                               | 2                               | 2                                 |
| 22.  | 1.327.053   | Fitting - M14X1.5/UNF 3/4-16                                                                                            |        | 2                             | -                               | 2                               | 2                                 |
| 23.  | 1.353.195   | Hydraulic hose - 1SNDN6-1200                                                                                            |        | 2                             | -                               | 2                               | 2                                 |
| 24.  | 1.379.394   | Directional valve - LC 6/2                                                                                              |        | -                             | -                               | 1                               | -                                 |
| 25.  | 80206004066 | Hex socket head cap bolt - M6X40 - DIN912/8.8                                                                           |        | -                             | -                               | 3                               | -                                 |
| 26.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982                                                                                  |        | -                             | -                               | 3                               | -                                 |
| 27.  | 1.353.318   | Fitting - M14X1.5 G3/8                                                                                                  |        | -                             | -                               | 6                               | -                                 |
| 28.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                                                                                               |        | -                             | -                               | 2                               | -                                 |
| 29.  | 1.331.795   | Hydraulic hose - 1SNDN6-630                                                                                             |        | -                             | -                               | 4                               | -                                 |
| 30.  | 1.353.204   | Harness electrical                                                                                                      |        | -                             | -                               | 1                               | -                                 |
| 31.  | 1.353.213   | Switch - 6FH 007 832-121 HELLA                                                                                          |        | -                             | -                               | 1                               | -                                 |
| 32.  | 1.379.399   | Holder assy. (item 3,7,12,16,17,18)                                                                                     |        | 1                             | 1                               | 1                               | 1                                 |
| 33.  | 79308012066 | Hex bolt - M8X120 - DIN931/10.9                                                                                         | 2020-> | 2                             | 2                               | 2                               | 2                                 |
| -    | 1.379.472   | Directional valve assy. (items 24-31)                                                                                   |        | -                             | -                               | 1                               | -                                 |
| -    | 1.379.473   | Hydraulic multipoint kit. (items 2, 6, 8, 9, 10, 11, 13, 14, 15, 19, 20, 21, 22, 32)                                    |        | 1                             | -                               | 1                               | 1                                 |
| -    | 1.379.540   | Electric multi connection (items 2, 3, 4, 5, 6, 8, 9, 10, 11, 13, 14, 15, 19, 32 )                                      |        | -                             | 1                               | -                               | -                                 |
| -    | 1.372.698   | Multicoupler: AGCO rigid hydraulic /folding electric- B6752 (items 2, 6, 8-11, 13-15, 19-23, 32 and item 13 on page 37) |        | 1                             | -                               | -                               | 1                                 |
| -    | 1.372.699   | Multicoupler: AGCO rigid electric- B6753 (items 2-6, 8-11, 13-15, 19, 32 and item 13 on page 37)                        |        |                               |                                 |                                 |                                   |
| -    | 1.372.700   | Multicoupler: AGCO folding hydraulic - B6754. (items 2, 6, 8-11, 13-15, 19-32 and item 13 on page 37)                   |        |                               |                                 |                                 |                                   |


Fix vázú csőtörő  
hidraulikus törőléccállítással  
Rigid-framed corn heads  
with hydr. SPA




Csukható csőtörő hidraulikus törőléccállítással  
Foldable corn heads with hydr. SPA



Csukható csőtörő elektromos törőléccállítással  
Foldable corn heads with electric SPA



Fix vázú csőtörőhöz elektromos törőléccállítással/  
For rigid-framed corn heads with electr. SPA:  
2-19 tételek / items 2-19






Kábeleket és kábelkötegeket lásd  
a felszerelő klt. lapokon!

For wires and harnesses see  
mounting kit pages!

| Ref. | Part number | Description                                                                                                        |  | RIGID<br>with<br>hydr.<br>SPA | RIGID<br>with<br>electr.<br>SPA | FOLDING<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>electr.<br>SPA |
|------|-------------|--------------------------------------------------------------------------------------------------------------------|--|-------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| 2.   | 1.355.489   | Support plate                                                                                                      |  | 1                             | 1                               | 1                               | 1                                 |
| 3.   | 79408003066 | Hex bolt - M8X30 - DIN933/8.8                                                                                      |  | 2                             | 2                               | 2                               | 2                                 |
| 4.   | 91623938761 | Spring washer - 8X18 M8 - A8                                                                                       |  | 7                             | 7                               | 7                               | 7                                 |
| 5.   | 73508000066 | Hex nut - M8 - DIN934                                                                                              |  | 3                             | 3                               | 3                               | 3                                 |
| 6.   | 70708000066 | Lock nut - M8 - DIN980                                                                                             |  | 2                             | 2                               | 2                               | 2                                 |
| 7.   | 1.372.632   | Bracket                                                                                                            |  | 1                             | 1                               | 1                               | 1                                 |
| 8.   | 74900800066 | Lock nut - plastic insert - M8 - DIN982/8                                                                          |  | 2                             | 2                               | 2                               | 2                                 |
| 9.   | 70200004561 | Retainer ring - for shaft - D45X1.6 - DIN471                                                                       |  | 1                             | 1                               | 1                               | 1                                 |
| 10.  | 1.372.609   | Support                                                                                                            |  | 1                             | 1                               | 1                               | 1                                 |
| 11.  | 1.327.003   | Pin                                                                                                                |  | 2                             | 2                               | 2                               | 2                                 |
| 12.  | 1.372.631   | Arm                                                                                                                |  | 1                             | 1                               | 1                               | 1                                 |
| 13.  | 1.327.002   | Ring                                                                                                               |  | 2                             | 2                               | 2                               | 2                                 |
| 14.  | 1.377.251   | Washer                                                                                                             |  | 2                             | 2                               | 2                               | 2                                 |
| 15.  | 1.327.001   | Screw                                                                                                              |  | 2                             | 2                               | 2                               | 2                                 |
| 16.  | 1.354.107   | Spacer                                                                                                             |  | 2                             | 2                               | 2                               | 2                                 |
| 17.  | 1.314.099   | Washer - M8                                                                                                        |  | 2                             | 2                               | 2                               | 2                                 |
| 18.  | 72208000060 | Spring washer - M8 - DIN128/A                                                                                      |  | 2                             | 2                               | 2                               | 2                                 |
| 19.  | 1.353.552   | Plug - H176288                                                                                                     |  | 1                             | 1                               | 1                               | 1                                 |
| 20.  | 1.327.052   | Retainer ring - external - D32X1.3 - DIN471                                                                        |  | 2                             | -                               | 2                               | 2                                 |
| 21.  | 1.327.054   | Hydraulic quick-coupler - AH 171017                                                                                |  | 2                             | -                               | 2                               | 2                                 |
| 22.  | 1.327.053   | Fitting - M14X1.5/UNF 3/4-16                                                                                       |  | 2                             | -                               | 2                               | 2                                 |
| 23.  | 1.353.195   | Hydraulic hose - 1SNDN6-1200                                                                                       |  | 2                             | -                               | 2                               | 2                                 |
| 24.  | 1.379.394   | Directional valve - LC 6/2                                                                                         |  | -                             | -                               | 1                               | -                                 |
| 25.  | 80206004066 | Hex socket head cap bolt - M6X40 - DIN912/8.8                                                                      |  | -                             | -                               | 3                               | -                                 |
| 26.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982                                                                             |  | -                             | -                               | 3                               | -                                 |
| 27.  | 1.353.318   | Fitting - M14X1.5 G3/8                                                                                             |  | -                             | -                               | 6                               | -                                 |
| 28.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                                                                                          |  | -                             | -                               | 2                               | -                                 |
| 29.  | 1.331.795   | Hydraulic hose - 1SNDN6-630                                                                                        |  | -                             | -                               | 4                               | -                                 |
| 30.  | 1.353.204   | Harness electrical                                                                                                 |  | -                             | -                               | 1                               | -                                 |
| 31.  | 1.353.213   | Switch - 6FH 007 832-121 HELLA                                                                                     |  | -                             | -                               | 1                               | -                                 |
| 32.  | 1.372.630   | Holder assy. (item 3, 7, 8, 12, 16, 17, 18)                                                                        |  | 1                             | 1                               | 1                               | 1                                 |
| 33.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                                                                |  | 3                             | 3                               | 3                               | 3                                 |
| 34.  | 79308012066 | Hex bolt - M8X120 - DIN931/10.9                                                                                    |  | 2                             | 2                               | 2                               | 2                                 |
| -    | 1.379.472   | Directional valve assy. (items 24-31)                                                                              |  | -                             | -                               | 1                               | -                                 |
| -    | 1.372.646   | Hydraulic multipoint kit. (items 2, 6, 8, 9, 10, 11, 13, 14, 15, 19, 20, 21, 22, 32)                               |  | 1                             | -                               | 1                               | 1                                 |
| -    | 1.372.647   | Electric multi connection (items 2, 4, 5, 6, 9, 10, 11, 13, 14, 15, 19, 32)                                        |  | -                             | 1                               | -                               | 1                                 |
| -    | 1.372.818   | Multicoupler: IDEAL rigid elektric /folding electric (items 2, 4-6, 9-11, 13-15, 19-22, 32 and item 18 on page 71) |  | -                             | 1                               | -                               | 1                                 |
| -    | 1.372.819   | Multicoupler: IDEAL rigid hydraulic (items 2, 6, 8-11, 13-15, 19-22, 23, 32 and item 18 on page 71)                |  | 1                             | -                               | -                               | -                                 |
| -    | 1.372.820   | Multicoupler: IDEAL folding hydraulic (items 2, 6, 9-11, 13-15, 19-32 and item 18 on page 71)                      |  |                               |                                 |                                 |                                   |

| Lubrication table |              |         |                               |
|-------------------|--------------|---------|-------------------------------|
| #                 | type         | period  | qty.                          |
| 1                 | Liton EP2    | 250 [h] | look at the operator's manual |
| 2                 | Liton EP2    | 250 [h] | look at the operator's manual |
| 3                 | Liton EP2    | 50 [h]  | look at the operator's manual |
| 4                 | EP-00 grease | 250 [h] | 5,5 [pounds],<br>2,5 [kg]     |
| 5                 | Liton EP2    | 250 [h] | look at the operator's manual |
| 6                 | Liton EP2    | 50 [h]  | look at the operator's manual |
| 7                 | Liton EP2    | 50 [h]  | look at the operator's manual |
| 8                 | Liton EP2    | 250 [h] | look at the operator's manual |
| 9                 | Liton EP2    | 250 [h] | look at the operator's manual |
| 10                | Gearbox oil  | 50 [h]  | look at the operator's manual |
| 11                | Gearbox oil  | 10 [h]  | look at the operator's manual |
| 12                | SAE 80W-140  | 50 [h]  | 10,15 [fl.oz.];<br>0,3 [l]    |
| 13                | SAE 80W-140  | 250 [h] | 30,45 [fl.oz.];<br>0,9 [l]    |





1

13

**NEED MORE INFO?**  
Use your phone camera to scan the QR code below for support documents, videos & more!



**MacDon**  
The Harvesting Specialists



5

6

7

8


9

10


| Ref. | Part number | Description                         |  | RIGID<br>models | FOLDING<br>models |
|------|-------------|-------------------------------------|--|-----------------|-------------------|
| 1.   | 1.377.253   | Lubricating label                   |  | 1               | 1                 |
| 2.   | 1.353.431   | Warning label - chopper models only |  | 2               | 2                 |
| 3.   | 111671 W1   | Warning label                       |  | 2               | 2                 |
| 4.   | 1.353.432   | Warning label - folding models only |  | -               | 4                 |
| 5.   | 111670 W1   | Warning label                       |  | 2               | 2                 |
| 6.   | 111672 W1   | Warning label                       |  | 2               | 2                 |
| 7.   | 111096 W1   | Warning label                       |  | 2               | 2                 |
| 8.   | 111095 W1   | Warning label                       |  | 4               | 4                 |
| 9.   | 1.353.433   | Warning label - chopper models only |  | 2               | 2                 |
| 10.  | 1.304.921   | Reflective strip - amber            |  | 2               | 2                 |
| 10.  | 1.304.922   | Reflective strip - red              |  | 2               | 2                 |
| 10.  | 1.327.130   | Reflective strip - orange           |  | 2               | 2                 |
| 11.  | 1.355.485   | Warning label - folding models only |  | -               | 2                 |
| 12.  | 1.379.138   | Warning label                       |  | -               | 1                 |
| 13.  | 1.372.822   | QR code label                       |  | 1               | 1                 |

| #  | Type             | period  | qty. |
|----|------------------|---------|------|
| 1  | EP NLGI Grade 2* | 250 [h] | 1    |
| 2  | SAE 80W-140**    | 250 [h] | 1    |
| 3  | EP NLGI Grade 2* | 250 [h] | 1    |
| 4  | SAE 80W-140**    | 250 [h] | 1    |
| 5  | EP NLGI Grade 2* | 50 [h]  | 1    |
| 6  | EP NLGI Grade 2* | 250 [h] | 1    |
| 7  | EP NLGI Grade 2* | 250 [h] | 1    |
| 8  | EP NLGI Grade 2* | 250 [h] | 1    |
| 9  | Gearbox oil      | 50 [h]  | 1    |
| 10 | Gearbox oil      | 10 [h]  | 1    |
| 11 | SAE 80W-140**    | 50 [h]  | 1    |
| 12 | SAE 80W-140**    | 250 [h] | 1    |

\*High temperatures: 2% max molybdenum disulfide, lithium base  
\*\*SAE 80W-140 can be used as an alternative




| # | Type             | period  | qty. |
|---|------------------|---------|------|
| 1 | EP NLGI Grade 2* | 250 [h] | 1    |
| 2 | SAE 80W-140**    | 250 [h] | 1    |



**NEED MORE INFO?**  
Use your phone camera to scan the QR code below for support documents, videos & more!




**MacDon**  
The Harvesting Specialists.



31B

**WARNING**  
Do not operate feeder lateral tilt feature with this Cornhead  
Damage may result!




14


20

17

| Ref. | Part number | Description               |  | C3006<br>C2208<br>C3008<br>C3808 | C3006C<br>C2208C<br>C3008C<br>C3808C | C2012<br>C2212<br>C3012 | C2012C<br>C2212C<br>C3012C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|---------------------------|--|----------------------------------|--------------------------------------|-------------------------|----------------------------|-------------------|-------------------|
| 1.   | 1.377.253   | Lubricating label         |  |                                  | 1                                    |                         | 1                          | 1                 | 1                 |
| 2.   | 1.372.889   | Lubricating label         |  |                                  | -                                    |                         | -                          | 1                 | 1                 |
| 3.   | 1.372.822   | QR code label             |  |                                  | 1                                    |                         | 1                          | 1                 | 1                 |
| 4.   | 1.315.438   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 5.   | 1.315.439   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 6.   | 1.315.440   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 7.   | 1.326.700   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 8.   | 1.326.701   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 9.   | 1.326.702   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 10.  | 1.326.703   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 11.  | 1.379.142   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 12.  | 1.326.705   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 13.  | 1.379.143   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 14.  | 1.372.916   | Warning label             |  |                                  | -                                    |                         | -                          | 2                 | 2                 |
| 15.  | 1.372.836   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 16.  | 1.372.837   | Warning label             |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 17.  | 115146      | Reflective strip, amber   |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 17.  | 115147      | Reflective strip, red     |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 17.  | 115145      | Reflective strip, orange  |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 18.  | 1.372.890   | Tie-down point label      |  |                                  | 2                                    |                         | 2                          | 2                 | 2                 |
| 19.  | 1.379.138   | Warning label             |  |                                  | -                                    |                         | -                          | 2                 | 2                 |
| 20.  | 1.326.707   | Warning label             |  |                                  | -                                    |                         | -                          | 4                 | 4                 |
| 21.  | 514.038.0   | Lifting bar sticker       |  |                                  | 2                                    |                         | 4                          | 2                 | 4                 |
| 22.  | 1.373.044   | Chopper knife cover label |  |                                  | 1                                    |                         | 1                          | 1                 | 1                 |




| Ref. | Part number | Description              |        | C3006<br>C3006C | C2208<br>C2208C<br>C3008<br>C3008C | C2012<br>C2012C<br>C2212<br>C2212C<br>C3012<br>C3012C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|--------------------------|--------|-----------------|------------------------------------|-------------------------------------------------------|-------------------|-------------------|
| 1.   | 1.379.105   | Lamp - bracket welded    |        | -               | -                                  | -                                                     | 2                 | 2                 |
| 2.   | 1.321.217   | Lamp - bracket welded    | ->2019 | 2               | 2                                  | 2                                                     | -                 | -                 |
| 2.   | 1.372.902   | Lamp - bracket welded    | 2020-> | 2               | 2                                  | 2                                                     | -                 | -                 |
| 3.   | 1.327.127   | Shield                   |        | 2               | 2                                  | 2                                                     | 2                 | 2                 |
| 4.   | 1.320.289   | Retainer                 | ->2013 | 4               | 4                                  | 4                                                     | -                 | -                 |
| 4.   | 97517031100 | Retainer                 | 2014-> | 4               | 4                                  | 4                                                     | -                 | -                 |
| 5.   | 11 17 10    | W91 lamp assy.           |        | -               | -                                  | -                                                     | 2                 | 2                 |
| 5.   | 11 17 10    | W91 lamp assy.           | ->2019 | 2               | 2                                  | 2                                                     | -                 | -                 |
| 5.   | 1.372.912   | Lamp assy.               | 2020-> | 2               | 2                                  | 2                                                     | -                 | -                 |
| 6.   | 99652123700 | Zip tie - 98X2.5 - White |        | 2               | 2                                  | 2                                                     | 2                 | 2                 |
| 7.   | 97327001370 | Band - 15X15             |        | 3               | 3                                  | 3                                                     | 3                 | 3                 |
| 8.   | 1.320.072   | Wire                     |        | 1               | 1                                  | -                                                     | 1                 | 1                 |
| 8.   | 1.353.978   | Wire                     |        | -               | -                                  | 1                                                     | -                 | -                 |



| Ref. | Part number | Description              |  | C3006<br>C3006C | C2208<br>C2208C<br>C3008<br>C3008C<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012<br>C3012C<br>C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|--------------------------|--|-----------------|-------------------------------------------------------|------------------------------------|------------------------------------|-----------------|------------------------------------|-------------------|-------------------|
| 1.   | 1.379.105   | Lamp - bracket welded    |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | 2                 | 2                 |
| 2.   | 1.372.902   | Lamp - bracket welded    |  | 2               | 2                                                     | 2                                  | 2                                  | 2               | 2                                  | -                 | -                 |
| 3.   | 1.327.127   | Shield                   |  | 2               | 2                                                     | 2                                  | 2                                  | 2               | 2                                  | 2                 | 2                 |
| 4.   | 1.320.289   | Retainer                 |  | 4               | 4                                                     | 4                                  | 4                                  | 4               | 4                                  | -                 | -                 |
| 4.   | 97517031100 | Retainer                 |  | 4               | 4                                                     | 4                                  | 4                                  | 4               | 4                                  | -                 | -                 |
| 5.   | 1.337.149   | Lamp assy.               |  | 2               | 2                                                     | 2                                  | 2                                  | 2               | 2                                  | 2                 | 2                 |
| 6.   | 99652123700 | Zip tie - 98X2.5 - White |  | 2               | 2                                                     | 2                                  | 2                                  | 2               | 2                                  | 2                 | 2                 |
| 7.   | 97327001370 | Band - 15X15             |  | 3               | 3                                                     | 3                                  | 3                                  | 3               | 3                                  | 3                 | 3                 |
| 8.   | 1.337.141   | Wire                     |  | 1               | 1                                                     | 1                                  | -                                  | -               | -                                  | -                 | -                 |
| 8.   | 1.371.621   | Wire                     |  | -               | -                                                     | -                                  | 1                                  | 1               | 1                                  | -                 | -                 |
| 9.   | 1.371.620   | Stubble Lamp assy        |  | -               | -                                                     | -                                  | 4                                  | 4               | 4                                  | -                 | 4                 |
| 10.  | 1.371.628   | Wire (stubble light)     |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | -                 | 2                 |
| 11.  | 1.371.627   | Wire                     |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | 1                 | 1                 |
| 12.  | 1.371.649   | Holder - (h=15)          |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | -                 | 2                 |
| 12.  | 1.371.650   | Holder - (h=30)          |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | -                 | 4                 |
| -    | 1.371.623   | Lighting kit (#1-8)      |  | 1               | 1                                                     | 1                                  | -                                  | -               | -                                  | -                 | -                 |
| -    | 1.371.622   | Lighting kit (#1-8)      |  | -               | -                                                     | -                                  | 1                                  | 1               | 1                                  | -                 | -                 |
| -    | 1.371.626   | Lighting kit (#1-7, 11)  |  | -               | -                                                     | -                                  | -                                  | -               | -                                  | 1                 | 1                 |

Note: Items 9-10, only for JD combine


1.329.165



CASE IH  
2015.

| Ref. | Part number | Description                                                                      |            | 6-8R | 12-18R |
|------|-------------|----------------------------------------------------------------------------------|------------|------|--------|
| 1.   | 1.329.166   | Frame assy.                                                                      |            | 1    | 1      |
| 2.   | 1.320.558   | Angle                                                                            |            | 2    | 2      |
| 3.   | 1.314.099   | Washer - M8                                                                      |            | 8    | 8      |
| 4.   | 70708000066 | Lock nut - M8 - DIN980                                                           |            | 4    | 4      |
| 5.   | 79408002566 | Hex head screw - M8X25 - DIN933/8.8                                              |            | 4    | 4      |
| 6.   | 1.329.977   | Clip late                                                                        |            | 2    | 2      |
| 7.   | 79412003566 | Hex bolt - M12X35 - DIN933/8.8                                                   |            | 4    | 4      |
| 8.   | 91623938961 | Spring washer - A12                                                              |            | 8    | 8      |
| 9.   | 73512000066 | Hex nut - M12 - DIN934/8.8                                                       |            | 4    | 4      |
| 10.  | 1.301.068   | Clip                                                                             |            | 2    | 2      |
| 11.  | 1.301.069   | Pin                                                                              |            | 2    | 2      |
| 12.  | 70716000066 | Lock nut - M16 - DIN980/8.8                                                      |            | 4    | 4      |
| 13.  | 1.327.664   | Yoke - 1.125 hex (l=112)                                                         |            | 2    | 2      |
| 13.  | 1.327.487   | Yoke - 1.125 hex (P500)                                                          | 2016-2017. | -    | 2      |
| 14.  | -           | See page 1!                                                                      |            |      |        |
| 15.  | 1.327.638   | Wire                                                                             | 2020->     | 1    | 1      |
| 15.  | 1.371.646   | Wire                                                                             | 2021->     | 1    | 1      |
| 16.  | 1.379.536   | Harness CASE 1000-2000                                                           |            | 1    | 1      |
| -    | 1.329.165   | Mounting kit. (items 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12)                      |            | 1    | 1      |
| -    | 1.372.679   | Window Frame Completion Bundle (items 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 15) |            | 1    | 1      |


1.326.544



MF 8680,8780,9690,9790  
Gleaner C,A  
2013.

| Ref. | Part number | Description                                               |            | 6-8R | 12-18R |
|------|-------------|-----------------------------------------------------------|------------|------|--------|
| 1.   | 1.322.351   | Upper filler welded - without LTM                         |            | 1    | 1      |
| 2.   | 1.328.546   | Rubber plate                                              | ->2019     | 2    | 2      |
| 2.   | 1.372.953   | Rubber plate                                              | 2020->     | 2    | 2      |
| 3.   | 1.320.280   | Flat iron                                                 |            | 2    | 2      |
| 4.   | 1.322.329   | Lower filler welded                                       |            | 1    | 1      |
| 5.   | 71 38 50 03 | Inlet: MF 8780                                            |            | 2    | 2      |
| 6.   | 1.322.332   | Angle                                                     |            | 2    | 2      |
| 7.   | 1.322.333   | Angle                                                     |            | 2    | 2      |
| 8.   | -           | See page 1!                                               |            |      |        |
| 9.   | 1.327.662   | Yoke - 21 spline (I=112)                                  |            | 2    | 2      |
| 9.   | 1.327.486   | Yoke - 21 spline (P500)                                   | 2016-2017. | -    | 2      |
| 10.  | 1.327.638   | Wire                                                      |            | 1    | 1      |
| 11.  | 1.332.447   | Guide welded - RH with LTM                                |            | 1    | 1      |
| 11.  | 1.332.462   | Guide welded - RH AGCO challenger                         |            | 1    | 1      |
| 12.  | 1.332.446   | Guide welded - LH with LTM                                |            | 1    | 1      |
| 12.  | 1.332.461   | Guide welded                                              |            | 1    | 1      |
| 13.  | 1.355.966   | Harness for AGCO multicoupler                             | ->2020     | 1    | 1      |
| 13.  | 1.337.146   | Harness for AGCO multicoupler                             | 2021->     | 1    | 1      |
| -    | 1.326.544   | Mounting kit (items 2, 3, 4, 5, 6, 7, 11,12)              |            | 1    | 1      |
| -    | 1.372.682   | Window Frame Completion Bundle (items 2, 3, 4, 6, 11, 12) |            | 1    | 1      |


Note for item 10: For those combines which have no multipoint connection.



MF 8570  
2007.

| Ref. | Part number | Description                 |  | C3006<br>C3006C | C3008<br>C3008C |
|------|-------------|-----------------------------|--|-----------------|-----------------|
| 1.   | 1.320.291   | Upper filler welded         |  | 1               | 1               |
| 2.   | 1.322.394   | Inlet welded - RH           |  | 1               | 1               |
| 3.   | 1.322.393   | Inlet welded - LH           |  | 1               | 1               |
| 4.   | 1.304.985   | Strap - (25 12 590)         |  | 2               | 2               |
| 5.   | 1.304.143   | Retainer                    |  | 2               | 2               |
| 6.   | 1.320.275   | Wire MF 8570                |  | 1               | 1               |
| 7.   | –           | See page 1!                 |  |                 |                 |
| 8.   | 1.353.755   | Yoke - 1.26 hex (l=110)     |  | 2               | 2               |
| 9.   | 70716000066 | Lock nut - M16 - DIN980/8.8 |  | 4               | 4               |

# 43/A




1.378.492

2013.

| Ref. | Part number | Description                                |  | All models |
|------|-------------|--------------------------------------------|--|------------|
| 1.   | 1.378.493   | Support welded                             |  | 2          |
| 2.   | 1.378.497   | Body welded                                |  | 2          |
| 3.   | 1.356.016   | Pin                                        |  | 2          |
| 4.   | 73108004001 | Pin - 8X40 EN 28739 - DIN1473              |  | 4          |
| 5.   | 73100104501 | Pin - 10X45 - ISO28739                     |  | 2          |
| 6.   | 1.200.628   | Spring                                     |  | 4          |
| 7.   | 1.378.501   | Stomper plate                              |  | 2          |
| 8.   | 76310003066 | Carriage bolt - M10X30 - DIN603            |  | 8          |
| 9.   | 1.377.699   | Washer                                     |  | 8          |
| 10.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8              |  | 8          |
| 11.  | 91623938761 | Spring washer - 8X18 M8 - A8               |  | 8          |
| 12.  | 1.378.446   | Safety pin                                 |  | 2          |
| 13.  | 74901000066 | Lock nut - plastic insert - M10 - DIN982/8 |  | 8          |

43/B




1.372.531

CORNADO

1.372.532

2019.


| Ref. | Part number | Description                                |  | All models |
|------|-------------|--------------------------------------------|--|------------|
| 1.   | 1.372.523   | Support welded                             |  | 2          |
| 2.   | 1.378.497   | Body welded                                |  | 2          |
| 3.   | 1.356.016   | Pin                                        |  | 2          |
| 4.   | 73108004001 | Pin - 8X40 EN 28739 - DIN1473              |  | 4          |
| 5.   | 73100104501 | Pin - 10X45 - ISO28739                     |  | 2          |
| 6.   | 1.200.628   | Spring                                     |  | 4          |
| 7.   | 1.378.501   | Stomper plate                              |  | 2          |
| 8.   | 76310003066 | Carriage bolt - M10X30 - DIN603            |  | 8          |
| 9.   | 1.377.699   | Washer                                     |  | 8          |
| 10.  | 79408002066 | Hex bolt - M8X20 - DIN933/8.8              |  | 8          |
| 11.  | 91623938761 | Spring washer - 8X18 M8 - A8               |  | 10         |
| 12.  | 1.378.446   | Safety pin                                 |  | 2          |
| 13.  | 74901000066 | Lock nut - plastic insert - M10 - DIN982/8 |  | 8          |
| 14.  | 1.372.527   | Support welded                             |  | 2          |
| 15.  | 91623939161 | Spring washer - A16                        |  | 2          |
| 16.  | 79416003066 | Hex head screw - M16X30                    |  | 2          |
| 17.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8        |  | 2          |
| -    | 1.372.532   | Stalk stomper kit.                         |  | 1          |
| -    | 1.372.531   | Stalk stomper assy.                        |  | 2          |



1.377.425 - LH


1.377.426 - RH

| Ref. | Part number  | Description                               |         | All models |
|------|--------------|-------------------------------------------|---------|------------|
| 1.   | 1.377.382.1  | Side extension - LH - CASE IH red         |         | 1          |
| 1.   | 1.377.382.2  | Side extension - LH - standard grey       |         | 1          |
| 1.   | 1.377.382.3  | Side extension - LH - NH yellow           |         | 1          |
| 1.   | 1.377.382.5  | Side extension - LH - orange              |         | 1          |
| 1.   | 1.377.382.8  | Side extension - LH - AGCO red            |         | 1          |
| 1.   | 1.377.382.10 | Side extension - LH - GLEANER grey        |         | 1          |
| 1.   | 1.377.383.1  | Side extension - RH - CASE IH red         |         | 1          |
| 1.   | 1.377.383.2  | Side extension - RH - standard grey       |         | 1          |
| 1.   | 1.377.383.3  | Side extension - RH - NH yellow           |         | 1          |
| 1.   | 1.377.383.5  | Side extension - RH - orange              |         | 1          |
| 1.   | 1.377.383.8  | Side extension - RH - AGCO red            |         | 1          |
| 1.   | 1.377.383.10 | Side extension - RH - standard gray       |         | 1          |
| 2.   | 1.377.432    | Support - LH                              | ->2019. | 1          |
| 2.   | 1.377.433    | Support - RH                              | ->2019. | 1          |
| 2.   | 1.372.865    | Support - LH                              | 2020.-> | 1          |
| 2.   | 1.372.866    | Support - RH                              | 2020.-> | 1          |
| 3.   | 1.377.429    | Rubber curtain                            | ->2019. | 2          |
| 3.   | 1.372.946    | Rubber curtain                            | 2020.-> | 2          |
| 4.   | 1.377.428    | Flat bar                                  |         | 2          |
| 5.   | 84304001200  | POP rivet - 4X12 - DIN7337                |         | 14         |
| 6.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8             |         | 8          |
| 7.   | 91623938761  | Spring washer - 8X18 M8 - A8              |         | 14         |
| 8.   | 79408010066  | Hex bolt - M8X100 - DIN933/8.8            |         | 2          |
| 9.   | 1.314.099    | Washer - M8                               |         | 2          |
| 10.  | 1.372.913    | Locking plate - LH                        | 2020.-> | 1          |
| 10.  | 1.372.914    | Locking plate - RH                        | 2020.-> | 1          |
| 11.  | 79408002566  | Hex head screw - M8X25 - DIN933/8.8       |         | 6          |
| -    | 1.377.425.1  | Side extension assy. - LH - CASE IH red   |         | 1          |
| -    | 1.377.425.2  | Side extension assy. - LH - standard grey |         | 1          |
| -    | 1.377.425.3  | Side extension assy. - LH - NH yellow     |         | 1          |
| -    | 1.377.425.5  | Side extension assy. - LH - orange        |         | 1          |
| -    | 1.377.425.8  | Side extension assy. - LH - AGCO red      |         | 1          |
| -    | 1.377.425.10 | Side extension assy. - LH - GLEANER grey  |         | 1          |
| -    | 1.377.426.1  | Side extension assy. - RH - CASE IH red   |         | 1          |
| -    | 1.377.426.2  | Side extension assy. - RH - standard grey |         | 1          |
| -    | 1.377.426.3  | Side extension assy. - RH - NH yellow     |         | 1          |
| -    | 1.377.426.5  | Side extension assy. - RH - orange        |         | 1          |
| -    | 1.377.426.8  | Side extension assy. - RH - AGCO red      |         | 1          |
| -    | 1.377.426.10 | Side extension assy. - RH - GLEANER grey  |         | 1          |



|                       |
|-----------------------|
| 1.373.670 - LH 2016-> |
| 1.373.671 - RH 2016-> |
| 1.377.802 - LH ->2015 |
| 1.377.803 - RH ->2015 |


| Ref. | Part number | Description                                     |        | C3006<br>C3006C | C3008<br>C3008C<br>C3808<br>C3808C<br>C3008F<br>C3008CF | C2012<br>C2212<br>C3012<br>C3812<br>C3012F | C2012C<br>C2212C<br>C3012<br>C3812C<br>C3012CF | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|-------------------------------------------------|--------|-----------------|---------------------------------------------------------|--------------------------------------------|------------------------------------------------|-----------------|------------------------------------|
| 1.   | 1.377.247   | Snapping roll body                              |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 2.   | 1.377.250   | Knife                                           |        | 48              | 64                                                      | 96                                         |                                                | 128             | 144                                |
| 3.   | 79412125256 | Hex bolt - M12X25X1.25 - DIN961                 |        | 144             | 192                                                     | 288                                        |                                                | 384             | 432                                |
| 4.   | 91623938961 | Spring washer - A12                             |        | 144             | 192                                                     | 288                                        |                                                | 384             | 432                                |
| 6.   | 1.377.800   | Auger - LH                                      | ->2015 | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 6.   | 1.377.801   | Auger - RH                                      | ->2015 | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 6.   | 1.379.973   | Auger - LH                                      | 2016-> | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 6.   | 1.379.974   | Auger - RH                                      | 2016-> | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 7.   | 73010005501 | Spring pin - 10X55 - DIN1481                    |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 7.   | 73006005501 | Spring pin - 6X55 - DIN1481                     |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 7.   | 73100105501 | Pin - 10X55 - DIN28739                          |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 8.   | 70100004001 | Retaining ring - internal - 40X1.75 - DIN472    |        | 24              | 32                                                      | 48                                         |                                                | 64              | 72                                 |
| 9.   | 87000420314 | Bearing - 4203 - DIN625                         | ->2015 | 24              | 32                                                      | 48                                         |                                                | 64              | 72                                 |
| 9.   | 87000320314 | Bearing - 3203 2RS                              | 2016-> | 24              | 32                                                      | 48                                         |                                                | 64              | 72                                 |
| 10.  | 1.377.392   | Spacer                                          |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 11.  | 1.371.357   | Bearing housing assy. - LH                      |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 11.  | 1.371.358   | Bearing housing assy. - RH                      |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 14.  | 1.378.440   | Flute - LH                                      |        | 24              | 32                                                      | 48                                         |                                                | 64              | 72                                 |
| 14.  | 1.378.441   | Flute - RH                                      |        | 24              | 32                                                      | 48                                         |                                                | 64              | 72                                 |
| 15.  | 1.379.779   | Snapping roll pre-assy. - LH (items 1-4 and 14) |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 15.  | 1.379.780   | Snapping roll pre-assy. - RH (items 1-4 and 14) |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| -    | 1.377.802   | Snapping roll assy. - LH (items 1-4 and 6-14)   | ->2015 | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| -    | 1.377.803   | Snapping roll assy. - RH (items 1-4 and 6-14)   | ->2015 | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| A    | 1.373.670   | Snapping roll assy. - LH (items 1-4 and 6-14)   | 2016-> | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| B    | 1.373.671   | Snapping roll assy. - RH (items 1-4 and 6-14)   | 2016-> | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |



|                       |
|-----------------------|
| 1.378.840 - B(G)(L)   |
| 1.378.841 - J(D)(R)   |
| 1.377.816 - B(G)(L) * |
| 1.377.817 - J(D)(R) * |

| Ref. | Part number | Description                                              |  | C3006<br>C3006C | C3008<br>C3008C<br>C3808<br>C3808C<br>C3008F<br>C3008CF | C2012<br>C2212C<br>C3012<br>C3812<br>C3012F | C2012C<br>C2212C<br>C3012<br>C3812C<br>C3012CF | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|----------------------------------------------------------|--|-----------------|---------------------------------------------------------|---------------------------------------------|------------------------------------------------|-----------------|------------------------------------|
| 1.   | 1.375.722   | Gearbox housing                                          |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 2.   | 87000620611 | Bearing - 6206 - DIN625                                  |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 3.   | 1.377.243   | Bevel gear - 25T                                         |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 4.   | 1.375.693   | Cylinder gear - 21T                                      |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 5.   | 1.375.706   | Shaft                                                    |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 6.   | 1.375.754   | Spacer                                                   |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 7.   | 1.375.689   | Bevel gear - 16T                                         |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 8.   | 1.378.507   | Bevel gear - 33T                                         |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 9.   | 87000421010 | Bearing - 4210 - DIN625                                  |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 10.  | 1.375.710   | Bearing housing                                          |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 11.  | 71625035200 | Shim - 25X35X2 - DIN988                                  |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 12.  | 70200002501 | Retainer ring - 25X1.2 - DIN471                          |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 13.  | 85801001000 | Seal - 100X10                                            |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 14.  | 1.377.733   | Bevel gear - 29T                                         |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 15.  | 71630042050 | Shim - 30X42X0.5 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 15.  | 71630042020 | Shim - 30X42X0.2 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 15.  | 71630042010 | Shim - 30X42X0,1 - DIN988                                |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 16.  | 87001620614 | Bearing - 6206 2RS - DIN625                              |  | 18              | 24                                                      | 36                                          |                                                | 48              | 54                                 |
| 17.  | 70100006201 | Retaining ring - internal - 62X2 - DIN472                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 18.  | 1.375.703   | Spacer                                                   |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 19.  | 1.377.734   | Shim                                                     |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 20.  | 1.377.722   | Sprocket - 12T p=30                                      |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 21.  | 1.375.019   | Washer                                                   |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 22.  | 80401003063 | Hex socket countersunk-head bolt - M10X30 - DIN7991/10.9 |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 23.  | 1.375.712   | Bearing housing - RH                                     |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 24.  | 80400802563 | Hex socket countersunk-head bolt - M8X25 - DIN7991/10.9  |  | 48              | 64                                                      | 96                                          |                                                | 128             | 144                                |
| 25.  | 87010630510 | Bearing - 6305 - DIN625                                  |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 26.  | 71625035050 | Shim - 25X35X0.5 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 26.  | 71625035020 | Shim - 25X35X0.2 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 26.  | 71625035010 | Shim - 25X35X0.1 - DIN988                                |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 27.  | 1.375.700   | Bevel gear - 29T                                         |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 28.  | 70200003001 | Retainer ring - for shaft - 30X1.5 - DIN471              |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 29.  | 1.377.731   | Shaft                                                    |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 30.  | 1.377.093   | Dipstick                                                 |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 31.  | 1.309.247   | Breather - M12X1,5                                       |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 32.  | 1.377.244   | Bevel gear - 13T                                         |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 33.  | 71645055050 | Shim - 45X55X0.5 - DIN988                                |  | 24              | 32                                                      | 48                                          |                                                | 64              | 72                                 |
| 33.  | 71645055020 | Shim - 45X55X0.2 - DIN988                                |  | 24              | 32                                                      | 48                                          |                                                | 64              | 72                                 |
| 33.  | 71645055010 | Shim - 45X55X0.1 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 34.  | 87001620910 | Bearing - 6209 - DIN625                                  |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 35.  | 70100008501 | Retaining ring - internal - 85X3 - DIN472                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 36.  | 85804508501 | Seal - 45X85X10 - DIN3760-AS                             |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 37.  | 1.375.836   | Cover piece                                              |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| *38. | 1.375.687   | Bevel gear - 13T                                         |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| *39. | 71635045050 | Shim - 35X45X0.5 - DIN988                                |  | 18              | 24                                                      | 36                                          |                                                | 48              | 54                                 |
| *39. | 71635045020 | Shim - 35X45X0.2 - DIN988                                |  | 24              | 32                                                      | 48                                          |                                                | 64              | 72                                 |
| *39. | 71635045010 | Shim - 35X45X0.1 - DIN988                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| *40. | 87001420710 | Bearing - 4207 - DIN625                                  |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 41.  | 70100007201 | Retaining ring - internal - 72X2.5 - DIN472              |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| *42. | 85804506208 | Seal - 45X62X8 - DIN3760-AS                              |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 43.  | 87010630510 | Bearing - 6305 - DIN625                                  |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 44.  | 1.375.694   | Cylinder gear - 25T                                      |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 45.  | 63003026500 | O-ring - 30X2.65 - DIN3771                               |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 46.  | 1.375.696   | Shaft                                                    |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 47.  | 70100003501 | Retainer ring - 35X1.5 - DIN472                          |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 48.  | 85805008008 | Seal - 50X80X8 - DIN3760-AS                              |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 49.  | 70100008001 | Retaining ring - internal - 80X2.5 - DIN472              |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 50.  | 87001601010 | Bearing - 6010 - DIN625                                  |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 51.  | 1.375.697   | Spacer                                                   |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 52.  | 1.375.695   | Cylinder gear - 21T                                      |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 53.  | 1.375.699   | Shaft                                                    |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 54.  | 1.375.698   | Spacer                                                   |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 55.  | 79201601560 | Closing screw - M16X1.5 - DIN908                         |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 56.  | 1.375.746   | Dowel pin                                                |  | 12              | 16                                                      | 24                                          |                                                | 32              | 36                                 |
| 57.  | 1.375.723   | Gearbox housing                                          |  | 6               | 8                                                       | 12                                          |                                                | 16              | 18                                 |
| 58.  | 71810000060 | Spring washer - M10 - DIN7980                            |  | 36              | 48                                                      | 72                                          |                                                | 96              | 108                                |
| 59.  | 80210004063 | Hex socket head cap bolt - M10X40 - DIN912/10.9          |  | 30              | 40                                                      | 60                                          |                                                | 80              | 90                                 |


Note: Application of shims depends on the backlash of the gears.  
The items marked with \* are for machines with chopper only!



|                       |
|-----------------------|
| 1.378.840 - B(G)(L)   |
| 1.378.841 - J(D)(R)   |
| 1.377.816 - B(G)(L) * |
| 1.377.817 - J(D)(R) * |


| Ref. | Part number | Description                                                                                |        | C3006<br>C3006C | C3008<br>C3008C<br>C3808<br>C3808C<br>C3008F<br>C3008CF | C2012<br>C2212<br>C3012<br>C3812<br>C3012F | C2012C<br>C2212C<br>C3012<br>C3812C<br>C3012CF | C3016<br>C3016C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|--------------------------------------------------------------------------------------------|--------|-----------------|---------------------------------------------------------|--------------------------------------------|------------------------------------------------|-----------------|------------------------------------|
| 60.  | 80210003563 | Hex socket head cap bolt - M10X35 - DIN912/10.9                                            |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 61.  | 1.375.955   | Gearbox assy. - LH (items 43-55, 57, 62 and 67)                                            |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 61.  | 1.375.717   | Gearbox assy. - RH (items 43-55, 57, 62 and 67)                                            |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 62.  | 1.375.025   | Safety clutch - Walterscheid                                                               | ->2016 | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 62.  | 1.373.387   | Safety clutch - Walterscheid EK 33B                                                        | 2017-> | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 63.  | 80212006566 | Hex socket head cap bolt - M12X65 - DIN912/8.8                                             | ->2016 | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 64.  | 74901200066 | Lock nut - M12 - plastic insert - DIN982                                                   | ->2016 | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 65.  | 85804055007 | Seal - 40X55X7 - DIN3760-AS                                                                |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 66.  | 85804006207 | Seal - 40X62X7 - DIN3760-AS                                                                |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 67.  | 05200001600 | Copper washer - M16X20 - DIN7603                                                           |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *68. | 63003503500 | O-ring - 35X3.5 - DIN3771/ISO3601                                                          |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *69. | 1.375.744   | Retainer                                                                                   |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 70.  | 63003030010 | O-ring - 30X3                                                                              |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 71.  | 1.377.732   | Bearing housing - LH                                                                       |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *72. | 1.377.775   | Guide ring                                                                                 |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *73. | 63007151500 | O-ring - 71.5X1.5                                                                          |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *74. | 70200003501 | Retaining ring - external - 35X1.5 - DIN471                                                |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 75.  | 85803200500 | Seal - 32X5 NBR                                                                            |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 76.  | 05200200024 | Copper washer - 20X24X1.5 - DIN7603                                                        |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 77.  | 71619026020 | Shim - 19X26X0,2 - DIN988                                                                  |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 77.  | 71619026050 | Shim - 19X26X0,5 - DIN988                                                                  |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 77.  | 71619026120 | Shim - 19X26X1,2 - DIN988                                                                  |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 78.  | 1.379.709   | Gearbox sub - assy. (items 1-19, 23-36, 38-42, 65, 66, 68-72, 74, 75 and 80-82)            |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 78.  | 1.379.710   | Gearbox sub - assy., no chopper (items 1-19, 23-36, 41, 65, 66, 70, 71, 75, 76, 79 and 80) |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| 79.  | 85807200700 | Cover - NBR-72x7                                                                           |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 80.  | 70100003201 | Retaining ring - internal - 32X1,2 - DIN472                                                | 2015-> | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 81.  | 71645055200 | Shim - 45x55x2 - DIN988                                                                    |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| 82.  | 70200004501 | Retaining ring - for shaft - 45X1.75 - DIN471                                              |        | 12              | 16                                                      | 24                                         |                                                | 32              | 36                                 |
| -    | 1.378.840   | Gearbox assy. - LH (non chopper) (items 56, 58-61 and 78)                                  |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| -    | 1.378.841   | Gearbox assy. - RH (non chopper) (items 56, 58-61 and 78)                                  |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *-   | 1.377.816   | Snapping unit gearbox - LH (items 56, 58-61 and 78)                                        |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |
| *-   | 1.377.817   | Snapping unit gearbox - RH (items 56, 58-61 and 78)                                        |        | 6               | 8                                                       | 12                                         |                                                | 16              | 18                                 |

Note: Application of shims depends on the backlash of the gears.  
The items marked with \* are for machines with chopper only!



| Ref.  | Part number  | Description                                         |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3008F<br>C3008CF<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212CC | C3012<br>C3012C<br>C3012F<br>C3012CF | C3016<br>C3016C | C2218<br>C2218C | C2018<br>C2018C |
|-------|--------------|-----------------------------------------------------|--------|-----------------|-----------------|---------------------------------------------------------|-------------------------------------|--------------------------------------|-----------------|-----------------|-----------------|
| 1.    | 1.377.754    | Snapping unit frame welded                          | ->2015 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 1.    | 1.373.426    | Snapping unit frame welded                          | 2016-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 2.    | 1.377.816    | Snapping unit gearbox - LH (items 56, 58-61 and 78) |        | 3               | 4               | 4                                                       | 6                                   | 6                                    | 8               | 9               | 9               |
| 3.    | 1.377.817    | Snapping unit gearbox - RH (items 56, 58-61 and 78) |        | 3               | 4               | 4                                                       | 6                                   | 6                                    | 8               | 9               | 9               |
| 4.    | 80210003063  | Hex socket head cap bolt - M10X30 - DIN912/10.9     |        | 42              | 56              | 56                                                      | 84                                  | 84                                   | 112             | 126             | 126             |
| 5.    | 80210003563  | Hex socket head cap bolt - M10X35 - DIN912/10.9     |        | 84              | 112             | 112                                                     | 168                                 | 168                                  | 224             | 252             | 252             |
| 6.    | 71810000060  | Spring washer - M10 - DIN7980                       |        | 126             | 168             | 168                                                     | 252                                 | 252                                  | 336             | 378             | 378             |
| 7.    | 1.375.800    | Support - LH                                        |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 8.    | 1.375.801    | Support - RH                                        |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 9.    | 79410002066  | Hex bolt - M10X20 - DIN933/8.8                      |        | 30              | 40              | 40                                                      | 60                                  | 60                                   | 80              | 90              | 90              |
| 10.   | 91623938861  | Spring washer - 10,2X22,25X1,6 - A10                |        | 78              | 104             | 104                                                     | 156                                 | 156                                  | 208             | 234             | 234             |
| 11.   | 1.377.267    | Clearing knife - LH                                 | ->2020 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 11.   | 1.371.212    | Clearing knife - LH                                 | 2021-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 12.   | 1.377.266    | Clearing knife - RH                                 | ->2020 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 12.   | 1.371.213    | Clearing knife - RH                                 | 2021-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 13.   | 79408001866  | Hex bolt - M8X18 - DIN933/8.8                       |        | 60              | 80              | 80                                                      | 120                                 | 120                                  | 160             | 180             | 180             |
| 14.   | 91623938761  | Spring washer - 8X18 M8 - A8                        |        | 84              | 112             | 112                                                     | 168                                 | 168                                  | 224             | 252             | 252             |
| 15.   | 1.377.803    | Snapping roll assy. - RH (items 1-4 and 6-14)       | ->2015 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 15.   | 1.373.670    | Snapping roll assy. - LH (items 1-4 and 6-14)       | 2016-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 16.   | 1.377.802    | Snapping roll assy. - LH (items 1-4 and 6-14)       | ->2015 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 16.   | 1.373.671    | Snapping roll assy. - RH (items 1-4 and 6-14)       | 2016-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| -     | ALUBIA 00 EP | Lubricating grease                                  |        |                 |                 |                                                         |                                     |                                      |                 |                 |                 |
| 17.   | 76310003566  | Carriage bolt - M10X35 - DIN603/8.8                 |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 18.   | 96702375920  | Washer - M10 10,5X30X3                              |        | 36              | 48              | 48                                                      | 72                                  | 72                                   | 96              | 108             | 108             |
| 19.   | 70710000066  | Lock nut - M10 - DIN980/8.8                         |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 20.   | 1.377.793    | Cover plate                                         |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 21.   | 1.377.990    | Shimming plate                                      |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 22.   | 1.377.788    | Fork                                                |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 23.   | 1.377.791    | Angle                                               |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 24.   | 1.378.178    | Flat                                                |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 25.   | 79410004566  | Hex head screw - M10X45 - DIN933                    |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 26.   | 79410003066  | Hex bolt - M10X30 - DIN933/8.8                      |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 27.   | 79412003566  | Hex bolt - M12X35 - DIN933/8.8                      |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 28.   | 91623938961  | Spring washer - A12                                 |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 29.   | 1.377.251    | Washer                                              |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 30.   | 1.377.762    | Stalk chopper assy. (items 17, 18, 19, 20 and 61)   |        | 6               | 4               | 8                                                       | 6                                   | 12                                   | 16              | 9               | 9               |
| **30. | 1.379.707    | Stalk chopper assy. (items 17, 18, 19, 20 and 61)   | 2014-> | -               | 4               | -                                                       | 6                                   | -                                    | -               | 9               | 9               |
| -     | Loctite 5910 | RTV silicone                                        |        |                 |                 |                                                         |                                     |                                      |                 |                 |                 |
| 31.   | 1.378.472    | Snapping plate - LH                                 | ->2015 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 31.   | 1.373.738    | Snapping plate - LH                                 | 2016-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 32.   | 1.378.474    | Snapping plate - RH                                 |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 33.   | 1.376.067    | Washer                                              |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 34.   | 73005000801  | Spring pin - 5X8 - DIN1481                          |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 35.   | 1.377.983    | Chain guide - LH                                    | ->2015 | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 35.   | 1.373.734    | Chain guide - LH                                    | 2016-> | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 36.   | 1.377.984    | Chain guide - RH                                    |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 37.   | 1.377.088    | Plastic insert                                      |        | 48              | 64              | 64                                                      | 96                                  | 96                                   | 128             | 144             | 144             |
| 38.   | 71410000060  | Washer - M10 10,5X21X2 - DIN125                     |        | 84              | 112             | 112                                                     | 168                                 | 168                                  | 224             | 252             | 252             |
| 39.   | 1.375.813    | Crank-arm welded                                    |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 40.   | 1.377.989    | Console                                             |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 41.   | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                       |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 42.   | 1.375.755    | Chain adjuster assy. (items 1, 2, 3, 4, 5, 6, 7, 9) |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 43.   | 1.375.832    | Shimming plate                                      |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 44.   | 1.375.833    | Guide                                               |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 45.   | 80308002062  | Hex socket head cap bolt - M8X20 - DIN6912/12.9     |        | 48              | 64              | 64                                                      | 96                                  | 96                                   | 128             | 144             | 144             |
| -     | Loctite 243  | Threadlocking agent                                 |        |                 |                 |                                                         |                                     |                                      |                 |                 |                 |
| 46.   | 71808000060  | Spring washer - M8 - DIN7980                        | ->2013 | 48              | 64              | 64                                                      | 96                                  | 96                                   | 128             | 144             | 144             |
| 47.   | 1.326.221    | Gathering chain - t=30mm, 36 pitches                |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 47.   | 84553333520  | Offset link - 30mm pitch (repairs only)             |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 47.   | 84530000000  | Connector link - 30mm pitch (repairs only)          |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 48.   | 1.377.398    | Deflector plate - LH                                |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 49.   | 1.377.399    | Deflector plate - RH                                |        | 6               | 8               | 8                                                       | 12                                  | 12                                   | 16              | 18              | 18              |
| 50.   | 1.375.947    | Clamping bracket                                    |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 51.   | 80214004566  | Hex socket head cap bolt - M14X45 - DIN912/8.8      |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 52.   | 80214006566  | Hex socket head cap bolt - M14X65 - DIN912/8.8      |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |
| 53.   | 74901400066  | Hex nut - plastic insert - M14 - DIN982/8.8         |        | 24              | 32              | 32                                                      | 48                                  | 48                                   | 64              | 72              | 72              |
| 54.   | 79410002566  | Hex bolt - M10X25 - DIN933/8.8                      |        | 12              | 16              | 16                                                      | 24                                  | 24                                   | 32              | 36              | 36              |


Note: The snapping unit layouts can be found on the following pages: 14/A, 14/B & 15/A  
The items marked with \* are only valid for machines without a chopper!  
The item marked with \*\* are used at every second snapping unit from the right in case of 20" & 22" machines!



| Ref. | Part number | Description                                       |        | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3008F<br>C3808<br>C3808C | C2012<br>C2012C<br>C2212<br>C2212C | C3012<br>C3012C<br>C3012F<br>C3012CF | C3016<br>C3016C | C2218<br>C2218C | C2018<br>C2018C |
|------|-------------|---------------------------------------------------|--------|-----------------|-----------------|----------------------------------------------|------------------------------------|--------------------------------------|-----------------|-----------------|-----------------|
| 55.  | 79410003063 | Hex bolt - M10X30 - DIN933/10.9                   |        | 12              | 16              | 16                                           | 24                                 | 24                                   | 32              | 36              | 36              |
| *56. | 1.379.075   | Cover plate welded                                |        | 6               | 8               | 8                                            | 12                                 | 12                                   | 16              | 18              | 18              |
| *57. | 96700000003 | Rubber plug                                       |        | 6               | 8               | 8                                            | 12                                 | 12                                   | 16              | 18              | 18              |
| 58.  | 1.373.740   | Spacer                                            | 2016-> | 6               | 8               | 8                                            | 12                                 | 12                                   | 16              | 18              | 18              |
| 59.  | 73005001601 | Spring pin - 5X16                                 | 2016-> | 6               | 8               | 8                                            | 12                                 | 12                                   | 16              | 18              | 18              |
| 60.  | 1.377.814   | Snapping unit assy. - LH - (knife roll) + Chopper |        | 3               | 2               | 4                                            | 4                                  | 6                                    | 8               | 6               | 4               |
| 60.  | 1.377.815   | Snapping unit assy. - RH - (knife roll) + Chopper |        | 3               | 2               | 4                                            | 2                                  | 6                                    | 8               | 3               | 5               |
| 60.  | 1.379.711   | Snapping unit assy. - LH - (knife roll) + Chopper |        | -               | 2               | -                                            | 2                                  | -                                    | -               | 3               | 5               |
| 60.  | 1.379.712   | Snapping unit assy. - RH - (knife roll) + Chopper |        | -               | 2               | -                                            | 4                                  | -                                    | -               | 6               | 4               |
| 60.  | 1.378.838   | Snapping unit assy. - LH - (knife roll)           |        | 3               | 4               | 4                                            | 6                                  | 6                                    | 8               | 9               | 9               |
| 60.  | 1.378.839   | Snapping unit assy. - RH - (knife roll)           |        | 3               | 4               | 4                                            | 6                                  | 6                                    | 8               | 9               | 9               |

Note: The snapping unit layouts can be found on the following pages: 14/A, 14/B & 15/A  
The items marked with \* are only valid for machines without a chopper!  
The item marked with \*\* are used at every second snapping unit from the right in case of 20" & 22" machines!

1.355.479

1.353.414 6R,8R,12R/50cm  
5+2x2R/60cm

GLEANER R  
GLEANER N  
GLEANER S


2016.

| Ref. | Part number | Description                                                                  |                   | C3006<br>C3006C | C3008<br>C3008C | C3008F<br>C3008CF | C2012<br>C2012C | C3012F<br>C3012CF | C2212<br>C2212C<br>C3012<br>C3012C | C2018<br>C2018C<br>C2218<br>C2218C |
|------|-------------|------------------------------------------------------------------------------|-------------------|-----------------|-----------------|-------------------|-----------------|-------------------|------------------------------------|------------------------------------|
| 1.   | 1.326.519   | Blocking plate LH - R62-R72                                                  |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 1.   | 1.326.520   | Blocking plate RH - R62-R72                                                  |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 2.   | 1.326.521   | Blocking plate LH - R42-R52                                                  |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 2.   | 1.326.522   | Blocking plate RH - R42-R52                                                  |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 3.   | 1.326.504   | Filler welded – without LTM only                                             |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 4.   | 1.326.507   | Filler welded                                                                |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 5.   | 1.353.411   | Auger flight extension - RH - 22" pitch                                      |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 6.   | 1.353.412   | Half filler 22" pitch                                                        |                   | 2               | 2               | 2                 | 2               | 3                 | 3                                  | 2                                  |
| 7.   | 234.364.0   | Washer - 11X26X4                                                             |                   | 2               | 2               | 2                 | 2               | -                 | -                                  | 2                                  |
| 8.   | 1.353.409   | Auger flight extension welded - LH - 22" pitch                               |                   | 1               | 1               | 1                 | 1               | -                 | -                                  | 1                                  |
| 9.   | 1.353.413   | Flight extension complete 22" pitch (#5,6,7,8)                               |                   | 1               | 1               | 1                 | 1               | -                 | -                                  | 1                                  |
| 10.  | 1.327.662   | Yoke - 21 spline (l=112)                                                     |                   | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 10.  | 1.327.486   | Yoke - 21 spline (P500)                                                      | 2016-2017. 2021-> | -               | -               | -                 | 2               | 2                 | 2                                  | 2                                  |
| 12.  | 1.327.638   | Wire                                                                         |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 13.  | 1.328.540   | Rubber plate - R42 - R52                                                     | ->2019            | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 13.  | 1.372.954   | Rubber plate - R42 - R52                                                     | 2020 ->           | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 14.  | 1.328.541   | Flat iron - R42 - R52                                                        |                   | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 15.  | 1.355.478   | Flight extension complete 22" pitch (#5,6,16,17,18,19,20)                    |                   | -               | -               | -                 | -               | 1                 | 1                                  | -                                  |
| 16.  | 1.355.473   | Auger flight extension welded - LH - 22" pitch                               |                   | -               | -               | -                 | -               | 1                 | 1                                  | -                                  |
| 17.  | 1.355.553   | Flat iron                                                                    |                   | -               | -               | -                 | -               | 2                 | 2                                  | -                                  |
| 18.  | 1.355.464   | Auger flight extension welded - LH - 22" pitch                               |                   | -               | -               | -                 | -               | 1                 | 1                                  | -                                  |
| 19.  | 1.353.571   | Half filler                                                                  |                   | -               | -               | -                 | -               | 1                 | 1                                  | -                                  |
| 20.  | 1.353.573   | Flat iron                                                                    |                   | -               | -               | -                 | -               | 2                 | 2                                  | -                                  |
| 21.  | 1.355.920   | Rubber plate - R62 - R72                                                     | ->2019            | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 21.  | 1.372.955   | Rubber plate - R62 - R72                                                     | 2020 ->           | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 22.  | 1.355.921   | Flat iron - R62 - R72                                                        |                   | 2               | 2               | 2                 | 2               | 2                 | 2                                  | 2                                  |
| 23.  | 1.326.532   | Cleaning angle                                                               | ->2015            | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 23.  | 1.372.230   | Cleaning angle                                                               | 2016 ->           | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 24.  | 1.355.966   | Harness for AGCO multicoupler                                                | ->2020            | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 24.  | 1.337.146   | Harness for AGCO multicoupler                                                | 2021 ->           | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 25.  | 1.332.781   | Cleaning angle - R42-R52                                                     | ->2015            | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 25.  | 1.372.229   | Cleaning angle - R42-R52                                                     | 2016 ->           | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 26.  | 1.332.782   | Cleaning angle - R62-R72                                                     | ->2015            | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| 26.  | 1.372.228   | Cleaning angle - R62-R72                                                     | 2016 ->           | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |
| -    | 1.353.414   | Mounting kit: GLEANER R/S (#1,2,3,4,9,13,14,21,22,23,25,26)                  |                   | 1               | 1               | 1                 | 1               | -                 | -                                  | 1                                  |
| -    | 1.355.479   | Mounting kit: GLEANER R/S                                                    |                   | -               | -               | -                 | -               | 1                 | 1                                  | -                                  |
| -    | 1.372.681   | Window Frame Completion Bundle: GLEANER R,S - B6739 (items 1, 4,21,22,23,26) |                   | 1               | 1               | 1                 | 1               | 1                 | 1                                  | 1                                  |


Note for item 12: For those combines which have no multipoint connection.

# OctiRoll™

RESIDUE MANAGEMENT SYSTEM




2



3




4



5




6



7



8



9



10




11



12



13



14



15



16



17




18



19



27



28

COMBINE TRANSITION FRAME FOR:

**AGCO**

20

COMBINE TRANSITION FRAME FOR:

**CLAAS/LEXION**

21

COMBINE TRANSITION FRAME FOR:

**JOHN DEERE**

22

COMBINE TRANSITION FRAME FOR:

**CASE IH**

2100/2300/2500 SERIES

23

COMBINE TRANSITION FRAME FOR:

**CNH**

CASE AFX and 2009 & NEWER MIDRANGE  
NH CR/CX - ALL MODELS

24

COMBINE TRANSITION FRAME FOR:

**GLENER RS**

25



COMBINE TRANSITION FRAME FOR:

**AGCO IDEAL**






26

# 53A

| Ref. | Part number | Description                         |  | RIGID | FOLDING |
|------|-------------|-------------------------------------|--|-------|---------|
| 1.   | 211463      | Label OCTIROLL                      |  | 1     | 1       |
| 2.   | 211433      | Label - C3006 - LH                  |  | 1     | -       |
| 2.   | 211434      | Label - C3006 - RH                  |  | 1     | -       |
| 3.   | 211415      | Label - C3006C - LH                 |  | 1     | -       |
| 3.   | 211416      | Label - C3006C - RH                 |  | 1     | -       |
| 4.   | 211435      | Label - C2208 - LH                  |  | 1     | -       |
| 4.   | 211436      | Label - C2208 - RH                  |  | 1     | -       |
| 5.   | 211437      | Label - C2208C - LH                 |  | 1     | -       |
| 5.   | 211438      | Label - C2208C - RH                 |  | 1     | -       |
| 6.   | 211417      | Label - C3008 - LH                  |  | 1     | -       |
| 6.   | 211418      | Label - C3008 - RH                  |  | 1     | -       |
| 7.   | 211419      | Label - C3008C - LH                 |  | 1     | -       |
| 7.   | 211420      | Label - C3008C - RH                 |  | 1     | -       |
| 8.   | 211443      | Label - C2012 - LH                  |  | 1     | -       |
| 8.   | 211444      | Label - C2012 - RH                  |  | 1     | -       |
| 9.   | 211445      | Label - C2012C - LH                 |  | 1     | -       |
| 9.   | 211446      | Label - C2012C - RH                 |  | 1     | -       |
| 10.  | 211447      | Label - C2212 - LH                  |  | 1     | -       |
| 10.  | 211448      | Label - C2212 - RH                  |  | 1     | -       |
| 11.  | 211429      | Label - C2212C - LH                 |  | 1     | -       |
| 11.  | 211430      | Label - C2212C - RH                 |  | 1     | -       |
| 12.  | 211449      | Label - C3012 - LH                  |  | 1     | -       |
| 12.  | 211450      | Label - C3012 - RH                  |  | 1     | -       |
| 13.  | 211421      | Label - C3012C - LH                 |  | 1     | -       |
| 13.  | 211422      | Label - C3012C - RH                 |  | 1     | -       |
| 14.  | 211439      | Label - C3008F - LH                 |  | -     | 1       |
| 14.  | 211440      | Label - C3008F - RH                 |  | -     | 1       |
| 15.  | 211441      | Label - C3008CF - LH                |  | -     | 1       |
| 15.  | 211442      | Label - C3008CF - RH                |  | -     | 1       |
| 16.  | 211451      | Label - C3012F - LH                 |  | -     | 1       |
| 16.  | 211452      | Label - C3012F - RH                 |  | -     | 1       |
| 17.  | 211423      | Label - C3012CF - LH                |  | -     | 1       |
| 17.  | 211424      | Label - C3012CF - RH                |  | -     | 1       |
| 18.  | 211524      | Label - C3808 - LH                  |  | 1     | -       |
| 18.  | 211525      | Label - C3808 - RH                  |  | 1     | -       |
| 19.  | 211526      | Label - C3808C - LH                 |  | 1     | -       |
| 19.  | 211527      | Label - C3808C - RH                 |  | 1     | -       |
| 20.  | 1.372.881   | Window frame label - AGCO           |  | 1     | 1       |
| 21.  | 1.372.882   | Window frame label - CLAAS/LEXION   |  | 1     | 1       |
| 22.  | 1.372.883   | Window frame label - JOHN DEERE     |  | 1     | 1       |
| 23.  | 1.372.884   | Window frame label - CASE 1000-2000 |  | 1     | 1       |
| 24.  | 1.372.885   | Window frame label - CNH            |  | 1     | 1       |
| 25.  | 1.372.886   | Window frame label - GLEANER RS     |  | 1     | 1       |
| 26.  | 1.372.887   | Window frame label - AGCO IDEAL     |  | 1     | 1       |
| 27.  | 211453      | Label - C3016 - LH                  |  | 1     | -       |
| 27.  | 211454      | Label - C3016 - RH                  |  | 1     | -       |
| 28.  | 211455      | Label - C3016C - LH                 |  | 1     | -       |
| 28.  | 211456      | Label - C3016C - RH                 |  | 1     | -       |




| Ref. | Part number  | Description                         |  | RIGID | FOLDING |
|------|--------------|-------------------------------------|--|-------|---------|
| 1.   | 211463       | Label OCTIROLL                      |  | 1     | 1       |
| 2.   | 1.371.545    | Label - C2012C - LH                 |  | 1     | -       |
| 2.   | 1.371.546    | Label - C2012C - RH                 |  | 1     | -       |
| 3.   | 1.371.547    | Label - C2012 - LH                  |  | 1     | -       |
| 3.   | 1.371.548    | Label - C2012 - RH                  |  | 1     | -       |
| 4.   | 1.371.549    | Label - C2018C - LH                 |  | 1     | -       |
| 4.   | 1.371.550    | Label - C2018C - RH                 |  | 1     | -       |
| 5.   | 1.371.551    | Label - C2018 - LH                  |  | 1     | -       |
| 5.   | 1.371.552    | Label - C2018 - RH                  |  | 1     | -       |
| 6.   | 1.371.553    | Label - C2208C - LH                 |  | 1     | -       |
| 6.   | 1.371.554    | Label - C2208C - RH                 |  | 1     | -       |
| 7.   | 1.371.555    | Label - C2208 - LH                  |  | 1     | -       |
| 7.   | 1.371.556    | Label - C2208 - RH                  |  | 1     | -       |
| 8.   | 1.371.557    | Label - C2212C - LH                 |  | 1     | -       |
| 8.   | 1.371.558    | Label - C2212C - RH                 |  | 1     | -       |
| 9.   | 1.371.559    | Label - C2212 - LH                  |  | 1     | -       |
| 9.   | 1.371.560    | Label - C2212 - RH                  |  | 1     | -       |
| 10.  | 1.371.561    | Label - C2218C - LH                 |  | 1     | -       |
| 10.  | 1.371.562    | Label - C2218C - RH                 |  | 1     | -       |
| 11.  | 1.371.563    | Label - C2218 - LH                  |  | 1     | -       |
| 11.  | 1.371.564    | Label - C2218 - RH                  |  | 1     | -       |
| 12.  | 1.371.565    | Label - C3006C - LH                 |  | 1     | -       |
| 12.  | 1.371.566    | Label - C3006C - RH                 |  | 1     | -       |
| 13.  | 1.371.567    | Label - C3006 - LH                  |  | 1     | -       |
| 13.  | 1.371.568    | Label - C3006 - RH                  |  | 1     | -       |
| 14.  | 1.371.569    | Label - C3008CF - LH                |  | -     | 1       |
| 14.  | 1.371.570    | Label - C3008CF - RH                |  | -     | 1       |
| 15.  | 1.371.571    | Label - C3008C - LH                 |  | 1     | -       |
| 15.  | 1.371.572    | Label - C3008C - RH                 |  | 1     | -       |
| 16.  | 1.371.573    | Label - C3008F - LH                 |  | -     | 1       |
| 16.  | 1.371.574    | Label - C3008F - RH                 |  | -     | 1       |
| 17.  | 1.371.575    | Label - C3008 - LH                  |  | 1     | -       |
| 17.  | 1.371.576    | Label - C3008 - RH                  |  | 1     | -       |
| 18.  | 1.371.577    | Label - C3012CF - LH                |  | -     | 1       |
| 18.  | 1.371.578    | Label - C3012CF - RH                |  | -     | 1       |
| 19.  | 1.371.579    | Label - C3012C - LH                 |  | 1     | -       |
| 19.  | 1.371.580    | Label - C3012C - RH                 |  | 1     | -       |
| 20.  | 1.371.581    | Label - C3012F - LH                 |  | -     | 1       |
| 20.  | 1.371.582    | Label - C3012F - RH                 |  | -     | 1       |
| 21.  | 1.371.583    | Label - C3012 - LH                  |  | 1     | -       |
| 21.  | 1.371.584    | Label - C3012 - RH                  |  | 1     | -       |
| 22.  | 1.371.585    | Label - C3016C - LH                 |  | 1     | -       |
| 22.  | 1.371.586    | Label - C3016C - RH                 |  | 1     | -       |
| 23.  | 1.371.587    | Label - C3016 - LH                  |  | 1     | -       |
| 23.  | 1.371.588    | Label - C3016 - RH                  |  | 1     | -       |
| 24.  | 1.371.589    | Label - C3808C - LH                 |  | 1     | -       |
| 24.  | 1.371.590    | Label - C3808C - RH                 |  | 1     | -       |
| 25.  | 1.371.591    | Label - C3808 - LH                  |  | 1     | -       |
| 25.  | 1.371.592    | Label - C3808 - RH                  |  | 1     | -       |
| 26.  | 1.371.593    | Label - C3812C - LH                 |  | 1     | -       |
| 26.  | 1.371.594    | Label - C3812C - RH                 |  | 1     | -       |
| 27.  | 1.371.595    | Label - C3812 - LH                  |  | 1     | -       |
| 27.  | 1.371.596    | Outer divider - RH - white          |  | 1     | -       |
| 28.  | 1.371.236.1  | Label - MacDon LH - CASE IH red     |  | 1     | 1       |
| 28.  | 1.371.236.2  | Label - MacDon LH - NH yellow       |  | 1     | 1       |
| 28.  | 1.371.236.3  | Label - MacDon LH - JD green        |  | 1     | 1       |
| 28.  | 1.371.236.5  | Label - MacDon LH - CLAAS green     |  | 1     | 1       |
| 28.  | 1.371.236.10 | Label - MacDon LH - AGCO gray       |  | 1     | 1       |
| 28.  | 1.371.237.1  | Label - MacDon RH - CASE IH red     |  | 1     | 1       |
| 28.  | 1.371.237.2  | Label - MacDon RH - NH yellow       |  | 1     | 1       |
| 28.  | 1.371.237.3  | Label - MacDon RH - JD green        |  | 1     | 1       |
| 28.  | 1.371.237.5  | Label - MacDon RH - CLAAS green     |  | 1     | 1       |
| 28.  | 1.371.237.10 | Label - MacDon RH - AGCO gray       |  | 1     | 1       |
| 29.  | 1.372.881    | Window frame label - AGCO           |  | 1     | 1       |
| 30.  | 1.372.882    | Window frame label - CLAAS/LEXION   |  | 1     | 1       |
| 31.  | 1.372.883    | Window frame label - JOHN DEERE     |  | 1     | 1       |
| 32.  | 1.372.884    | Window frame label - CASE 1000-2000 |  | 1     | 1       |
| 33.  | 1.372.885    | Window frame label - CNH            |  | 1     | 1       |
| 34.  | 1.372.886    | Window frame label - GLEANER RS     |  | 1     | 1       |
| 35.  | 1.372.887    | Window frame label - AGCO IDEAL     |  | 1     | 1       |










| Ref. | Part number | Description                                         |        | RIGID<br>20"-22" | RIGID<br>30" | RIGID<br>38" | C3008F<br>C3008CF | C3012F<br>C3012CF |
|------|-------------|-----------------------------------------------------|--------|------------------|--------------|--------------|-------------------|-------------------|
| 1.   | 1.319.165   | Plate welded                                        |        | 1                | 1            | 1            | 1                 | 1                 |
| 2.   | 1.319.171   | Indicator welded                                    |        | 1                | 1            | 1            | 1                 | 1                 |
| 3.   | 71412000060 | Washer - M12 - DIN125 - 200HV                       |        | 2                | 2            | 2            | 2                 | 2                 |
| 4.   | 72404002860 | Cotter pin - 4X28 - DIN94                           |        | 1                | 1            | 1            | 1                 | 1                 |
| 5.   | 96792685501 | Spring - D=2mm                                      |        | 5                | 1            | 1            | 1                 | 1                 |
| 6.   | 79408002066 | Hex bolt - M8X20 - DIN933/8.8                       |        | 4                | 4            | 4            | 4                 | 4                 |
| 7.   | 91623938761 | Spring washer - 8X18 M8 - A8                        |        | 6                | 8            | 8            | 8                 | 8                 |
| 8.   | 70808000026 | Rivet nut - M8                                      |        | 2                | 2            | 2            | 2                 | 2                 |
| 9.   | 1.327.120   | Support                                             | ->2016 | -                | -            | -            | -                 | 1                 |
| 9.   | 1.379.306   | Holder                                              |        | -                | 1            | 1            | -                 | 1                 |
| 9.   | 1.372.030   | Holder                                              |        | -                | -            | -            | 1                 | -                 |
| 10.  | 1.378.856   | Holder                                              |        | 1                | 1            | 1            | 1                 | 1                 |
| 11.  | 81106001663 | Hex socket button-head screw - M6X16 - ISO7380/10.9 |        | 2                | 2            | 2            | 2                 | 2                 |
| 12.  | 70706000066 | Lock nut - M6 - DIN980/8.8                          |        | 2                | 3            | 3            | 3                 | 3                 |
| 13.  | 1.378.855   | Pivot                                               |        | 1                | 1            | 1            | 1                 | 1                 |
| 14.  | 1.378.853   | Indicator bowden                                    |        | -                | 1            | -            | 1                 | 1                 |
| 14.  | 1.379.747   | Indicator bowden                                    |        | 1                | -            | 1            | -                 | -                 |
| 15.  | 73508000066 | Hex nut - M8 - DIN934                               |        | 2                | 6            | 6            | 6                 | 6                 |
| 16.  | 73506000066 | Hex nut - M6 - DIN934                               |        | 2                | 2            | 2            | 2                 | 2                 |
| 17.  | 1.378.851   | Console                                             |        | -                | 1            | 1            | 1                 | 1                 |
| 18.  | 79408001666 | Hex head screw - M8X16 - DIN933/8.8                 |        | -                | 1            | 1            | 1                 | 1                 |
| 19.  | 70708000066 | Lock nut - M8 - DIN980                              |        | -                | 1            | 1            | 1                 | 1                 |
| 20.  | 1.378.852   | Lug                                                 |        | -                | 1            | 1            | 1                 | 1                 |
| 21.  | 1.327.131   | Stripper plate indicator lab.                       |        | 1                | 1            | 1            | 1                 | 1                 |
| 22.  | 1.308.195   | Retainer                                            |        | 1                | -            | -            | -                 | -                 |
| 23.  | 79410005566 | Hex head screw - M10X55 - DIN933                    |        | 1                | -            | -            | -                 | -                 |
| 24.  | 70710000066 | Lock nut - M10 - DIN980/8.8                         |        | 1                | -            | -            | -                 | -                 |
| 25.  | 1.379.733   | Console                                             |        | 1                | -            | -            | -                 | -                 |
| 26.  | 1.379.738   | Console                                             |        | 1                | -            | -            | -                 | -                 |
| 27.  | 74908000066 | Hex nut - plastic insert - M8 - DIN985              |        | 2                | -            | -            | -                 | -                 |
| 28.  | 1.329.747   | Spacer                                              |        | 2                | -            | -            | -                 | -                 |
| 29.  | 1.379.737   | Adjuster disk                                       |        | 1                | -            | -            | -                 | -                 |
| 30.  | 1.379.736   | Console welded                                      |        | 1                | -            | -            | -                 | -                 |
| 31.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982              |        | 10               | -            | -            | -                 | -                 |
| 32.  | 79410002066 | Hex bolt - M10X20 - DIN933/8.8                      |        | 6                | 6            | 6            | 6                 | 6                 |
| 33.  | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10                |        | 6                | 6            | 6            | 6                 | 6                 |
| 34.  | 79406001666 | Hex head screw - M6X16 - DIN933                     |        | 9                | -            | -            | -                 | -                 |
| 35.  | 96792401700 | Band 6x15                                           |        | 10               | -            | -            | -                 | -                 |
| 36.  | 81306301966 | Self cutting hex bolt - M6,3X19 - DIN7540           |        | 2                | -            | -            | -                 | -                 |
| -    | 1.379.727   | Mechanical indicator for rigid machines             |        | 1                | -            | -            | -                 | -                 |
| -    | 1.379.464   | Mechanical indicator for rigid machines             |        | -                | 1            | -            | -                 | 1                 |
| -    | 1.372.835   | Mechanical indicator for rigid machines             |        | -                | -            | 1            | -                 | -                 |
| -    | 1.379.140   | Mechanical indicator for foldable machines          | ->2016 | -                | -            | -            | -                 | 1                 |
| -    | 1.372.226   | Mechanical indicator cpl. (#1-21)                   |        | -                | -            | -            | 1                 | -                 |

Note: Item 32 and 33 are the same as item 31 and 30 on page 16/A











1.378.862 - Bal/Left  
1.378.863 - Jobb/Right








| Ref. | Part number  | Description                                            |             | All models |
|------|--------------|--------------------------------------------------------|-------------|------------|
| 1.   | 1.378.822    | Bearing housing                                        |             | 2          |
| 2.   | 87030620514  | Bearing - 6205-2RS                                     |             | 2          |
| 3.   | 80208002566  | Hex socket head cap bolt - M8X25 - DIN912/8.8          |             | 6          |
| 4.   | 71808000060  | Spring washer - M8 - DIN7980                           |             | 6          |
| 5.   | 1.378.808    | Rotary End Divider welded- LH                          |             | 1          |
| 5.   | 1.378.809    | Rotary End Divider welded- RH                          |             | 1          |
| 6.   | 1.378.825    | Bracket welded                                         |             | 2          |
| 7.   | 1.378.835    | Hydraulic motor - MR50 SHD                             |             | 2          |
| 8.   | 79412003566  | Hex bolt - M12X35 - DIN933/8.8                         |             | 4          |
| 9.   | 74912000066  | Hex nut - plastic insert - M12 - DIN985/8.             |             | 4          |
| 10.  | 1.378.830    | Cover welded - LH                                      |             | 1          |
| 10.  | 1.378.831    | Cover welded - RH                                      |             | 1          |
| 11.  | 79408002066  | Hex bolt - M8X20 - DIN933/8.8                          |             | 4          |
| 12.  | 91623938761  | Spring washer - 8X18 M8 - A8                           |             | 10         |
| 13.  | 79408005066  | Hex bolt - M8X50 - DIN933/8.8                          |             | 6          |
| 14.  | 74908000066  | Hex nut - plastic insert - M8 - DIN985                 |             | 6          |
| 15.  | 96701314099  | Washer - M8 8,4X25X3,0                                 |             | 12         |
| 16.  | 1.378.858    | Fitting - GE 15 LREDDMD                                |             | 2          |
| 17.  | 1.378.859    | Fitting - EVGE 15 LRED                                 |             | 2          |
| 18.  | 1.378.861    | Fitting - GE 15 LCF                                    |             | 2          |
| 19.  | 1.378.860    | Fitting - 90 deg EVW 15 LOMD                           |             | 4          |
| 20.  | 1.322.794    | Plastic plug                                           |             | 4          |
| 21.  | 1.377.535.1  | Rear divider - LH - red                                | ->2021      | 1          |
| 21.  | 1.377.535.2  | Rear divider - LH - NH yellow                          | ->2021      | 1          |
| 21.  | 1.377.535.3  | Rear divider - LH - JD green                           | ->2021      | 1          |
| 21.  | 1.377.535.5  | Rear divider - LH - CLAAS green                        | ->2021      | 1          |
| 21.  | 1.377.535.8  | Rear divider - LH - Claas yellow                       | ->2021      | 1          |
| 21.  | 1.377.535.10 | Rear divider - LH - standard grey                      | ->2021      | 1          |
| 21.  | 1.373.502.1  | Outer divider - LH - CASE IH red                       | 2022->      | 1          |
| 21.  | 1.373.502.2  | Outer divider - LH - NH yellow                         | 2022->      | 1          |
| 21.  | 1.373.502.3  | Outer divider - LH - JD green                          | 2022->      | 1          |
| 21.  | 1.373.502.5  | Outer divider - LH - Claas green                       | 2022->      | 1          |
| 21.  | 1.373.502.8  | Outer divider - LH - Claas yellow                      | 2022->      | 1          |
| 21.  | 1.373.502.10 | Outer divider - LH - standard grey                     | 2022->      | 1          |
| 21.  | 1.377.536.1  | Rear divider - RH - red                                | ->2021      | 1          |
| 21.  | 1.377.536.2  | Rear divider - RH - NH yellow                          | ->2021      | 1          |
| 21.  | 1.377.536.3  | Rear divider - RH - JD green                           | ->2021      | 1          |
| 21.  | 1.377.536.5  | Rear divider - RH - CLAAS green                        | ->2021      | 1          |
| 21.  | 1.377.536.8  | Rear divider - RH - Claas yellow                       | ->2021      | 1          |
| 21.  | 1.377.536.10 | Rear divider - RH - standard grey                      | ->2021      | 1          |
| 21.  | 1.373.503.1  | Outer divider - RH - CASE IH red                       | 2022->      | 1          |
| 21.  | 1.373.503.2  | Outer divider - RH - NH yellow                         | 2022->      | 1          |
| 21.  | 1.373.503.3  | Outer divider - RH - JD green                          | 2022->      | 1          |
| 21.  | 1.373.503.5  | Outer divider - RH - Claas green                       | 2022->      | 1          |
| 21.  | 1.373.503.8  | Outer divider - RH - Claas yellow                      | 2022->      | 1          |
| 21.  | 1.373.503.10 | Outer divider - RH - standard grey                     | 2022->      | 1          |
| 22.  | 1.314.695    | Washer                                                 | 2015 -2019. | 2          |
| 23.  | 78208002563  | Hex socket button-head bolt - M8X25 - ISO7380/10.9     | 2015 -2019. | 2          |
| 24.  | 54000111532  | Rubber plug O45                                        | 2015 ->     | 2          |
| -    | 1.372.376.1  | Rotary End Divider cpl. LH - with CASE IH red covers   |             | 1          |
| -    | 1.372.376.2  | Rotary End Divider cpl. LH - with NH yellow covers     |             | 1          |
| -    | 1.372.376.3  | Rotary End Divider cpl. LH - with JD green covers      |             | 1          |
| -    | 1.372.376.5  | Rotary End Divider cpl. LH - with CLAAS green covers   |             | 1          |
| -    | 1.372.376.8  | Rotary End Divider cpl. LH - with Claas yellow covers  |             | 1          |
| -    | 1.372.376.10 | Rotary End Divider cpl. LH - with standard grey covers |             | 1          |
| -    | 1.372.377.1  | Rotary End Divider cpl. RH - with CASE IH red covers   |             | 1          |
| -    | 1.372.377.2  | Rotary End Divider cpl. RH - with NH yellow covers     |             | 1          |
| -    | 1.372.377.3  | Rotary End Divider cpl. RH - with JD green covers      |             | 1          |
| -    | 1.372.377.5  | Rotary End Divider cpl. RH - with CLAAS green covers   |             | 1          |
| -    | 1.372.377.8  | Rotary End Divider cpl. RH - with Claas yellow covers  |             | 1          |
| -    | 1.372.377.10 | Rotary End Divider cpl. RH - with standard grey covers |             | 1          |
| -    | 1.378.862    | Rotary End Divider - LH assy. (items 1-19)             |             | 1          |
| -    | 1.378.863    | Rotary End Divider - RH assy. (items 1-19)             |             | 1          |



| Ref. | Part number | Description                                |        | C3008F<br>C2008CF | C3012F<br>C3012CF | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C |
|------|-------------|--------------------------------------------|--------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 19.  | 1.378.858   | Fitting - GE 15 LREDDMD                    |        | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 20.  | 1.378.859   | Fitting - EVGE 15 LRED                     |        | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 21.  | 1.378.861   | Fitting - GE 15 LCF                        |        | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 22.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD               |        | 4                 | 4                 | 4               | 4               | 4               | 4               | 4               | 4               |
| 26.  | 97308040102 | Clamp 18                                   |        | 8                 | 10                | 8               | 8               | 8               | 8               | 8               | 8               |
| 27.  | 79408004066 | Hex head screw - M8X40 - DIN933/8.8        |        | 8                 | 10                | 8               | 8               | 8               | 8               | 8               | 8               |
| 28.  | 1.379.529   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.331.808   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.551   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.571   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | 2               | -               | 2               | -               | -               | 2               |
| 28.  | 1.379.568   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | 1               | -               | -               | -               |
| 28.  | 1.379.574   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | 1               |
| 28.  | 1.379.682   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.758   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.755   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.761   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.373.286   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 28.  | 1.373.283   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | 1               | -               | -               | -               | -               |
| 28.  | 1.373.280   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | 1               | -               | -               |
| 28.  | 1.373.277   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | 1               | -               |
| 29.  | 1.379.530   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.545   | Hydraulic hose - LEXION/JD/MF/NH           |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.553   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.573   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | 1               | -               | -               | -               | -               | -               |
| 29.  | 1.379.570   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | 1               | -               | -               | -               |
| 29.  | 1.379.576   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | 1               |
| 29.  | 1.379.684   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.760   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.757   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.763   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.373.285   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 29.  | 1.373.282   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | 1               | -               | -               | -               | -               |
| 29.  | 1.373.279   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | 1               | -               | -               |
| 29.  | 1.373.276   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | 1               | -               |
| 30.  | 1.379.528   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.763   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.542   | Hydraulic hose - LEXION/JD/MF/NH           |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.552   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.572   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | 1               | -               | -               | -               | -               | -               |
| 30.  | 1.379.569   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | 1               | -               | -               | -               |
| 30.  | 1.379.575   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | 1               |
| 30.  | 1.379.683   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.759   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.756   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.762   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.373.284   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | -               | -               |
| 30.  | 1.373.281   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | 1               | -               | -               | -               | -               |
| 30.  | 1.373.278   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | 1               | -               | -               |
| 30.  | 1.373.275   | Hydraulic hose - LEXION/JD/MF/NH           |        | -                 | -                 | -               | -               | -               | -               | 1               | -               |
| 31.  | 1.379.526   | Hydraulic tube - LEXION                    |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 31.  | 1.379.554   | Hydraulic tube - LEXION                    |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 31.  | 1.379.527   | Hydraulic tube - JD/MF                     |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 31.  | 1.379.539   | Hydraulic tube - NH                        |        | 1                 | 1                 | -               | -               | -               | -               | -               | -               |
| 31.  | 1.379.563   | Hydraulic tube - LEXION                    |        | -                 | -                 | 1               | -               | 1               | -               | -               | 1               |
| 31.  | 1.379.681   | Hydraulic tube - LEXION                    |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 31.  | 1.379.565   | Hydraulic tube - JD/MF                     |        | -                 | -                 | 1               | -               | 1               | -               | -               | 1               |
| 31.  | 1.373.287   | Hydraulic tube - JD/MF                     |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 31.  | 1.379.566   | Hydraulic tube - NH                        |        | -                 | -                 | 1               | 1               | -               | -               | 1               | -               |
| 31.  | 1.373.289   | Hydraulic tube - NH                        |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 32.  | 1.379.523   | Hydraulic tube - LEXION                    |        | 1                 | 1                 | -               | -               | -               | -               | -               | -               |
| 32.  | 1.379.532   | Hydraulic tube - JD/MF                     |        | 1                 | 1                 | -               | -               | -               | -               | -               | -               |
| 32.  | 1.379.555   | Hydraulic tube - JD/MF                     |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 32.  | 1.379.538   | Hydraulic tube - NH                        |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 32.  | 1.379.556   | Hydraulic tube - NH                        |        | -                 | 1                 | -               | -               | -               | -               | -               | -               |
| 32.  | 1.379.562   | Hydraulic tube - LEXION                    |        | -                 | -                 | 1               | -               | 1               | -               | -               | 1               |
| 32.  | 1.379.680   | Hydraulic tube - LEXION                    |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 32.  | 1.379.564   | Hydraulic tube - JD/MF                     | 2021-> | -                 | -                 | 1               | -               | 1               | -               | -               | 1               |
| 32.  | 1.373.288   | Hydraulic tube - JD/MF                     |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 32.  | 1.379.567   | Hydraulic tube - NH                        |        | -                 | -                 | 1               | -               | 1               | -               | -               | 1               |
| 32.  | 1.373.290   | Hydraulic tube - NH                        |        | -                 | -                 | -               | 1               | -               | 1               | 1               | -               |
| 33.  | 1.378.861   | Fitting - GE 15 LCF                        |        | 1                 | -                 | -               | -               | -               | -               | -               | -               |
| 34.  | 1.379.524   | Fitting - 90 deg W 15LCF - LEXION/JD/MF/NH |        | 1                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 35.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD               |        | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 36.  | 1.379.292   | Fitting - 7/8-14UNF-M22X1.5 - LEXION/JD/MF |        | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |



| Ref. | Part number | Description                                 |  | C3008F<br>C2008CF | C3012F<br>C3012CF | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C |
|------|-------------|---------------------------------------------|--|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 37.  | 1.329.890   | Hydraulic quick-coupler                     |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 38.  | 91668372320 | Hydraulic quick-coupler - LEXION            |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 39.  | 1.327.052   | Retainer ring - external - D32X1.3 - DIN471 |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 40.  | 1.379.525   | Fitting - bulkhead - SV 15-PL - JD/MF       |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 41.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD                |  | 3                 | 3                 | 3               | 3               | 3               | 3               | 3               | 3               |
| 42.  | 1.332.515   | Hydraulic quick-coupler - 3/4-16UNF - NH    |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 43.  | 1.379.537   | Fitting - 3/4-16 UNF-M22X1.5A4 - NH         |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 44.  | 1.379.531   | Hydraulic hose - JD/MF                      |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               |
| 45.  | 1.379.630   | Short circuit - (LEXION,AGCO)               |  | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               |










| Ref. | Part number | Description                       |  | C3008F<br>C3008CF | C3012F<br>C3012CF | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|-----------------------------------|--|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 19.  | 1.378.858   | Fitting - GE 15 LREDDMD           |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 20.  | 1.378.859   | Fitting - EVGE 15 LRED            |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 21.  | 1.378.861   | Fitting - GE 15 LCF               |  | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 22.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD      |  | 4                 | 4                 | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               | 4               |
| 26.  | 97308040102 | Clamp 18                          |  | 8                 | 12                | 8               | 8               | 8               | 12              | 8               | 8               | 8               | 12              | 12              | 12              | 12              |
| 27.  | 79308005566 | Hex bolt - M8X55 - DIN931/8.8     |  | 8                 | 12                | 8               | 8               | 8               | 12              | 8               | 8               | 8               | 12              | 12              | 12              | 12              |
| 28.  | 1.379.551   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 28.  | 1.379.682   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 28.  | 1.373.283   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.373.280   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.373.277   | Hydraulic hose - LEXION/JD/MF/NH  |  | 1                 | -                 | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 28.  | 1.372.420   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.372.778   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.530   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| 28.  | 1.379.572   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 28.  | 1.379.573   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | 1                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.757   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 28.  | 1.373.594   | Hydraulic hose - 1SNDN12-1215     |  | -                 | -                 | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.530   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 28.  | 1.379.541   | Hydraulic hose - LEXION/JD/MF/NH  |  | 1                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.553   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 29.  | 1.372.422   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.372.780   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.379.684   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 29.  | 1.373.282   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.373.279   | Hydraulic hose - LEXION/JD/MF/NH  |  | 1                 | -                 | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.373.276   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 29.  | 1.373.599   | Hydraulic hose - 1SNDN12-6110     |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| 29.  | 1.372.645   | Hydraulic hose - 1SNDN12-5995     |  | -                 | 1                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 29.  | 1.372.675   | Hydraulic hose - 1SNDN12-7033     |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 29.  | 1.371.632   | Hydraulic hose - LEXION/JD/MF/CNH |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 30.  | 1.379.528   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.372.421   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.372.779   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.379.552   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| 30.  | 1.379.683   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| 30.  | 1.373.281   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.373.278   | Hydraulic hose - LEXION/JD/MF/NH  |  | 1                 | -                 | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.373.275   | Hydraulic hose - LEXION/JD/MF/NH  |  | -                 | -                 | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| 30.  | 1.372.644   | Hydraulic hose - 1SNDN12-9635     |  | -                 | 1                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| 30.  | 1.371.629   | Hydraulic hose - LEXION/JD/MF/CNH |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| 30.  | 1.371.630   | Hydraulic hose - LEXION/JD/MF/CNH |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |
| 30.  | 1.371.631   | Hydraulic hose - LEXION/JD/MF/CNH |  | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |

Note: In case of C3008F and C3008CF Headers item 28 joins directly to item 41 (CNH) or to item 40 (JD,MF) or to item 35 (CLAAS) or to item 36 (CASE IH) so item 31 and one pc. of item 34 are not used for these models.


To install the RED's from factory, order the following Items:

1. The correct "Bulkhead fittings"
2. The correct "RED hose kit"
3. "Rotary End Divider assy" in the correct color, page 179/180 (2 items LH and RH)




| Ref. | Part number | Description                                                |       | C3008F<br>C3008CF | C3012F<br>C3012CF | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|------------------------------------------------------------|-------|-------------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 31.  | 1.379.681   | Hydraulic tube - LEXION                                    |       | -                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 31.  | 1.373.287   | Hydraulic tube - JD/MF                                     |       | -                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 31.  | 1.373.289   | Hydraulic tube - NH                                        |       | -                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 32.  | 1.379.680   | Hydraulic tube - LEXION                                    |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 32.  | 1.373.288   | Hydraulic tube - JD/MF                                     |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 32.  | 1.373.290   | Hydraulic tube - NH                                        |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 34.  | 1.379.524   | Fitting - 90 deg W 15LCF - LEXION/JD/MF/NH                 |       | 1                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 35.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD                               |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 36.  | 1.379.292   | Fitting - 7/8-14UNF-M22X1.5 - LEXION/JD/MF                 |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 37.  | 1.329.890   | Hydraulic quick-coupler                                    |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 38.  | 91668372320 | Hydraulic quick-coupler - LEXION                           |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 39.  | 1.327.052   | Retainer ring - external - D32X1.3 - DIN471                |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 40.  | 1.379.525   | Fitting - bulkhead - SV 15-PL - JD/MF                      |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 41.  | 1.378.860   | Fitting - 90 deg EVW 15 LOMD                               |       | 3                 | 3                 | 3               | 3               | 3               | 3               | 3               | 3               | 3               | 3               | 3               | 3               | 3               |
| 42.  | 1.332.515   | Hydraulic quick-coupler - 3/4-16UNF - NH                   |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 43.  | 1.379.537   | Fitting - 3/4-16 UNF-M22X1.5A4 - NH                        |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 44.  | 1.379.531   | Hydraulic hose - JD/MF                                     |       | 2                 | 2                 | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               | 2               |
| 44.  | 1.379.531   | Hydraulic hose - JD/MF                                     |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 45.  | 1.379.630   | Short circuit - (LEXION,AGCO)                              |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 46.  | 1.314.987   | Hydraulic quick-coupler - female - 1282338 C91             |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 47.  | 1.315.905   | Hydraulic quick-coupler - male - 1272399 C2                |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 48.  | 1.372.678   | Hydraulic hose - 1SNDN12-250                               |       | -                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| 49.  | 70800942558 | Rivet nut - M8                                             |       | 8                 | 12                | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 12              | 12              | 12              | 12              |
| 50.  | 1.371.654   | Washer                                                     | 2021? | 8                 | 12                | 8               | 8               | 8               | 8               | 8               | 8               | 8               | 12              | 12              | 12              | 12              |
| -    | 1.372.685   | JD, MF Bulkhead fittings (items 31, 32, 35,36,37,39,40,44) |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| -    | 1.372.686   | LEXION Bulkhead fittings (items 31,32,35,36,38)            |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| -    | 1.372.687   | CNH Bulkhead fittings (items 31,32,41,42,43)               |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| -    | 1.372.688   | CASE IH Bulkhead fittings (items 36,44,46,47,48)           |       | 1                 | 1                 | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               | 1               |
| -    | 1.372.803   | RED hose kit 4+2x2R/76,2 - 80 cm ( items 26 - 30, 34, 49)  |       | 1                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.804   | RED hose kit 6+2x3R/76,2 cm ( items 26 - 30, 34, 49)       |       | -                 | 1                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.805   | RED hose kit 6R/76,2 cm ( items 26 - 30, 34, 49)           |       | -                 | -                 | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.806   | RED hose kit 8R/55,6 cm ( items 26 - 30, 34, 49)           |       | -                 | -                 | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.807   | RED hose kit 8R/76,2 cm ( items 26 - 30, 34, 49)           |       | -                 | -                 | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.808   | RED hose kit 12R/50,8 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               |
| -    | 1.372.809   | RED hose kit 12R/55,6 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               | -               |
| -    | 1.372.810   | RED hose kit 12R/76,2 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               | -               |
| -    | 1.372.821   | RED hose kit 8R/96,5 cm ( items 26 - 30, 34, 49)           |       | -                 | -                 | -               | -               | -               | 1               | -               | -               | -               | -               | -               | -               | -               |
| -    | 1.371.642   | RED hose kit 12R/96,5 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               | -               |
| -    | 1.371.643   | RED hose kit 16R/76,2 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               | -               |
| -    | 1.371.644   | RED hose kit 18R/50,8 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               | -               |
| -    | 1.371.645   | RED hose kit 18R/55,6 cm ( items 26 - 30, 34, 49)          |       | -                 | -                 | -               | -               | -               | -               | -               | -               | -               | -               | -               | -               | 1               |


Note: In case of C3008F and C3008CF Headers item 28 joins directly to item 41 (CNH) or to item 40 (JD,MF) or to item 35 (CLAAS) or to item 36 (CASE IH) so item 31 and one pc. of item 34 are not used for these models.  
To install the RED's from factory, order the following Items:  
1. The correct "Bulkhead fittings"  
2. The correct "RED hose kit"  
3. "Rotary End Divider assy" in the correct color, page 179/180 (2 items LH and RH)



| Ref. | Part number | Description                                   |        | RIGID<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>electr.<br>SPA |
|------|-------------|-----------------------------------------------|--------|-------------------------------|---------------------------------|-----------------------------------|
| 1.   | -           | See mounting kit pages                        |        |                               |                                 |                                   |
| 2.   | 1.355.489   | Support plate                                 |        | 1                             | 1                               | 1                                 |
| 3.   | 79408002566 | Hex head screw - M8X25 - DIN933/8.8           |        | 3                             | 3                               | 3                                 |
| 4.   | 91623938761 | Spring washer - 8X18 M8 - A8                  |        | 11                            | 11                              | 11                                |
| 5.   | 73508000066 | Hex nut - M8 - DIN934                         |        | 7                             | 7                               | 7                                 |
| 6.   | 70808000026 | Rivet nut - M8                                | ->2019 | 2                             | 2                               | 2                                 |
| 6.   | 70708000066 | Lock nut - M8 - DIN980                        | 2020-> | 2                             | 2                               | 2                                 |
| 7.   | 1.379.443   | Bracket welded                                |        | 1                             | 1                               | 1                                 |
| 8.   | 1.327.148   | Retaining plate                               |        | 1                             | 1                               | 1                                 |
| 9.   | 79405001660 | Hex bolt - M5X16 - DIN933/8.8                 |        | 3                             | 3                               | 3                                 |
| 10.  | 73505000066 | Hex nut - M5 - DIN934                         |        | 3                             | 3                               | 3                                 |
| 11.  | 1.327.510   | Hydraulic multiclutch - 84435008              |        | 1                             | 1                               | 1                                 |
| 12.  | 80208002066 | Hex socket head bolt - M8X20 - DIN912/8.8     |        | 4                             | 4                               | 4                                 |
| 13.  | 63001202000 | O-ring - 12X2                                 |        | 3                             | 3                               | 3                                 |
| 14.  | 1.327.509   | Fitting - M14X1.5 - 9/16-18 UNF               |        | 3                             | 3                               | 3                                 |
| 15.  | 1.327.508   | Plug for D connection only                    |        | 1                             | 1                               | 1                                 |
| 16.  | 1.351.403   | Hydraulic hose - 1SNDN6-585                   |        | 2                             | 2                               | 2                                 |
| 17.  | 1.379.394   | Directional valve - LC 6/2                    |        | -                             | 1                               | -                                 |
| 18.  | 80206004066 | Hex socket head cap bolt - M6X40 - DIN912/8.8 |        | -                             | 3                               | -                                 |
| 19.  | 74906000066 | Hex nut - plastic insert - M6 - DIN982        |        | -                             | 3                               | -                                 |
| 20.  | 1.353.318   | Fitting - M14X1.5 G3/8                        |        | -                             | 6                               | -                                 |
| 21.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                     |        | -                             | 2                               | -                                 |
| 22.  | 1.331.795   | Hydraulic hose - 1SNDN6-630                   |        | -                             | 4                               | -                                 |
| 23.  | 1.353.204   | Harness electrical                            |        | -                             | 1                               | -                                 |
| 24.  | 1.353.213   | Switch - 6FH 007 832-121 HELLA                |        | -                             | 1                               | -                                 |
| 25.  | 79308012066 | Hex bolt - M8X120 - DIN931/10.9               | 2020-> | 2                             | 2                               | 2                                 |
| 26.  | 1.337.144   | Harness                                       | 2021-> | -                             | 1                               | -                                 |
| -    | 1.379.472   | Directional valve assy. (items 24-31)         |        | -                             | 1                               | -                                 |
| -    | 1.379.475   | Hydraulic multipoint kit.                     |        | 1                             | 1                               | 1                                 |
| -    | 1.372.705   | Hydraulic multiclutch cpl. - B6760            |        | 1                             | -                               | -                                 |
| -    | 1.372.706   | Hydraulic multiclutch cpl. - B6761            |        | -                             | 1                               | -                                 |




| Ref. | Part number | Description                                    |        | RIGID<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>hydr.<br>SPA | FOLDING<br>with<br>electr.<br>SPA |
|------|-------------|------------------------------------------------|--------|-------------------------------|---------------------------------|-----------------------------------|
| 1.   | 1.353.195   | Hydraulic hose - 1SNDN6-1200                   |        | 1                             | 1                               | 1                                 |
| 2.   | 1.330.772   | Hydraulic hose - 1SNDN6-375                    |        | 1                             | 1                               | 1                                 |
| 3.   | 1.314.572   | Fitting - M14X1.5 / 7/8-14 UNF                 |        | 2                             | 2                               | 2                                 |
| 4.   | 1.315.905   | Hydraulic quick-coupler - male - 1272399 C2    |        | 1                             | 1                               | 1                                 |
| 5.   | 1.314.987   | Hydraulic quick-coupler - female - 1282338 C91 |        | 1                             | 1                               | 1                                 |
| 6.   | 1.379.394   | Directional valve - LC 6/2                     |        | -                             | 1                               | -                                 |
| 7.   | 80206004066 | Hex socket head cap bolt - M6X40 - DIN912/8.8  |        | -                             | 3                               | -                                 |
| 8.   | 74906000066 | Hex nut - plastic insert - M6 - DIN982         |        | -                             | 3                               | -                                 |
| 9.   | 1.353.318   | Fitting - M14X1.5 G3/8                         |        | -                             | 6                               | -                                 |
| 10.  | 1.314.510   | Fitting - 90deg. EVW 8 PL                      |        | -                             | 2                               | -                                 |
| 11.  | 1.331.795   | Hydraulic hose - 1SNDN6-630                    |        | -                             | 4                               | -                                 |
| 12.  | 1.353.204   | Harness electrical                             |        | -                             | 1                               | -                                 |
| 13.  | 1.353.213   | Switch - 6FH 007 832-121 HELLA                 |        | -                             | 1                               | -                                 |
| 14.  | 1.379.643   | Bracket                                        |        | -                             | 1                               | -                                 |
| 15.  | 79408003566 | Hex bolt - M8X35 - DIN933/8.8                  | ->2019 | -                             | 2                               | -                                 |
| 15.  | 79308012066 | Hex bolt - M8X120 - DIN931/10.9                | 2020-> | -                             | 2                               | -                                 |
| 16.  | 91623938761 | Spring washer - 8X18 M8 - A8                   |        | -                             | 4                               | -                                 |
| 17.  | 70808000026 | Rivet nut - M8                                 | ->2019 | -                             | 2                               | -                                 |
| 17.  | 70708000066 | Lock nut - M8 - DIN980                         | 2020-> | -                             | 2                               | -                                 |
| 18.  | -           | See item 22, page 18/A                         |        |                               |                                 |                                   |
| 19.  | -           | See item 39, page 18/A                         |        |                               |                                 |                                   |
| -    | 1.379.472   | Directional valve assy. (items 24-31)          |        |                               |                                 |                                   |
| -    | 1.372.707   | Hydraulic multicluch cpl.                      |        | 1                             | -                               | -                                 |
| -    | 1.372.708   | Hydraulic multicluch cpl.                      |        | -                             | 1                               | -                                 |



| Ref. | Part number | Description                           |  | C3006<br>C3006C | C2208<br>C2208C | C3008<br>C3008C<br>C3008F<br>C3008CF | C3808<br>C3808C | C2012<br>C2012C | C2212<br>C2212C | C3012<br>C3012C<br>C3012F<br>C3012CF | C3812<br>C3812C | C3016<br>C3016C | C2018<br>C2018C | C2218<br>C2218C |
|------|-------------|---------------------------------------|--|-----------------|-----------------|--------------------------------------|-----------------|-----------------|-----------------|--------------------------------------|-----------------|-----------------|-----------------|-----------------|
| 1.   | 1.320.609   | Shipping stand weld.                  |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 2.   | 79416003066 | Hex head screw - M16X30               |  | 4               | 4               | 4                                    | 4               | 4               | 4               | 4                                    | 4               | 4               | 4               | 4               |
| 3.   | 71416000060 | Washer - M16 17X30X3 - DIN125 - 200HV |  | 4               | 4               | 4                                    | 4               | 4               | 4               | 4                                    | 4               | 4               | 4               | 4               |
| 4.   | 72216000060 | Spring washer - M16                   |  | 2               | 2               | 2                                    | 2               | 2               | 2               | 2                                    | 2               | 2               | 2               | 2               |
| 5.   | 73516000066 | Hex nut - M16 - DIN934                |  | 2               | 2               | 2                                    | 2               | 2               | 2               | 2                                    | 2               | 2               | 2               | 2               |
| 6.   | 1.354.583   | Lifting bar weld.                     |  | -               | -               | -                                    | -               | -               | -               | -                                    | -               | -               | -               | -               |
| 6.   | 1.353.054   | Lifting bar weld.                     |  | 1               | -               | 1                                    | -               | -               | -               | 2                                    | -               | 2               | -               | -               |
| 6.   | 1.353.732   | Lifting bar weld.                     |  | -               | -               | -                                    | -               | 2               | -               | -                                    | -               | -               | 2               | -               |
| 6.   | 1.353.345   | Lifting bar weld.                     |  | -               | 1               | -                                    | -               | -               | 2               | -                                    | -               | -               | -               | 2               |
| 6.   | 1.372.787   | Lifting bar weld.                     |  | -               | -               | -                                    | 2               | -               | -               | -                                    | 2               | -               | -               | -               |
| 6.   | 1.377.530   | Lifting bar weld.                     |  | -               | -               | -                                    | -               | -               | -               | -                                    | -               | -               | -               | -               |
| 7.   | 79412003566 | Hex bolt - M12X35 - DIN933/8.8        |  | 8               | 8               | 8                                    | 16              | 16              | 16              | 16                                   | 16              | 16              | 16              | 16              |
| 8.   | 71412000060 | Washer - M12 - DIN125 - 200HV         |  | 8               | 8               | 8                                    | 16              | 16              | 16              | 16                                   | 16              | 16              | 16              | 16              |
| 9.   | 91623938961 | Spring washer - A12                   |  | 8               | 8               | 8                                    | 16              | 16              | 16              | 16                                   | 16              | 16              | 16              | 16              |
| 10.  | 70712000066 | Lock nut - VM12 - DIN980              |  | 8               | 8               | 8                                    | 16              | 16              | 16              | 16                                   | 16              | 16              | 16              | 16              |
| 11.  | 1.372.600   | Operator's manual                     |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 12.  | 1.372.599   | Spare parts catalogue                 |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 12.  | 1.371.155   | Unloading and Assembly Instructions   |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 13.  | 1.371.041   | Toolbox                               |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 14.  | 1.372.015   | Allen key - SW5                       |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 14.  | 1.353.504   | Allen key - SW6                       |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 14.  | 1.355.421   | Allen key - SW8                       |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 14.  | 1.355.037   | Allen key - SW10                      |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 14.  | 1.353.505   | Allen key - SW12                      |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 15.  | 1.355.106   | Lubricating pipe                      |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| 16.  | 1.378.697   | Wrench                                |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |
| -    | 1.371.042   | Tool kit. (#13-15)                    |  | 1               | 1               | 1                                    | 1               | 1               | 1               | 1                                    | 1               | 1               | 1               | 1               |

Note: Item 16 only for machines with chopper!

1.372.468



| Ref. | Part number | Description                          |        | All models |
|------|-------------|--------------------------------------|--------|------------|
| 1.   | 1.372.455   | Filler welded - IDEAL                |        | 1          |
| 2.   | 1.372.470   | Strip                                |        | 2          |
| 3.   | 1.372.463   | Plate                                |        | 2          |
| 4.   | 91623938861 | Spring washer - 10,2X22,25X1,6 - A10 |        | 11         |
| 5.   | 70710000066 | Lock nut - M10 - DIN980/8.8          |        | 6          |
| 6.   | 79416004066 | Hex head screw - M16X40              |        | 6          |
| 7.   | 72216000060 | Spring washer - M16                  |        | 6          |
| 8.   | 73516000066 | Hex nut - M16 - DIN934               |        | 6          |
| 9.   | 96702375920 | Washer - M10 10,5X30X3               |        | 5          |
| 10.  | 79410003066 | Hex bolt - M10X30 - DIN933/8.8       |        | 5          |
| 11.  | 96701314099 | Washer - M8 8,4X25X3,0               |        | 12         |
| 12.  | 79408002566 | Hex head screw - M8X25 - DIN933/8.8  |        | 6          |
| 13.  | 70708000066 | Lock nut - M8 - DIN980               |        | 6          |
| 14.  | 1.372.795   | Plate                                |        | 2          |
| 15.  | 91623938961 | Spring washer - A12                  |        | 4          |
| 16.  | 79412003566 | Hex bolt - M12X35 - DIN933/8.8       |        | 4          |
| 17.  | 79410002566 | Hex bolt - M10X25 - DIN933/8.8       |        | 6          |
| 18.  | 1.355.966   | Harness for AGCO multicoupler        | ->2020 | 1          |
| 18.  | 1.337.146   | Harness for AGCO multicoupler        | 2021-> | 1          |
| 19.  | 1.372.880   | Cable assy.                          |        | 1          |
| -    | 1.372.468   | Mounting filler: IDEAL               |        | 1          |

# TORQUE VALUES FOR FASTENERS (Nm)

| SIZE           | QUALITY |      |      |
|----------------|---------|------|------|
| BOLTS / SCREWS | 8.8     | 10.9 | 12.9 |
| NUTS           | 8.      | 10.  | 12.  |
| M6             | 10      | 14   | 16   |
| M8             | 23      | 33   | 40   |
| M10            | 45      | 63   | 75   |
| M12            | 78      | 110  | 130  |
| M14            | 122     | 175  | 210  |
| M16            | 195     | 270  | 325  |
| M18            | 260     | 370  | 440  |
| M20            | 370     | 525  | 630  |
| M24            | 640     | 900  | 1080 |
| M30            | 1260    | 1800 | 2160 |

# Part number index – 2021

1

Part number

Page ID

Part number

Page ID

|             |                  |
|-------------|------------------|
| 115145      | (31B)            |
| 115146      | (31B)            |
| 115147      | (31B)            |
| 211415      | (53A)            |
| 211416      | (53A)            |
| 211417      | (53A)            |
| 211418      | (53A)            |
| 211419      | (53A)            |
| 211420      | (53A)            |
| 211421      | (53A)            |
| 211422      | (53A)            |
| 211423      | (53A)            |
| 211424      | (53A)            |
| 211429      | (53A)            |
| 211430      | (53A)            |
| 211433      | (53A)            |
| 211434      | (53A)            |
| 211435      | (53A)            |
| 211436      | (53A)            |
| 211437      | (53A)            |
| 211438      | (53A)            |
| 211439      | (53A)            |
| 211440      | (53A)            |
| 211441      | (53A)            |
| 211442      | (53A)            |
| 211443      | (53A)            |
| 211444      | (53A)            |
| 211445      | (53A)            |
| 211446      | (53A)            |
| 211447      | (53A)            |
| 211448      | (53A)            |
| 211449      | (53A)            |
| 211450      | (53A)            |
| 211451      | (53A)            |
| 211452      | (53A)            |
| 211453      | (53A)            |
| 211454      | (53A)            |
| 211455      | (53A)            |
| 211456      | (53A)            |
| 211463      | (53A), (53B)     |
| 211524      | (53A)            |
| 211525      | (53A)            |
| 211526      | (53A)            |
| 211527      | (53A)            |
| 05200000800 | (3)              |
| 05200001200 | (3), (13A)       |
| 05200001600 | (48)             |
| 05200200024 | (3), (13A), (48) |

|             |                                                                                                        |
|-------------|--------------------------------------------------------------------------------------------------------|
| 25553201007 | (10), (8), (9)                                                                                         |
| 54000111532 | (55)                                                                                                   |
| 63001202000 | (58A)                                                                                                  |
| 63002003009 | (13A)                                                                                                  |
| 63003026500 | (48)                                                                                                   |
| 63003030010 | (48)                                                                                                   |
| 63003503500 | (13A), (48)                                                                                            |
| 63007151500 | (48)                                                                                                   |
| 67210000011 | (21A), (22A), (23A), (6), (7)                                                                          |
| 70006001062 | (7)                                                                                                    |
| 70006011860 | (7)                                                                                                    |
| 70100003201 | (48)                                                                                                   |
| 70100003501 | (48)                                                                                                   |
| 70100004001 | (47)                                                                                                   |
| 70100004701 | (10), (8), (9)                                                                                         |
| 70100005201 | (4)                                                                                                    |
| 70100006201 | (13A), (48)                                                                                            |
| 70100007201 | (13A), (48)                                                                                            |
| 70100008001 | (13A), (48)                                                                                            |
| 70100008501 | (48)                                                                                                   |
| 70110000001 | (21A), (21B), (21C), (23A)                                                                             |
| 70200002501 | (13A), (48)                                                                                            |
| 70200003001 | (13A), (48)                                                                                            |
| 70200003201 | (10), (8), (9)                                                                                         |
| 70200003501 | (10), (8), (9), (48)                                                                                   |
| 70200004001 | (10), (9)                                                                                              |
| 70200004501 | (10), (8), (9), (48)                                                                                   |
| 70200004561 | (29A), (29B), (29C)                                                                                    |
| 70200005001 | (13A)                                                                                                  |
| 70200005501 | (10), (9)                                                                                              |
| 70706000066 | (54)                                                                                                   |
| 70708000066 | (21A), (21B), (21C), (22A), (22B), (23A), (6), (7), (29A), (29B), (29C), (58A), (59), (35), (71), (54) |
| 70710000066 | (10), (8), (9), (21A), (21C), (23A), (2), (2A), (7), (71), (18A), (49), (54)                           |
| 70712000066 | (23A), (65)                                                                                            |
| 70712012563 | (13A)                                                                                                  |
| 70716000066 | (35), (39)                                                                                             |
| 70800942558 | (56A)                                                                                                  |
| 70808000026 | (29A), (29B), (58A), (59), (54)                                                                        |
| 71400240060 | (7)                                                                                                    |
| 71408000060 | (21A), (21C), (23A), (6), (7)                                                                          |
| 71410000060 | (10), (8), (9), (18A), (49)                                                                            |
| 71412000060 | (23A), (7), (65), (18A), (54)                                                                          |

# Part number index – 2021

2

Part number

Page ID

Part number

Page ID

|             |                                                               |
|-------------|---------------------------------------------------------------|
| 71416000060 | (6), (7), (65)                                                |
| 71610513001 | (3)                                                           |
| 71610513002 | (3)                                                           |
| 71610513005 | (3)                                                           |
| 71619026020 | (48)                                                          |
| 71619026050 | (48)                                                          |
| 71619026120 | (48)                                                          |
| 71625035010 | (48)                                                          |
| 71625035020 | (48)                                                          |
| 71625035050 | (7), (48)                                                     |
| 71625035100 | (7)                                                           |
| 71625035200 | (48)                                                          |
| 71630042010 | (48)                                                          |
| 71630042020 | (48)                                                          |
| 71630042050 | (10), (9), (7), (48)                                          |
| 71630042100 | (10), (9), (7)                                                |
| 71632045100 | (10), (8), (9)                                                |
| 71635045010 | (48)                                                          |
| 71635045020 | (48)                                                          |
| 71635045050 | (48)                                                          |
| 71637047100 | (10), (8), (9), (15A), (15C)                                  |
| 71645055010 | (48)                                                          |
| 71645055020 | (48)                                                          |
| 71645055050 | (48)                                                          |
| 71645055200 | (48)                                                          |
| 71650062010 | (3)                                                           |
| 71650062020 | (3)                                                           |
| 71650062050 | (3)                                                           |
| 71656072030 | (13A)                                                         |
| 71663080010 | (13A)                                                         |
| 71663080020 | (13A)                                                         |
| 71663080050 | (13A)                                                         |
| 71701000060 | (15A), (15C)                                                  |
| 71808000060 | (24A), (24A1), (24A2), (55), (13A), (18A), (49)               |
| 71810000060 | (23A), (3), (18A), (48), (49)                                 |
| 71812000060 | (3)                                                           |
| 72208000060 | (21A), (21B), (21C), (22A), (22B), (23A), (29A), (29B), (29C) |
| 72210000060 | (14A), (14B), (14C), (15A), (15C), (2), (2A)                  |
| 72216000060 | (71), (65)                                                    |
| 72402001660 | (21B)                                                         |
| 72402502560 | (23A)                                                         |
| 72404002860 | (18A), (54)                                                   |
| 72405004060 | (22A)                                                         |
| 73005000801 | (49)                                                          |
| 73005001601 | (49)                                                          |

|             |                                                                                                                                                   |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 73005003601 | (18A)                                                                                                                                             |
| 73006005501 | (47)                                                                                                                                              |
| 73006006001 | (7)                                                                                                                                               |
| 73008003601 | (18A)                                                                                                                                             |
| 73008004051 | (7)                                                                                                                                               |
| 73008006001 | (7)                                                                                                                                               |
| 73010005501 | (47)                                                                                                                                              |
| 73010006001 | (7)                                                                                                                                               |
| 73100104501 | (43A), (43B)                                                                                                                                      |
| 73100105501 | (47)                                                                                                                                              |
| 73108004001 | (43A), (43B)                                                                                                                                      |
| 73505000066 | (58A)                                                                                                                                             |
| 73506000066 | (54)                                                                                                                                              |
| 73508000066 | (10), (8), (9), (16A), (16B), (17A), (20), (21A), (21B), (21C), (22A), (22B), (23A), (2), (2A), (6), (7), (29A), (29B), (29C), (58A), (25B), (54) |
| 73510000066 | (23A), (2), (2A), (7)                                                                                                                             |
| 73512000066 | (7), (35)                                                                                                                                         |
| 73516000066 | (71), (65)                                                                                                                                        |
| 73612000066 | (28)                                                                                                                                              |
| 74900600066 | (24A), (24B)                                                                                                                                      |
| 74900800066 | (16A), (24A), (29C)                                                                                                                               |
| 74901000066 | (43A), (43B)                                                                                                                                      |
| 74901200066 | (25B), (48)                                                                                                                                       |
| 74901400066 | (49)                                                                                                                                              |
| 74901600066 | (6)                                                                                                                                               |
| 74906000066 | (21A), (21C), (23A), (24A), (24A1), (24A2), (29A), (29B), (29C), (58A), (59), (54)                                                                |
| 74908000066 | (16B), (17A), (21A), (21B), (21C), (22A), (23A), (6), (7), (26), (55), (54)                                                                       |
| 74910000066 | (18A)                                                                                                                                             |
| 74912000066 | (55), (18A)                                                                                                                                       |
| 74914000066 | (18A)                                                                                                                                             |
| 74916000066 | (7)                                                                                                                                               |
| 76308002066 | (20), (21A), (21B), (21C), (22A), (22B), (23A), (6), (7)                                                                                          |
| 76308002566 | (21A), (23A), (25B)                                                                                                                               |
| 76310003066 | (43A), (43B)                                                                                                                                      |
| 76310003566 | (49)                                                                                                                                              |
| 77208004560 | (21A), (21B), (21C), (22A), (22B), (23A)                                                                                                          |
| 78200802063 | (21A), (21B), (21C), (22A), (22B), (23A), (6), (7)                                                                                                |
| 78200802563 | (10), (8), (9), (22B)                                                                                                                             |

# Part number index – 2021

3

Part number

Page ID

Part number

Page ID

|             |                                                                                                                                       |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 78208002563 | (55)                                                                                                                                  |
| 78212003563 | (21A), (21B), (21C), (22A), (22B), (23A)                                                                                              |
| 79200800160 | (3)                                                                                                                                   |
| 79201601560 | (48)                                                                                                                                  |
| 79202001560 | (3)                                                                                                                                   |
| 79308004066 | (21A), (21B), (21C), (22A), (23A)                                                                                                     |
| 79308005066 | (21A), (21C), (23A)                                                                                                                   |
| 79308005566 | (21A), (21B), (21C), (23A), (56A)                                                                                                     |
| 79308006566 | (21A), (21C), (22A)                                                                                                                   |
| 79308007066 | (21B)                                                                                                                                 |
| 79308009063 | (21A), (21B), (21C), (23A)                                                                                                            |
| 79308010063 | (22A), (22B)                                                                                                                          |
| 79308012066 | (29A), (29B), (29C), (58A), (59)                                                                                                      |
| 79312016066 | (25B)                                                                                                                                 |
| 79316010066 | (6), (7)                                                                                                                              |
| 79316155066 | (13A)                                                                                                                                 |
| 79405001660 | (58A)                                                                                                                                 |
| 79406001066 | (2), (2A)                                                                                                                             |
| 79406001666 | (22B), (54)                                                                                                                           |
| 79406002066 | (21C)                                                                                                                                 |
| 79406003066 | (21A), (23A)                                                                                                                          |
| 79406004066 | (24A), (24A1), (24A2)                                                                                                                 |
| 79406004566 | (24A)                                                                                                                                 |
| 79406005066 | (24A), (24A1), (24A2), (24B)                                                                                                          |
| 79408001666 | (21A), (21C), (22A), (22B), (23A), (2), (2A), (18A), (54)                                                                             |
| 79408001866 | (49)                                                                                                                                  |
| 79408002066 | (16A), (16B), (17A), (20), (21A), (21B), (21C), (22A), (23A), (45), (2), (2A), (6), (7), (24A), (55), (18A), (49), (54), (43A), (43B) |
| 79408002566 | (16A), (16B), (21B), (45), (2), (2A), (6), (7), (29A), (29B), (29C), (58A), (25B), (26), (35), (71), (43B)                            |
| 79408003063 | (23A)                                                                                                                                 |
| 79408003066 | (21A), (21B), (21C), (22A), (22B), (23A), (29C)                                                                                       |
| 79408003566 | (16A), (16B), (17A), (21A), (21C), (23A), (59)                                                                                        |
| 79408004066 | (21B), (56), (18A)                                                                                                                    |
| 79408004566 | (21A), (21C), (23A), (7)                                                                                                              |
| 79408005066 | (24A1), (24A2), (55)                                                                                                                  |
| 79408006066 | (22A), (23A)                                                                                                                          |
| 79408006566 | (22B), (23A)                                                                                                                          |

|             |                                                                                  |
|-------------|----------------------------------------------------------------------------------|
| 79408007066 | (22B)                                                                            |
| 79408008066 | (21A), (21C)                                                                     |
| 79408010066 | (45)                                                                             |
| 79410001666 | (18A)                                                                            |
| 79410002066 | (10), (8), (9), (16A), (16B), (17A), (7), (18A), (49), (54)                      |
| 79410002566 | (10), (8), (9), (21A), (21B), (21C), (22A), (22B), (23A), (7), (25B), (71), (49) |
| 79410003063 | (49)                                                                             |
| 79410003066 | (10), (8), (9), (15A), (15C), (2), (2A), (7), (71), (49)                         |
| 79410004566 | (49)                                                                             |
| 79410005566 | (7), (54)                                                                        |
| 79410006066 | (18A)                                                                            |
| 79410007066 | (18A)                                                                            |
| 79412002066 | (2), (2A)                                                                        |
| 79412003066 | (2), (2A)                                                                        |
| 79412003566 | (35), (71), (55), (65), (49)                                                     |
| 79412004566 | (7)                                                                              |
| 79412005566 | (18A)                                                                            |
| 79412009066 | (6), (7)                                                                         |
| 79412012066 | (6), (7)                                                                         |
| 79412125256 | (47)                                                                             |
| 79414004566 | (2), (2A)                                                                        |
| 79416003066 | (65), (43B)                                                                      |
| 79416004066 | (71)                                                                             |
| 80108001266 | (14A), (14B), (14C), (15A), (15C)                                                |
| 80206004066 | (29A), (29B), (29C), (58A), (59)                                                 |
| 80208001666 | (24A), (24A1), (24A2)                                                            |
| 80208002066 | (58A)                                                                            |
| 80208002566 | (55), (18A)                                                                      |
| 80208003066 | (13A)                                                                            |
| 80210003063 | (23A), (49)                                                                      |
| 80210003563 | (18A), (48), (49)                                                                |
| 80210004063 | (48)                                                                             |
| 80210004066 | (14A), (14B), (14C), (15A), (15C)                                                |
| 80212006566 | (48)                                                                             |
| 80212035063 | (3)                                                                              |
| 80214004566 | (49)                                                                             |
| 80214006566 | (49)                                                                             |
| 80308002062 | (49)                                                                             |
| 80310003063 | (3)                                                                              |
| 80400602063 | (13A)                                                                            |
| 80400802063 | (21B), (22A), (13A)                                                              |
| 80400802563 | (48)                                                                             |
| 80400803563 | (10), (9)                                                                        |

# Part number index – 2021

4

Part number

Page ID

Part number

Page ID

|             |                                   |
|-------------|-----------------------------------|
| 80400804063 | (10), (9)                         |
| 80401002563 | (7)                               |
| 80401003063 | (48)                              |
| 80401004063 | (10), (8), (9)                    |
| 80408001266 | (21A), (21C), (23A)               |
| 80408005063 | (21C)                             |
| 80414005063 | (4)                               |
| 81106001663 | (54)                              |
| 81108001663 | (21A)                             |
| 81108002563 | (21B), (22A)                      |
| 81110001668 | (10), (8)                         |
| 81306301966 | (54)                              |
| 84208074000 | (10), (9)                         |
| 84210084000 | (10), (8), (9)                    |
| 84304001200 | (45)                              |
| 84500000016 | (6), (7)                          |
| 84501000032 | (14A), (14B), (14C), (15A), (15C) |
| 84503400010 | (15A)                             |
| 84530000000 | (49)                              |
| 84553333520 | (49)                              |
| 85609000000 | (13A)                             |
| 85801001000 | (48)                              |
| 85803200500 | (48)                              |
| 85803500700 | (13A)                             |
| 85803800700 | (3)                               |
| 85804006207 | (48)                              |
| 85804055007 | (48)                              |
| 85804506208 | (48)                              |
| 85804508501 | (48)                              |
| 85804572081 | (13A)                             |
| 85805007208 | (13A)                             |
| 85805008008 | (48)                              |
| 85805080100 | (3)                               |
| 85805508500 | (3)                               |
| 85807200700 | (48)                              |
| 86700001100 | (10), (8), (9)                    |
| 86801100000 | (10), (8), (9)                    |
| 87000003556 | (10), (8), (9)                    |
| 87000131262 | (3)                               |
| 87000140059 | (10), (9)                         |
| 87000320314 | (47)                              |
| 87000420314 | (47)                              |
| 87000421010 | (48)                              |
| 87000620611 | (13A), (48)                       |
| 87001420710 | (48)                              |
| 87001601010 | (48)                              |
| 87001620414 | (10), (8), (9)                    |
| 87001620514 | (4)                               |

|             |                                                                                                                                                                                |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 87001620614 | (48)                                                                                                                                                                           |
| 87001620710 | (13A)                                                                                                                                                                          |
| 87001620810 | (13A)                                                                                                                                                                          |
| 87001620910 | (48)                                                                                                                                                                           |
| 87001621010 | (3)                                                                                                                                                                            |
| 87006191014 | (13A)                                                                                                                                                                          |
| 87010620214 | (13A)                                                                                                                                                                          |
| 87010621114 | (3)                                                                                                                                                                            |
| 87010630510 | (48)                                                                                                                                                                           |
| 87013021001 | (3)                                                                                                                                                                            |
| 87030620514 | (55)                                                                                                                                                                           |
| 87030620914 | (10), (8), (9)                                                                                                                                                                 |
| 87300008516 | (10), (8), (9)                                                                                                                                                                 |
| 91623938661 | (22B)                                                                                                                                                                          |
| 91623938761 | (16A), (16B), (17A), (20), (21A), (21B), (21C), (22A), (22B), (23A), (45), (2), (2A), (6), (7), (29A), (29B), (29C), (58A), (59), (25B), (55), (18A), (49), (54), (43A), (43B) |
| 91623938861 | (10), (8), (9), (16A), (16B), (17A), (21A), (21B), (21C), (22A), (22B), (23A), (2), (2A), (7), (25B), (71), (18A), (49), (54)                                                  |
| 91623938961 | (21A), (21B), (21C), (22A), (22B), (23A), (2), (2A), (35), (71), (65), (47), (49)                                                                                              |
| 91623939061 | (2), (2A)                                                                                                                                                                      |
| 91623939161 | (13A), (43B)                                                                                                                                                                   |
| 91668372320 | (56), (56A)                                                                                                                                                                    |
| 96700000002 | (21A), (21C)                                                                                                                                                                   |
| 96700000003 | (49)                                                                                                                                                                           |
| 96700000112 | (10), (8), (9)                                                                                                                                                                 |
| 96701314099 | (21C), (24A1), (24A2), (71), (55)                                                                                                                                              |
| 96701320540 | (10), (8), (9)                                                                                                                                                                 |
| 96702361800 | (21A), (21C), (23A), (24A)                                                                                                                                                     |
| 96702375920 | (7), (71), (49)                                                                                                                                                                |
| 96703800001 | (24A), (24A1), (24A2)                                                                                                                                                          |
| 96716002720 | (22A), (22B), (6), (7)                                                                                                                                                         |
| 96720070601 | (21A), (21C), (23A), (6), (7)                                                                                                                                                  |
| 96792401700 | (54)                                                                                                                                                                           |
| 96792685501 | (54)                                                                                                                                                                           |
| 97308040102 | (56), (56A)                                                                                                                                                                    |
| 97327001370 | (32), (32A)                                                                                                                                                                    |
| 97517031100 | (32), (32A)                                                                                                                                                                    |
| 97909349340 | (7)                                                                                                                                                                            |
| 99652123700 | (32), (32A)                                                                                                                                                                    |

# Part number index – 2021

5

Part number

Page ID

Part number

Page ID

|           |                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------|
| 013.208.3 | (28)                                                                                                |
| 013.268.0 | (28)                                                                                                |
| 1.200.628 | (43A), (43B)                                                                                        |
| 1.300.200 | (15A)                                                                                               |
| 1.301.068 | (35)                                                                                                |
| 1.301.069 | (35)                                                                                                |
| 1.301.433 | (10), (8), (9)                                                                                      |
| 1.304.143 | (39)                                                                                                |
| 1.304.769 | (8), (9)                                                                                            |
| 1.304.770 | (8), (9)                                                                                            |
| 1.304.876 | (8), (9)                                                                                            |
| 1.304.893 | (10), (8)                                                                                           |
| 1.304.921 | (31A)                                                                                               |
| 1.304.922 | (31A)                                                                                               |
| 1.304.935 | (8), (9)                                                                                            |
| 1.304.985 | (39)                                                                                                |
| 1.308.132 | (8), (9)                                                                                            |
| 1.308.195 | (18A), (54)                                                                                         |
| 1.308.407 | (10), (8), (9)                                                                                      |
| 1.308.414 | (10), (9)                                                                                           |
| 1.308.783 | (24A), (24A1), (24A2), (24B)                                                                        |
| 1.308.899 | (18A)                                                                                               |
| 1.308.932 | (10), (9)                                                                                           |
| 1.308.948 | (10), (9)                                                                                           |
| 1.309.011 | (10), (8), (9)                                                                                      |
| 1.309.052 | (10), (8), (9)                                                                                      |
| 1.309.247 | (3), (13A), (48)                                                                                    |
| 1.309.255 | (26)                                                                                                |
| 1.309.259 | (10), (9)                                                                                           |
| 1.309.601 | (24A), (24A1), (24A2)                                                                               |
| 1.309.604 | (28)                                                                                                |
| 1.310.009 | (21A), (21C), (23A)                                                                                 |
| 1.310.514 | (24A), (24A1), (24A2)                                                                               |
| 1.310.551 | (18A)                                                                                               |
| 1.310.553 | (18A)                                                                                               |
| 1.310.554 | (18A)                                                                                               |
| 1.310.780 | (10), (8), (9)                                                                                      |
| 1.313.536 | (1), (2), (2A)                                                                                      |
| 1.314.099 | (10), (8), (9), (21A), (21B), (22A), (22B), (23A), (45), (6), (7), (29A), (29B), (29C), (25B), (35) |
| 1.314.509 | (24A), (24A1), (24A2), (24B)                                                                        |
| 1.314.510 | (24A), (24A1), (24A2), (24B), (28), (29A), (29B), (29C), (58A), (59)                                |
| 1.314.511 | (24A1)                                                                                              |
| 1.314.514 | (28)                                                                                                |

|           |                         |
|-----------|-------------------------|
| 1.314.572 | (59)                    |
| 1.314.695 | (55)                    |
| 1.314.987 | (59), (56A)             |
| 1.315.070 | (10), (8), (9)          |
| 1.315.408 | (8), (9)                |
| 1.315.438 | (31B)                   |
| 1.315.439 | (31B)                   |
| 1.315.440 | (31B)                   |
| 1.315.905 | (59), (56A)             |
| 1.318.122 | (8), (9)                |
| 1.318.338 | (7)                     |
| 1.319.154 | (1)                     |
| 1.319.165 | (54)                    |
| 1.319.171 | (54)                    |
| 1.319.233 | (28)                    |
| 1.319.455 | (7)                     |
| 1.319.873 | (2)                     |
| 1.320.072 | (32)                    |
| 1.320.275 | (39)                    |
| 1.320.280 | (26), (27), (27A), (37) |
| 1.320.289 | (32), (32A)             |
| 1.320.291 | (39)                    |
| 1.320.492 | (10), (8), (9)          |
| 1.320.493 | (10), (8), (9)          |
| 1.320.540 | (10), (8), (9)          |
| 1.320.558 | (35)                    |
| 1.320.609 | (65)                    |
| 1.320.828 | (27), (27A)             |
| 1.321.217 | (32)                    |
| 1.321.225 | (27), (27A)             |
| 1.321.932 | (18A)                   |
| 1.322.037 | (6), (7)                |
| 1.322.329 | (37)                    |
| 1.322.332 | (37)                    |
| 1.322.333 | (37)                    |
| 1.322.351 | (37)                    |
| 1.322.393 | (39)                    |
| 1.322.394 | (39)                    |
| 1.322.794 | (55)                    |
| 1.323.327 | (28)                    |
| 1.325.440 | (21A), (22A), (23A)     |
| 1.325.892 | (21A), (22A), (23A)     |
| 1.326.221 | (49)                    |
| 1.326.285 | (25A)                   |
| 1.326.286 | (25A)                   |
| 1.326.504 | (51)                    |
| 1.326.507 | (51)                    |
| 1.326.519 | (51)                    |

# Part number index – 2021

6

Part number

Page ID

Part number

Page ID

|           |                                             |
|-----------|---------------------------------------------|
| 1.326.520 | (51)                                        |
| 1.326.521 | (51)                                        |
| 1.326.522 | (51)                                        |
| 1.326.532 | (51)                                        |
| 1.326.544 | (37)                                        |
| 1.326.700 | (31B)                                       |
| 1.326.701 | (31B)                                       |
| 1.326.702 | (31B)                                       |
| 1.326.703 | (31B)                                       |
| 1.326.705 | (31B)                                       |
| 1.326.707 | (31B)                                       |
| 1.327.000 | (29A)                                       |
| 1.327.001 | (29A), (29B), (29C)                         |
| 1.327.002 | (29A), (29B), (29C)                         |
| 1.327.003 | (29A), (29B), (29C)                         |
| 1.327.052 | (29A), (29B), (29C), (56), (56A)            |
| 1.327.053 | (29A), (29B), (29C)                         |
| 1.327.054 | (29A), (29B), (29C)                         |
| 1.327.062 | (27), (27A)                                 |
| 1.327.066 | (27), (27A)                                 |
| 1.327.120 | (54)                                        |
| 1.327.127 | (32), (32A)                                 |
| 1.327.130 | (31A)                                       |
| 1.327.131 | (54)                                        |
| 1.327.148 | (58A)                                       |
| 1.327.486 | (25B), (26), (37), (51)                     |
| 1.327.487 | (35)                                        |
| 1.327.488 | (25A), (25B)                                |
| 1.327.508 | (58A)                                       |
| 1.327.509 | (58A)                                       |
| 1.327.510 | (58A)                                       |
| 1.327.536 | (25A)                                       |
| 1.327.601 | (25A)                                       |
| 1.327.638 | (25A), (25B), (27), (27A), (35), (37), (51) |
| 1.327.662 | (1), (25B), (26), (27), (27A), (37), (51)   |
| 1.327.663 | (1), (25A), (25B)                           |
| 1.327.664 | (1), (35)                                   |
| 1.327.689 | (21A), (23A), (13A)                         |
| 1.327.690 | (13A)                                       |
| 1.327.806 | (2A)                                        |
| 1.327.903 | (1)                                         |
| 1.328.006 | (21A), (23A)                                |
| 1.328.472 | (10), (9)                                   |
| 1.328.473 | (10), (9)                                   |
| 1.328.479 | (10), (9)                                   |
| 1.328.492 | (10), (9)                                   |

|           |                                          |
|-----------|------------------------------------------|
| 1.328.539 | (26), (27), (27A)                        |
| 1.328.540 | (51)                                     |
| 1.328.541 | (51)                                     |
| 1.328.546 | (37)                                     |
| 1.328.547 | (25A)                                    |
| 1.328.548 | (25A)                                    |
| 1.328.607 | (18A)                                    |
| 1.329.163 | (22A), (22B)                             |
| 1.329.164 | (21A), (21B), (21C), (22A), (22B), (23A) |
| 1.329.165 | (35)                                     |
| 1.329.166 | (35)                                     |
| 1.329.215 | (25A)                                    |
| 1.329.216 | (25A)                                    |
| 1.329.233 | (25A)                                    |
| 1.329.234 | (25A)                                    |
| 1.329.235 | (25A)                                    |
| 1.329.236 | (25A)                                    |
| 1.329.237 | (25A)                                    |
| 1.329.238 | (25A)                                    |
| 1.329.239 | (25A)                                    |
| 1.329.240 | (25A)                                    |
| 1.329.241 | (25A)                                    |
| 1.329.242 | (25A)                                    |
| 1.329.243 | (25A)                                    |
| 1.329.244 | (25A)                                    |
| 1.329.245 | (25A)                                    |
| 1.329.246 | (25A)                                    |
| 1.329.247 | (25A), (25B)                             |
| 1.329.250 | (25A), (25B)                             |
| 1.329.251 | (25A)                                    |
| 1.329.253 | (25A), (25B)                             |
| 1.329.254 | (25A)                                    |
| 1.329.255 | (25A)                                    |
| 1.329.294 | (25A)                                    |
| 1.329.295 | (25A)                                    |
| 1.329.296 | (25A)                                    |
| 1.329.386 | (27)                                     |
| 1.329.387 | (27)                                     |
| 1.329.397 | (27), (27A)                              |
| 1.329.398 | (27), (27A)                              |
| 1.329.400 | (27), (27A)                              |
| 1.329.484 | (26)                                     |
| 1.329.485 | (26)                                     |
| 1.329.498 | (26)                                     |
| 1.329.500 | (26)                                     |
| 1.329.501 | (26)                                     |
| 1.329.720 | (6), (7)                                 |
| 1.329.744 | (23A)                                    |

# Part number index – 2021

7

Part number

Page ID

Part number

Page ID

|           |                                                |
|-----------|------------------------------------------------|
| 1.329.746 | (23A)                                          |
| 1.329.747 | (21A), (21B), (21C), (22A), (22B), (23A), (54) |
| 1.329.890 | (56), (56A)                                    |
| 1.329.977 | (35)                                           |
| 1.330.757 | (24A), (24A1), (24A2)                          |
| 1.330.772 | (24A), (24A1), (24A2), (24B), (59)             |
| 1.331.795 | (29A), (29B), (29C), (58A), (59)               |
| 1.331.808 | (56)                                           |
| 1.332.446 | (37)                                           |
| 1.332.447 | (37)                                           |
| 1.332.458 | (25A), (25B)                                   |
| 1.332.461 | (37)                                           |
| 1.332.462 | (37)                                           |
| 1.332.478 | (26)                                           |
| 1.332.479 | (26)                                           |
| 1.332.515 | (56), (56A)                                    |
| 1.332.689 | (22B)                                          |
| 1.332.690 | (22B)                                          |
| 1.332.781 | (51)                                           |
| 1.332.782 | (51)                                           |
| 1.337.137 | (25B)                                          |
| 1.337.140 | (27A)                                          |
| 1.337.141 | (32A)                                          |
| 1.337.143 | (18A)                                          |
| 1.337.144 | (58A)                                          |
| 1.337.146 | (37), (51), (71)                               |
| 1.337.147 | (26)                                           |
| 1.337.149 | (32A)                                          |
| 1.351.163 | (15A), (15C)                                   |
| 1.351.164 | (14A), (14B), (14C), (15A), (15C)              |
| 1.351.215 | (15A), (15C)                                   |
| 1.351.349 | (10), (8), (9)                                 |
| 1.351.402 | (28)                                           |
| 1.351.403 | (58A)                                          |
| 1.352.495 | (6), (7)                                       |
| 1.352.896 | (24A)                                          |
| 1.353.038 | (13A)                                          |
| 1.353.054 | (65)                                           |
| 1.353.178 | (10), (9)                                      |
| 1.353.179 | (10), (9)                                      |
| 1.353.195 | (28), (29A), (29B), (29C), (59)                |
| 1.353.204 | (29A), (29B), (29C), (58A), (59)               |
| 1.353.213 | (29A), (29B), (29C), (58A), (59)               |

|            |                                                         |
|------------|---------------------------------------------------------|
| 1.353.318  | (24A), (24A1), (24A2), (29A), (29B), (29C), (58A), (59) |
| 1.353.345  | (65)                                                    |
| 1.353.409  | (51)                                                    |
| 1.353.411  | (51)                                                    |
| 1.353.412  | (51)                                                    |
| 1.353.413  | (51)                                                    |
| 1.353.414  | (51)                                                    |
| 1.353.422  | (25A), (25B)                                            |
| 1.353.431  | (31A)                                                   |
| 1.353.432  | (31A)                                                   |
| 1.353.433  | (31A)                                                   |
| 1.353.461  | (21A), (21B), (21C), (22A), (23A)                       |
| 1.353.462  | (21A), (21B), (21C), (22A), (22B), (23A)                |
| 1.353.504  | (65)                                                    |
| 1.353.505  | (65)                                                    |
| 1.353.552  | (29A), (29B), (29C)                                     |
| 1.353.553  | (29A), (29B)                                            |
| 1.353.559  | (27), (27A)                                             |
| 1.353.560  | (10), (8), (9)                                          |
| 1.353.561  | (25A), (25B)                                            |
| 1.353.562  | (27), (27A)                                             |
| 1.353.571  | (10), (8), (51)                                         |
| 1.353.573  | (10), (8), (51)                                         |
| 1.353.575  | (10), (8)                                               |
| 1.353.576  | (10), (8)                                               |
| 1.353.577  | (10), (8)                                               |
| 1.353.578  | (10), (8)                                               |
| 1.353.694  | (1)                                                     |
| 1.353.732  | (65)                                                    |
| 1.353.755  | (1), (39)                                               |
| 1.353.978  | (32)                                                    |
| 1.354.037  | (6), (7)                                                |
| 1.354.106  | (29A), (29B)                                            |
| 1.354.107  | (22B), (29A), (29B), (29C)                              |
| 1.354.171  | (26)                                                    |
| 1.354.310  | (21A), (21B), (21C), (22A), (23A)                       |
| 1.354.310A | (21A), (21B), (21C), (23A)                              |
| 1.354.381  | (23A)                                                   |
| 1.354.382  | (23A)                                                   |
| 1.354.397  | (23A), (24A), (24A1), (24A2)                            |
| 1.354.511  | (24A), (24A1), (24A2)                                   |
| 1.354.565  | (8), (9)                                                |
| 1.354.571  | (21A), (21C), (23A)                                     |
| 1.354.583  | (65)                                                    |

# Part number index – 2021

8

Part number

Page ID

Part number

Page ID

|           |                                   |
|-----------|-----------------------------------|
| 1.354.660 | (14A), (14B), (14C), (15A), (15C) |
| 1.354.663 | (14A), (14B), (14C)               |
| 1.354.667 | (21A), (21C), (23A)               |
| 1.355.037 | (65)                              |
| 1.355.038 | (13A)                             |
| 1.355.039 | (13A)                             |
| 1.355.106 | (65)                              |
| 1.355.195 | (21B)                             |
| 1.355.403 | (14A), (14B), (14C), (15A), (15C) |
| 1.355.421 | (65)                              |
| 1.355.448 | (8), (9)                          |
| 1.355.449 | (8), (9)                          |
| 1.355.452 | (8), (9)                          |
| 1.355.464 | (10), (8), (51)                   |
| 1.355.465 | (10), (8)                         |
| 1.355.468 | (10), (8)                         |
| 1.355.473 | (51)                              |
| 1.355.478 | (51)                              |
| 1.355.479 | (51)                              |
| 1.355.481 | (24A), (24A1), (24A2)             |
| 1.355.485 | (31A)                             |
| 1.355.489 | (29A), (29B), (29C), (58A)        |
| 1.355.553 | (51)                              |
| 1.355.695 | (1)                               |
| 1.355.698 | (1)                               |
| 1.355.701 | (1)                               |
| 1.355.706 | (1)                               |
| 1.355.707 | (1)                               |
| 1.355.709 | (1)                               |
| 1.355.710 | (2), (2A)                         |
| 1.355.909 | (14A), (14B), (14C), (15A), (15C) |
| 1.355.920 | (51)                              |
| 1.355.921 | (51)                              |
| 1.355.966 | (37), (51), (71)                  |
| 1.356.016 | (43A), (43B)                      |
| 1.356.060 | (29B)                             |
| 1.356.118 | (24A), (24A1), (24A2)             |
| 1.356.451 | (1)                               |
| 1.356.452 | (1)                               |
| 1.356.453 | (1)                               |
| 1.356.454 | (1)                               |
| 1.356.455 | (10), (8)                         |
| 1.356.468 | (24B)                             |
| 1.356.471 | (29A)                             |
| 1.371.000 | (7)                               |
| 1.371.001 | (7)                               |

|              |                     |
|--------------|---------------------|
| 1.371.002    | (7)                 |
| 1.371.003    | (7)                 |
| 1.371.013    | (16A), (16B), (17A) |
| 1.371.014    | (16B)               |
| 1.371.030    | (26)                |
| 1.371.031    | (26)                |
| 1.371.032    | (26)                |
| 1.371.033    | (26)                |
| 1.371.034    | (27A)               |
| 1.371.035    | (27A)               |
| 1.371.041    | (65)                |
| 1.371.042    | (65)                |
| 1.371.074    | (7)                 |
| 1.371.093.1  | (22A), (22B)        |
| 1.371.093.10 | (22A), (22B)        |
| 1.371.093.2  | (22A), (22B)        |
| 1.371.093.3  | (22A), (22B)        |
| 1.371.093.5  | (22A), (22B)        |
| 1.371.093.8  | (22A), (22B)        |
| 1.371.094.1  | (22A), (22B)        |
| 1.371.094.10 | (22A), (22B)        |
| 1.371.094.2  | (22A), (22B)        |
| 1.371.094.3  | (22A), (22B)        |
| 1.371.094.5  | (22A), (22B)        |
| 1.371.094.8  | (22A), (22B)        |
| 1.371.095.1  | (22B)               |
| 1.371.095.10 | (22B)               |
| 1.371.095.2  | (22B)               |
| 1.371.095.3  | (22B)               |
| 1.371.095.5  | (22B)               |
| 1.371.095.8  | (22B)               |
| 1.371.096.1  | (22B)               |
| 1.371.096.10 | (22B)               |
| 1.371.096.2  | (22B)               |
| 1.371.096.3  | (22B)               |
| 1.371.096.5  | (22B)               |
| 1.371.096.8  | (22B)               |
| 1.371.155    | (65)                |
| 1.371.156    | (22B)               |
| 1.371.159    | (22B)               |
| 1.371.160    | (22B)               |
| 1.371.161    | (22B)               |
| 1.371.166    | (22B)               |
| 1.371.167    | (22B)               |
| 1.371.172    | (22B)               |
| 1.371.173    | (22B)               |
| 1.371.193    | (9)                 |
| 1.371.197    | (9)                 |

# Part number index – 2021

9

Part number

Page ID

Part number

Page ID

|              |                     |
|--------------|---------------------|
| 1.371.198    | (9)                 |
| 1.371.212    | (49)                |
| 1.371.213    | (49)                |
| 1.371.232    | (9)                 |
| 1.371.233    | (9)                 |
| 1.371.234    | (9)                 |
| 1.371.236.1  | (53B)               |
| 1.371.236.10 | (53B)               |
| 1.371.236.2  | (53B)               |
| 1.371.236.3  | (53B)               |
| 1.371.236.5  | (53B)               |
| 1.371.237.1  | (53B)               |
| 1.371.237.10 | (53B)               |
| 1.371.237.2  | (53B)               |
| 1.371.237.3  | (53B)               |
| 1.371.237.5  | (53B)               |
| 1.371.240    | (21B)               |
| 1.371.243    | (21B)               |
| 1.371.244    | (21B)               |
| 1.371.245    | (21B)               |
| 1.371.357    | (47)                |
| 1.371.358    | (47)                |
| 1.371.383    | (14C)               |
| 1.371.384    | (6)                 |
| 1.371.403    | (8)                 |
| 1.371.406    | (8)                 |
| 1.371.413.1  | (22B)               |
| 1.371.413.10 | (22B)               |
| 1.371.413.2  | (22B)               |
| 1.371.413.3  | (22B)               |
| 1.371.413.5  | (22B)               |
| 1.371.413.8  | (22B)               |
| 1.371.414.1  | (22B)               |
| 1.371.414.10 | (22B)               |
| 1.371.414.2  | (22B)               |
| 1.371.414.3  | (22B)               |
| 1.371.414.5  | (22B)               |
| 1.371.414.8  | (22B)               |
| 1.371.418    | (14C)               |
| 1.371.420    | (22A), (22B), (23A) |
| 1.371.423    | (16B)               |
| 1.371.424    | (16B)               |
| 1.371.425    | (16B)               |
| 1.371.426    | (16B)               |
| 1.371.427    | (16B)               |
| 1.371.428    | (16B)               |
| 1.371.430    | (14C)               |
| 1.371.431    | (6)                 |

|           |       |
|-----------|-------|
| 1.371.453 | (8)   |
| 1.371.454 | (8)   |
| 1.371.455 | (16B) |
| 1.371.456 | (16B) |
| 1.371.457 | (16B) |
| 1.371.458 | (16B) |
| 1.371.459 | (16B) |
| 1.371.460 | (16B) |
| 1.371.483 | (19A) |
| 1.371.484 | (19A) |
| 1.371.491 | (6)   |
| 1.371.521 | (8)   |
| 1.371.522 | (8)   |
| 1.371.525 | (16B) |
| 1.371.526 | (16B) |
| 1.371.527 | (16B) |
| 1.371.528 | (16B) |
| 1.371.529 | (16B) |
| 1.371.530 | (16B) |
| 1.371.539 | (16B) |
| 1.371.540 | (16B) |
| 1.371.545 | (53B) |
| 1.371.546 | (53B) |
| 1.371.547 | (53B) |
| 1.371.548 | (53B) |
| 1.371.549 | (53B) |
| 1.371.550 | (53B) |
| 1.371.551 | (53B) |
| 1.371.552 | (53B) |
| 1.371.553 | (53B) |
| 1.371.554 | (53B) |
| 1.371.555 | (53B) |
| 1.371.556 | (53B) |
| 1.371.557 | (53B) |
| 1.371.558 | (53B) |
| 1.371.559 | (53B) |
| 1.371.560 | (53B) |
| 1.371.561 | (53B) |
| 1.371.562 | (53B) |
| 1.371.563 | (53B) |
| 1.371.564 | (53B) |
| 1.371.565 | (53B) |
| 1.371.566 | (53B) |
| 1.371.567 | (53B) |
| 1.371.568 | (53B) |
| 1.371.569 | (53B) |
| 1.371.570 | (53B) |
| 1.371.571 | (53B) |

# Part number index – 2021

10

Part number

Page ID

Part number

Page ID

|           |       |
|-----------|-------|
| 1.371.572 | (53B) |
| 1.371.573 | (53B) |
| 1.371.574 | (53B) |
| 1.371.575 | (53B) |
| 1.371.576 | (53B) |
| 1.371.577 | (53B) |
| 1.371.578 | (53B) |
| 1.371.579 | (53B) |
| 1.371.580 | (53B) |
| 1.371.581 | (53B) |
| 1.371.582 | (53B) |
| 1.371.583 | (53B) |
| 1.371.584 | (53B) |
| 1.371.585 | (53B) |
| 1.371.586 | (53B) |
| 1.371.587 | (53B) |
| 1.371.588 | (53B) |
| 1.371.589 | (53B) |
| 1.371.590 | (53B) |
| 1.371.591 | (53B) |
| 1.371.592 | (53B) |
| 1.371.593 | (53B) |
| 1.371.594 | (53B) |
| 1.371.595 | (53B) |
| 1.371.596 | (53B) |
| 1.371.600 | (22B) |
| 1.371.601 | (21C) |
| 1.371.602 | (22B) |
| 1.371.609 | (19A) |
| 1.371.610 | (19A) |
| 1.371.611 | (1)   |
| 1.371.612 | (1)   |
| 1.371.613 | (1)   |
| 1.371.620 | (32A) |
| 1.371.621 | (32A) |
| 1.371.622 | (32A) |
| 1.371.623 | (32A) |
| 1.371.624 | (15A) |
| 1.371.626 | (32A) |
| 1.371.627 | (32A) |
| 1.371.628 | (32A) |
| 1.371.629 | (56A) |
| 1.371.630 | (56A) |
| 1.371.631 | (56A) |
| 1.371.632 | (56A) |
| 1.371.642 | (56A) |
| 1.371.643 | (56A) |
| 1.371.644 | (56A) |

|           |                            |
|-----------|----------------------------|
| 1.371.645 | (56A)                      |
| 1.371.646 | (35)                       |
| 1.371.649 | (32A)                      |
| 1.371.650 | (32A)                      |
| 1.371.654 | (56A)                      |
| 1.371.777 | (3)                        |
| 1.371.778 | (15A)                      |
| 1.371.781 | (15A)                      |
| 1.371.782 | (15A)                      |
| 1.371.835 | (19A)                      |
| 1.371.849 | (27A)                      |
| 1.371.850 | (27A)                      |
| 1.372.015 | (65)                       |
| 1.372.030 | (54)                       |
| 1.372.226 | (54)                       |
| 1.372.228 | (51)                       |
| 1.372.229 | (51)                       |
| 1.372.230 | (51)                       |
| 1.372.231 | (7)                        |
| 1.372.232 | (7)                        |
| 1.372.237 | (1)                        |
| 1.372.238 | (1)                        |
| 1.372.245 | (2A)                       |
| 1.372.246 | (2A)                       |
| 1.372.247 | (2A)                       |
| 1.372.248 | (2A)                       |
| 1.372.250 | (2A)                       |
| 1.372.251 | (2A)                       |
| 1.372.259 | (27), (27A)                |
| 1.372.260 | (27), (27A)                |
| 1.372.268 | (24A1)                     |
| 1.372.273 | (27), (27A)                |
| 1.372.274 | (27), (27A)                |
| 1.372.278 | (15A)                      |
| 1.372.280 | (1)                        |
| 1.372.282 | (25B)                      |
| 1.372.283 | (25B)                      |
| 1.372.284 | (1)                        |
| 1.372.314 | (2), (2A)                  |
| 1.372.315 | (2A)                       |
| 1.372.316 | (15A)                      |
| 1.372.317 | (15A)                      |
| 1.372.318 | (15A)                      |
| 1.372.319 | (15A)                      |
| 1.372.352 | (21A), (21B), (21C), (23A) |
| 1.372.355 | (28)                       |
| 1.372.356 | (28)                       |
| 1.372.357 | (28)                       |

# Part number index – 2021

11

Part number

Page ID

Part number

Page ID

|              |              |
|--------------|--------------|
| 1.372.358    | (28)         |
| 1.372.371    | (2A)         |
| 1.372.373    | (28)         |
| 1.372.374    | (28)         |
| 1.372.376.1  | (55)         |
| 1.372.376.10 | (55)         |
| 1.372.376.2  | (55)         |
| 1.372.376.3  | (55)         |
| 1.372.376.5  | (55)         |
| 1.372.376.8  | (55)         |
| 1.372.377.1  | (55)         |
| 1.372.377.10 | (55)         |
| 1.372.377.2  | (55)         |
| 1.372.377.3  | (55)         |
| 1.372.377.5  | (55)         |
| 1.372.377.8  | (55)         |
| 1.372.420    | (56A)        |
| 1.372.421    | (56A)        |
| 1.372.422    | (56A)        |
| 1.372.455    | (71)         |
| 1.372.463    | (71)         |
| 1.372.468    | (71)         |
| 1.372.470    | (71)         |
| 1.372.523    | (43B)        |
| 1.372.527    | (43B)        |
| 1.372.531    | (43B)        |
| 1.372.532    | (43B)        |
| 1.372.537    | (7)          |
| 1.372.538    | (7)          |
| 1.372.539    | (7)          |
| 1.372.566    | (22A), (22B) |
| 1.372.599    | (65)         |
| 1.372.600    | (65)         |
| 1.372.602    | (1)          |
| 1.372.605    | (1)          |
| 1.372.606    | (1)          |
| 1.372.609    | (29C)        |
| 1.372.630    | (29C)        |
| 1.372.631    | (29C)        |
| 1.372.632    | (29C)        |
| 1.372.644    | (56A)        |
| 1.372.645    | (56A)        |
| 1.372.646    | (29C)        |
| 1.372.647    | (29C)        |
| 1.372.675    | (56A)        |
| 1.372.678    | (56A)        |
| 1.372.679    | (35)         |
| 1.372.680    | (25B)        |

|           |              |
|-----------|--------------|
| 1.372.681 | (51)         |
| 1.372.682 | (37)         |
| 1.372.684 | (16A), (16B) |
| 1.372.685 | (56A)        |
| 1.372.686 | (56A)        |
| 1.372.687 | (56A)        |
| 1.372.688 | (56A)        |
| 1.372.692 | (21C)        |
| 1.372.694 | (21C)        |
| 1.372.696 | (21C)        |
| 1.372.698 | (29B)        |
| 1.372.699 | (29B)        |
| 1.372.700 | (29B)        |
| 1.372.701 | (29A)        |
| 1.372.702 | (29A)        |
| 1.372.703 | (28)         |
| 1.372.704 | (28)         |
| 1.372.705 | (58A)        |
| 1.372.706 | (58A)        |
| 1.372.707 | (59)         |
| 1.372.708 | (59)         |
| 1.372.709 | (2A)         |
| 1.372.710 | (2A)         |
| 1.372.711 | (2A)         |
| 1.372.712 | (2A)         |
| 1.372.713 | (2A)         |
| 1.372.714 | (2A)         |
| 1.372.715 | (2A)         |
| 1.372.716 | (2A)         |
| 1.372.717 | (2A)         |
| 1.372.718 | (6)          |
| 1.372.745 | (16A), (16B) |
| 1.372.749 | (8)          |
| 1.372.750 | (8)          |
| 1.372.755 | (19A)        |
| 1.372.756 | (19A)        |
| 1.372.758 | (19A)        |
| 1.372.759 | (19A)        |
| 1.372.761 | (24B)        |
| 1.372.762 | (24B)        |
| 1.372.764 | (14A), (14C) |
| 1.372.765 | (16A)        |
| 1.372.766 | (16A)        |
| 1.372.767 | (16A), (16B) |
| 1.372.768 | (16A), (16B) |
| 1.372.769 | (16A), (16B) |
| 1.372.770 | (16A)        |
| 1.372.771 | (16A)        |

# Part number index – 2021

12

Part number

Page ID

Part number

Page ID

|           |                     |
|-----------|---------------------|
| 1.372.778 | (56A)               |
| 1.372.779 | (56A)               |
| 1.372.780 | (56A)               |
| 1.372.787 | (65)                |
| 1.372.795 | (71)                |
| 1.372.803 | (56A)               |
| 1.372.804 | (56A)               |
| 1.372.805 | (56A)               |
| 1.372.806 | (56A)               |
| 1.372.807 | (56A)               |
| 1.372.808 | (56A)               |
| 1.372.809 | (56A)               |
| 1.372.810 | (56A)               |
| 1.372.816 | (21C)               |
| 1.372.818 | (29C)               |
| 1.372.819 | (29C)               |
| 1.372.820 | (29C)               |
| 1.372.821 | (56A)               |
| 1.372.822 | (31A), (31B)        |
| 1.372.835 | (54)                |
| 1.372.836 | (31B)               |
| 1.372.837 | (31B)               |
| 1.372.861 | (22A), (22B), (23A) |
| 1.372.862 | (22A), (22B), (23A) |
| 1.372.865 | (45)                |
| 1.372.866 | (45)                |
| 1.372.872 | (6), (7)            |
| 1.372.873 | (6), (7)            |
| 1.372.874 | (6), (7)            |
| 1.372.878 | (1)                 |
| 1.372.879 | (1)                 |
| 1.372.880 | (71)                |
| 1.372.881 | (53A), (53B)        |
| 1.372.882 | (53A), (53B)        |
| 1.372.883 | (53A), (53B)        |
| 1.372.884 | (53A), (53B)        |
| 1.372.885 | (53A), (53B)        |
| 1.372.886 | (53A), (53B)        |
| 1.372.887 | (53A), (53B)        |
| 1.372.888 | (21A), (21B), (21C) |
| 1.372.889 | (31B)               |
| 1.372.890 | (31B)               |
| 1.372.893 | (21C)               |
| 1.372.902 | (32), (32A)         |
| 1.372.907 | (6), (7)            |
| 1.372.908 | (6), (7)            |
| 1.372.912 | (32)                |
| 1.372.913 | (45)                |

|           |                     |
|-----------|---------------------|
| 1.372.914 | (45)                |
| 1.372.915 | (21C)               |
| 1.372.916 | (31B)               |
| 1.372.920 | (10), (8), (9)      |
| 1.372.921 | (10), (8), (9)      |
| 1.372.924 | (10), (8), (9)      |
| 1.372.925 | (10), (8), (9)      |
| 1.372.926 | (10), (8), (9)      |
| 1.372.927 | (10), (8), (9)      |
| 1.372.928 | (10), (8), (9)      |
| 1.372.929 | (10), (8), (9)      |
| 1.372.934 | (15C)               |
| 1.372.937 | (16A), (16B), (17A) |
| 1.372.939 | (10), (8), (9)      |
| 1.372.940 | (25B)               |
| 1.372.941 | (25B)               |
| 1.372.944 | (10), (8), (9)      |
| 1.372.945 | (21A)               |
| 1.372.946 | (45)                |
| 1.372.947 | (25A)               |
| 1.372.948 | (25A)               |
| 1.372.949 | (25A)               |
| 1.372.950 | (26), (27), (27A)   |
| 1.372.951 | (26)                |
| 1.372.952 | (27), (27A)         |
| 1.372.953 | (37)                |
| 1.372.954 | (51)                |
| 1.372.955 | (51)                |
| 1.372.977 | (8)                 |
| 1.372.980 | (8)                 |
| 1.373.044 | (31B)               |
| 1.373.045 | (10), (8), (9)      |
| 1.373.046 | (10), (8), (9)      |
| 1.373.070 | (6)                 |
| 1.373.082 | (16B)               |
| 1.373.083 | (16B)               |
| 1.373.084 | (19A)               |
| 1.373.085 | (19A)               |
| 1.373.088 | (8)                 |
| 1.373.100 | (6)                 |
| 1.373.113 | (16B)               |
| 1.373.114 | (16B)               |
| 1.373.115 | (16B)               |
| 1.373.116 | (16B)               |
| 1.373.117 | (19A)               |
| 1.373.118 | (19A)               |
| 1.373.121 | (8)                 |
| 1.373.139 | (16A)               |

# Part number index – 2021

13

Part number

Page ID

Part number

Page ID

|           |             |
|-----------|-------------|
| 1.373.140 | (16A)       |
| 1.373.141 | (16A)       |
| 1.373.142 | (16A)       |
| 1.373.143 | (16A)       |
| 1.373.144 | (16A)       |
| 1.373.145 | (16A)       |
| 1.373.146 | (16A)       |
| 1.373.147 | (16A)       |
| 1.373.148 | (21A)       |
| 1.373.151 | (21A)       |
| 1.373.152 | (21A)       |
| 1.373.153 | (21A)       |
| 1.373.155 | (16A)       |
| 1.373.156 | (16A)       |
| 1.373.157 | (16A)       |
| 1.373.158 | (16A)       |
| 1.373.167 | (16A)       |
| 1.373.168 | (16A)       |
| 1.373.169 | (16A)       |
| 1.373.170 | (16A)       |
| 1.373.275 | (56), (56A) |
| 1.373.276 | (56), (56A) |
| 1.373.277 | (56), (56A) |
| 1.373.278 | (56), (56A) |
| 1.373.279 | (56), (56A) |
| 1.373.280 | (56), (56A) |
| 1.373.281 | (56), (56A) |
| 1.373.282 | (56), (56A) |
| 1.373.283 | (56), (56A) |
| 1.373.284 | (56)        |
| 1.373.285 | (56)        |
| 1.373.286 | (56)        |
| 1.373.287 | (56), (56A) |
| 1.373.288 | (56), (56A) |
| 1.373.289 | (56), (56A) |
| 1.373.290 | (56), (56A) |
| 1.373.293 | (17A)       |
| 1.373.294 | (17A)       |
| 1.373.295 | (17A)       |
| 1.373.296 | (17A)       |
| 1.373.297 | (17A)       |
| 1.373.298 | (17A)       |
| 1.373.299 | (17A)       |
| 1.373.300 | (17A)       |
| 1.373.301 | (17A)       |
| 1.373.302 | (17A)       |
| 1.373.304 | (24A2)      |
| 1.373.305 | (24A2)      |

|              |                              |
|--------------|------------------------------|
| 1.373.313    | (24A1), (24A2)               |
| 1.373.314    | (24A1), (24A2)               |
| 1.373.315    | (24A1), (24A2)               |
| 1.373.327    | (24A1), (24A2)               |
| 1.373.328    | (24A1)                       |
| 1.373.329    | (24A1)                       |
| 1.373.330    | (24A1)                       |
| 1.373.331    | (24A1)                       |
| 1.373.387    | (48)                         |
| 1.373.426    | (49)                         |
| 1.373.449    | (24A), (24A1), (24A2), (24B) |
| 1.373.478    | (15A)                        |
| 1.373.488    | (24A), (24A1), (24A2), (24B) |
| 1.373.502.1  | (55)                         |
| 1.373.502.10 | (55)                         |
| 1.373.502.2  | (55)                         |
| 1.373.502.3  | (55)                         |
| 1.373.502.5  | (55)                         |
| 1.373.502.8  | (55)                         |
| 1.373.503.1  | (55)                         |
| 1.373.503.10 | (55)                         |
| 1.373.503.2  | (55)                         |
| 1.373.503.3  | (55)                         |
| 1.373.503.5  | (55)                         |
| 1.373.503.8  | (55)                         |
| 1.373.506.1  | (21C)                        |
| 1.373.506.10 | (21C)                        |
| 1.373.507.1  | (21C)                        |
| 1.373.507.10 | (21C)                        |
| 1.373.512    | (7)                          |
| 1.373.513    | (7)                          |
| 1.373.577    | (24A1), (24A2)               |
| 1.373.583    | (24A1), (24A2)               |
| 1.373.584    | (24A1), (24A2)               |
| 1.373.585    | (24A), (24A1), (24A2), (24B) |
| 1.373.594    | (56A)                        |
| 1.373.599    | (56A)                        |
| 1.373.619    | (16A), (16B), (17A)          |
| 1.373.648    | (18A)                        |
| 1.373.662    | (7)                          |
| 1.373.663    | (7)                          |
| 1.373.664    | (7)                          |
| 1.373.670    | (47), (49)                   |
| 1.373.671    | (47), (49)                   |
| 1.373.690    | (1)                          |
| 1.373.691    | (1)                          |

# Part number index – 2021

14

Part number

Page ID

Part number

Page ID

|           |                                 |
|-----------|---------------------------------|
| 1.373.692 | (1)                             |
| 1.373.693 | (1)                             |
| 1.373.694 | (1)                             |
| 1.373.695 | (1)                             |
| 1.373.697 | (1)                             |
| 1.373.699 | (1)                             |
| 1.373.700 | (1)                             |
| 1.373.703 | (1)                             |
| 1.373.704 | (1)                             |
| 1.373.705 | (1)                             |
| 1.373.712 | (1)                             |
| 1.373.714 | (1)                             |
| 1.373.715 | (1)                             |
| 1.373.717 | (1)                             |
| 1.373.725 | (24A1), (24A2), (24B),<br>(18A) |
| 1.373.730 | (18A)                           |
| 1.373.732 | (19A)                           |
| 1.373.733 | (19A)                           |
| 1.373.734 | (49)                            |
| 1.373.738 | (49)                            |
| 1.373.740 | (49)                            |
| 1.373.742 | (7)                             |
| 1.373.749 | (21A), (23A)                    |
| 1.373.751 | (6), (7)                        |
| 1.373.767 | (22A)                           |
| 1.373.768 | (22A)                           |
| 1.373.772 | (22A)                           |
| 1.373.773 | (22A)                           |
| 1.373.774 | (24A1)                          |
| 1.373.775 | (24A1)                          |
| 1.373.776 | (24A1)                          |
| 1.373.777 | (24A1)                          |
| 1.373.778 | (7)                             |
| 1.373.779 | (7)                             |
| 1.373.780 | (7)                             |
| 1.373.810 | (17A)                           |
| 1.373.811 | (17A)                           |
| 1.373.812 | (17A)                           |
| 1.373.813 | (17A)                           |
| 1.373.814 | (17A)                           |
| 1.373.825 | (7)                             |
| 1.373.826 | (7)                             |
| 1.373.827 | (7)                             |
| 1.373.828 | (7)                             |
| 1.373.829 | (7)                             |
| 1.373.847 | (17A)                           |
| 1.373.870 | (3)                             |
| 1.373.871 | (3)                             |

|           |                |
|-----------|----------------|
| 1.373.876 | (10)           |
| 1.373.877 | (10)           |
| 1.373.878 | (10)           |
| 1.373.882 | (10)           |
| 1.373.883 | (10)           |
| 1.373.884 | (10)           |
| 1.373.885 | (10)           |
| 1.373.890 | (14A), (15A)   |
| 1.373.898 | (2), (2A), (3) |
| 1.373.899 | (24A2)         |
| 1.373.900 | (24A2)         |
| 1.373.901 | (24A2)         |
| 1.373.902 | (24A2)         |
| 1.373.903 | (24A2)         |
| 1.373.907 | (24A2)         |
| 1.373.908 | (24A2)         |
| 1.373.909 | (19A)          |
| 1.373.910 | (19A)          |
| 1.373.915 | (24A2)         |
| 1.373.916 | (24A2)         |
| 1.373.917 | (24A2)         |
| 1.373.918 | (24A2)         |
| 1.373.919 | (19A)          |
| 1.373.920 | (19A)          |
| 1.373.923 | (19A)          |
| 1.373.924 | (19A)          |
| 1.373.927 | (19A)          |
| 1.373.928 | (19A)          |
| 1.373.929 | (19A)          |
| 1.373.932 | (8), (9)       |
| 1.373.933 | (19A)          |
| 1.373.934 | (19A)          |
| 1.373.937 | (19A)          |
| 1.373.938 | (19A)          |
| 1.373.952 | (1)            |
| 1.373.953 | (1)            |
| 1.373.954 | (1)            |
| 1.373.957 | (17A)          |
| 1.373.958 | (17A)          |
| 1.373.959 | (17A)          |
| 1.373.960 | (17A)          |
| 1.373.961 | (17A)          |
| 1.373.962 | (17A)          |
| 1.373.963 | (17A)          |
| 1.373.964 | (17A)          |
| 1.373.965 | (17A)          |
| 1.373.966 | (17A)          |
| 1.373.967 | (17A)          |

# Part number index – 2021

15

Part number

Page ID

Part number

Page ID

|            |                                 |
|------------|---------------------------------|
| 1.373.970  | (24A2)                          |
| 1.373.971  | (24A2)                          |
| 1.373.973  | (24A2)                          |
| 1.373.974  | (24A2)                          |
| 1.373.975  | (24A2)                          |
| 1.373.976  | (17A)                           |
| 1.373.977  | (17A)                           |
| 1.373.978  | (17A)                           |
| 1.373.979  | (17A)                           |
| 1.373.980  | (17A)                           |
| 1.373.981  | (17A)                           |
| 1.373.982  | (17A)                           |
| 1.373.983  | (17A)                           |
| 1.373.984  | (17A)                           |
| 1.373.985  | (17A)                           |
| 1.373.986  | (17A)                           |
| 1.373.991  | (24A), (24A1), (24A2),<br>(24B) |
| 1.373.995  | (17A)                           |
| 1.373.996  | (17A)                           |
| 1.373.997  | (22A), (22B)                    |
| 1.373.997A | (22A), (22B)                    |
| 1.373.998  | (22A), (22B)                    |
| 1.373.998A | (22A)                           |
| 1.375.019  | (7), (48)                       |
| 1.375.025  | (48)                            |
| 1.375.134  | (7)                             |
| 1.375.138  | (7)                             |
| 1.375.144  | (7), (24A), (24A1)              |
| 1.375.181  | (7)                             |
| 1.375.182  | (7)                             |
| 1.375.192  | (7)                             |
| 1.375.203  | (10), (8), (9)                  |
| 1.375.415  | (1)                             |
| 1.375.417  | (1)                             |
| 1.375.428  | (10), (8), (9)                  |
| 1.375.429  | (10), (8), (9)                  |
| 1.375.430  | (10), (8), (9)                  |
| 1.375.431  | (10), (8), (9)                  |
| 1.375.497  | (18A)                           |
| 1.375.615  | (24A1)                          |
| 1.375.669  | (24A), (24A1), (24A2),<br>(24B) |
| 1.375.687  | (48)                            |
| 1.375.689  | (48)                            |
| 1.375.693  | (48)                            |
| 1.375.694  | (48)                            |
| 1.375.695  | (48)                            |
| 1.375.696  | (48)                            |

|           |                     |
|-----------|---------------------|
| 1.375.697 | (48)                |
| 1.375.698 | (48)                |
| 1.375.699 | (48)                |
| 1.375.700 | (48)                |
| 1.375.701 | (13A)               |
| 1.375.702 | (13A)               |
| 1.375.703 | (48)                |
| 1.375.706 | (48)                |
| 1.375.710 | (48)                |
| 1.375.712 | (48)                |
| 1.375.717 | (48)                |
| 1.375.722 | (48)                |
| 1.375.723 | (48)                |
| 1.375.743 | (13A)               |
| 1.375.744 | (13A), (48)         |
| 1.375.746 | (48)                |
| 1.375.752 | (13A)               |
| 1.375.754 | (48)                |
| 1.375.755 | (4), (49)           |
| 1.375.756 | (4)                 |
| 1.375.758 | (4)                 |
| 1.375.760 | (4)                 |
| 1.375.761 | (4)                 |
| 1.375.772 | (18A), (19A)        |
| 1.375.800 | (49)                |
| 1.375.801 | (49)                |
| 1.375.813 | (49)                |
| 1.375.832 | (49)                |
| 1.375.833 | (49)                |
| 1.375.836 | (48)                |
| 1.375.913 | (9)                 |
| 1.375.947 | (49)                |
| 1.375.955 | (48)                |
| 1.375.957 | (21A), (21B), (21C) |
| 1.375.958 | (21A), (21B), (21C) |
| 1.375.965 | (10), (8), (9)      |
| 1.375.966 | (10), (8), (9)      |
| 1.375.967 | (10), (8), (9)      |
| 1.375.968 | (10), (8), (9)      |
| 1.375.969 | (10), (8), (9)      |
| 1.375.973 | (2), (2A)           |
| 1.375.974 | (2), (2A)           |
| 1.376.000 | (18A)               |
| 1.376.003 | (18A)               |
| 1.376.006 | (18A)               |
| 1.376.007 | (17A)               |
| 1.376.020 | (10), (8), (9)      |
| 1.376.039 | (23A)               |

# Part number index – 2021

16

Part number

Page ID

Part number

Page ID

|              |                     |
|--------------|---------------------|
| 1.376.040    | (23A)               |
| 1.376.041    | (23A)               |
| 1.376.042    | (23A)               |
| 1.376.043    | (23A)               |
| 1.376.044    | (23A)               |
| 1.376.067    | (49)                |
| 1.376.068    | (2), (2A), (3)      |
| 1.376.069    | (2), (2A), (3)      |
| 1.376.070    | (2), (2A), (3)      |
| 1.376.071    | (3)                 |
| 1.376.072    | (3)                 |
| 1.376.073    | (3)                 |
| 1.376.074    | (3)                 |
| 1.376.075    | (3)                 |
| 1.376.076    | (3)                 |
| 1.376.077    | (3)                 |
| 1.376.078    | (3)                 |
| 1.376.079    | (3)                 |
| 1.376.095.1  | (22A)               |
| 1.376.095.10 | (22A)               |
| 1.376.095.2  | (22A)               |
| 1.376.095.3  | (22A)               |
| 1.376.095.5  | (22A)               |
| 1.376.095.8  | (22A)               |
| 1.376.096.1  | (22A)               |
| 1.376.096.10 | (22A)               |
| 1.376.096.2  | (22A)               |
| 1.376.096.3  | (22A)               |
| 1.376.096.5  | (22A)               |
| 1.376.096.8  | (22A)               |
| 1.376.104    | (24B), (18A)        |
| 1.376.105    | (18A)               |
| 1.376.127    | (16A), (16B), (17A) |
| 1.376.131    | (16A), (16B), (17A) |
| 1.376.214    | (8)                 |
| 1.376.215    | (8)                 |
| 1.376.216    | (8)                 |
| 1.376.217    | (8)                 |
| 1.376.228    | (8)                 |
| 1.376.229    | (8)                 |
| 1.376.230    | (8)                 |
| 1.376.231    | (8)                 |
| 1.376.232    | (10), (8), (9)      |
| 1.376.241    | (10), (8)           |
| 1.376.278    | (7), (24A), (24A1)  |
| 1.376.320    | (9)                 |
| 1.376.321    | (9)                 |
| 1.376.322    | (9)                 |

|           |                                   |
|-----------|-----------------------------------|
| 1.376.323 | (9)                               |
| 1.376.324 | (10)                              |
| 1.376.325 | (10)                              |
| 1.376.326 | (10)                              |
| 1.376.363 | (9)                               |
| 1.376.364 | (9)                               |
| 1.376.365 | (9)                               |
| 1.376.369 | (9)                               |
| 1.376.370 | (9)                               |
| 1.376.371 | (10), (9), (7)                    |
| 1.376.372 | (10), (9), (7)                    |
| 1.376.373 | (10), (9), (7)                    |
| 1.376.374 | (10), (9), (7)                    |
| 1.376.377 | (10)                              |
| 1.376.378 | (10)                              |
| 1.376.379 | (10)                              |
| 1.376.380 | (10)                              |
| 1.376.382 | (7)                               |
| 1.376.385 | (7)                               |
| 1.376.436 | (2), (2A)                         |
| 1.376.444 | (2), (2A)                         |
| 1.376.445 | (2), (2A)                         |
| 1.376.446 | (2), (2A)                         |
| 1.376.448 | (7)                               |
| 1.376.490 | (14A), (14B), (14C), (15A), (15C) |
| 1.376.501 | (14A)                             |
| 1.376.502 | (14A), (14B), (15A)               |
| 1.376.503 | (14A), (14B), (14C), (15A)        |
| 1.376.504 | (14A), (14C)                      |
| 1.376.505 | (14A), (14B), (14C)               |
| 1.376.506 | (14A), (14B), (14C), (15A)        |
| 1.376.516 | (15A), (15C)                      |
| 1.376.517 | (14A), (14B), (14C), (15A)        |
| 1.376.519 | (14B), (14C), (15A), (15C)        |
| 1.376.541 | (25B)                             |
| 1.376.542 | (25B)                             |
| 1.376.547 | (25B)                             |
| 1.376.548 | (25B)                             |
| 1.376.562 | (15A), (15C)                      |
| 1.376.564 | (7)                               |
| 1.376.565 | (7)                               |
| 1.376.573 | (7)                               |
| 1.376.599 | (16A), (16B), (17A)               |
| 1.376.600 | (16A), (16B), (17A)               |
| 1.376.662 | (22A)                             |
| 1.376.663 | (22A)                             |
| 1.376.676 | (22A), (22B)                      |
| 1.376.677 | (22A)                             |

# Part number index – 2021

17

Part number

Page ID

Part number

Page ID

|              |                              |
|--------------|------------------------------|
| 1.376.693.1  | (22A), (22B)                 |
| 1.376.693.10 | (22A), (22B)                 |
| 1.376.693.2  | (22A), (22B)                 |
| 1.376.693.3  | (22A), (22B)                 |
| 1.376.693.5  | (22A), (22B)                 |
| 1.376.693.8  | (22A), (22B)                 |
| 1.376.694.1  | (22A), (22B)                 |
| 1.376.694.10 | (22A), (22B)                 |
| 1.376.694.2  | (22A), (22B)                 |
| 1.376.694.3  | (22A), (22B)                 |
| 1.376.694.5  | (22A), (22B)                 |
| 1.376.694.8  | (22A), (22B)                 |
| 1.376.747    | (21A), (21B), (21C), (23A)   |
| 1.376.752    | (2), (2A)                    |
| 1.376.783    | (3), (13A)                   |
| 1.376.793    | (21A), (22B), (23A)          |
| 1.376.795    | (24A), (24B)                 |
| 1.376.796    | (24A)                        |
| 1.377.005    | (7)                          |
| 1.377.013    | (23A)                        |
| 1.377.015    | (23A)                        |
| 1.377.018    | (23A)                        |
| 1.377.019    | (23A)                        |
| 1.377.020    | (23A)                        |
| 1.377.021    | (24A2)                       |
| 1.377.022    | (23A)                        |
| 1.377.023    | (23A)                        |
| 1.377.024    | (23A)                        |
| 1.377.025    | (23A)                        |
| 1.377.026    | (23A)                        |
| 1.377.048    | (15A)                        |
| 1.377.061    | (24A), (24A1), (24A2), (24B) |
| 1.377.062    | (24A), (24A1), (24A2), (24B) |
| 1.377.065    | (24A), (24B)                 |
| 1.377.066    | (24A), (24B)                 |
| 1.377.072    | (24A), (24A1), (24A2), (24B) |
| 1.377.073    | (24A), (24A1), (24A2), (24B) |
| 1.377.074    | (24A), (24A1)                |
| 1.377.076    | (24A), (24A1), (24A2)        |
| 1.377.086    | (22A)                        |
| 1.377.087    | (22A)                        |
| 1.377.088    | (49)                         |
| 1.377.089    | (24A)                        |
| 1.377.093    | (48)                         |
| 1.377.095    | (13A)                        |

|              |                           |
|--------------|---------------------------|
| 1.377.100    | (7)                       |
| 1.377.102    | (7)                       |
| 1.377.105    | (2), (2A)                 |
| 1.377.106    | (2), (2A)                 |
| 1.377.119    | (9)                       |
| 1.377.123    | (15A)                     |
| 1.377.125    | (14B), (15A)              |
| 1.377.164    | (10), (8), (9)            |
| 1.377.183    | (9)                       |
| 1.377.222    | (7)                       |
| 1.377.243    | (48)                      |
| 1.377.244    | (48)                      |
| 1.377.247    | (47)                      |
| 1.377.250    | (47)                      |
| 1.377.251    | (29A), (29B), (29C), (49) |
| 1.377.253    | (31A), (31B)              |
| 1.377.265    | (3)                       |
| 1.377.266    | (49)                      |
| 1.377.267    | (49)                      |
| 1.377.268    | (4)                       |
| 1.377.271    | (10), (8), (9)            |
| 1.377.272    | (10), (8), (9)            |
| 1.377.338    | (16A), (17A)              |
| 1.377.339    | (16A)                     |
| 1.377.340    | (16A)                     |
| 1.377.341    | (16A), (17A)              |
| 1.377.342    | (16A)                     |
| 1.377.343    | (16A)                     |
| 1.377.344    | (16A)                     |
| 1.377.345    | (16A)                     |
| 1.377.346    | (16A)                     |
| 1.377.347    | (16A)                     |
| 1.377.348    | (16A)                     |
| 1.377.349    | (16A)                     |
| 1.377.350    | (17A)                     |
| 1.377.351    | (17A)                     |
| 1.377.354    | (17A)                     |
| 1.377.355    | (17A)                     |
| 1.377.356    | (17A)                     |
| 1.377.357    | (17A)                     |
| 1.377.362    | (16A), (17A)              |
| 1.377.363    | (16A), (17A)              |
| 1.377.364    | (16A), (17A)              |
| 1.377.365    | (16A), (17A)              |
| 1.377.372    | (16A), (16B), (17A)       |
| 1.377.380.1  | (21A), (23A)              |
| 1.377.380.10 | (21A), (23A)              |
| 1.377.380.2  | (21A), (23A)              |

# Part number index – 2021

18

Part number

Page ID

Part number

Page ID

|              |                          |
|--------------|--------------------------|
| 1.377.380.3  | (21A), (23A)             |
| 1.377.380.5  | (21A), (23A)             |
| 1.377.380.8  | (21A), (23A)             |
| 1.377.382.1  | (45)                     |
| 1.377.382.10 | (45)                     |
| 1.377.382.2  | (45)                     |
| 1.377.382.3  | (45)                     |
| 1.377.382.5  | (45)                     |
| 1.377.382.8  | (45)                     |
| 1.377.383.1  | (45)                     |
| 1.377.383.10 | (45)                     |
| 1.377.383.2  | (45)                     |
| 1.377.383.3  | (45)                     |
| 1.377.383.5  | (45)                     |
| 1.377.383.8  | (45)                     |
| 1.377.392    | (47)                     |
| 1.377.398    | (49)                     |
| 1.377.399    | (49)                     |
| 1.377.425.1  | (45)                     |
| 1.377.425.10 | (45)                     |
| 1.377.425.2  | (45)                     |
| 1.377.425.3  | (45)                     |
| 1.377.425.5  | (45)                     |
| 1.377.425.8  | (45)                     |
| 1.377.426.1  | (45)                     |
| 1.377.426.10 | (45)                     |
| 1.377.426.2  | (45)                     |
| 1.377.426.3  | (45)                     |
| 1.377.426.5  | (45)                     |
| 1.377.426.8  | (45)                     |
| 1.377.428    | (45)                     |
| 1.377.429    | (45)                     |
| 1.377.432    | (45)                     |
| 1.377.433    | (45)                     |
| 1.377.453    | (10), (8), (9), (6), (7) |
| 1.377.454    | (10), (8), (9), (6), (7) |
| 1.377.460    | (6), (7)                 |
| 1.377.461    | (6), (7)                 |
| 1.377.462    | (21A), (23A)             |
| 1.377.465    | (21A), (21C), (23A)      |
| 1.377.466    | (21A), (21C), (23A)      |
| 1.377.503    | (9)                      |
| 1.377.504    | (9)                      |
| 1.377.508    | (15A)                    |
| 1.377.515    | (17A)                    |
| 1.377.516    | (17A)                    |
| 1.377.517    | (17A)                    |
| 1.377.530    | (65)                     |

|              |                     |
|--------------|---------------------|
| 1.377.533.1  | (21A)               |
| 1.377.533.10 | (21A)               |
| 1.377.533.2  | (21A)               |
| 1.377.533.3  | (21A)               |
| 1.377.533.5  | (21A)               |
| 1.377.533.8  | (21A)               |
| 1.377.534.1  | (23A)               |
| 1.377.534.10 | (23A)               |
| 1.377.534.2  | (23A)               |
| 1.377.534.3  | (23A)               |
| 1.377.534.5  | (23A)               |
| 1.377.534.8  | (23A)               |
| 1.377.535.1  | (55)                |
| 1.377.535.10 | (55)                |
| 1.377.535.2  | (55)                |
| 1.377.535.3  | (55)                |
| 1.377.535.5  | (55)                |
| 1.377.535.8  | (55)                |
| 1.377.536.1  | (55)                |
| 1.377.536.10 | (55)                |
| 1.377.536.2  | (55)                |
| 1.377.536.3  | (55)                |
| 1.377.536.5  | (55)                |
| 1.377.536.8  | (55)                |
| 1.377.558    | (16A)               |
| 1.377.559    | (16A)               |
| 1.377.583    | (10), (8), (9)      |
| 1.377.593    | (24A)               |
| 1.377.676    | (15A)               |
| 1.377.687    | (10), (8), (9)      |
| 1.377.688    | (17A)               |
| 1.377.689    | (17A)               |
| 1.377.699    | (43A), (43B)        |
| 1.377.700    | (17A)               |
| 1.377.701    | (17A)               |
| 1.377.722    | (48)                |
| 1.377.725    | (10), (8), (9)      |
| 1.377.726    | (10), (8), (9)      |
| 1.377.731    | (48)                |
| 1.377.732    | (48)                |
| 1.377.733    | (48)                |
| 1.377.734    | (48)                |
| 1.377.738    | (21A)               |
| 1.377.741    | (21A), (21C), (23A) |
| 1.377.744    | (21A), (21C), (23A) |
| 1.377.747    | (21A), (21C), (23A) |
| 1.377.748    | (21A), (21C), (23A) |
| 1.377.751    | (21A), (21C), (23A) |

# Part number index – 2021

19

Part number

Page ID

Part number

Page ID

|           |                                         |
|-----------|-----------------------------------------|
| 1.377.754 | (49)                                    |
| 1.377.762 | (13A), (49)                             |
| 1.377.763 | (13A)                                   |
| 1.377.766 | (13A)                                   |
| 1.377.767 | (13A)                                   |
| 1.377.769 | (13A)                                   |
| 1.377.770 | (13A)                                   |
| 1.377.775 | (48)                                    |
| 1.377.776 | (13A)                                   |
| 1.377.777 | (13A)                                   |
| 1.377.778 | (13A)                                   |
| 1.377.779 | (13A)                                   |
| 1.377.780 | (13A)                                   |
| 1.377.781 | (13A)                                   |
| 1.377.782 | (13A)                                   |
| 1.377.783 | (13A)                                   |
| 1.377.787 | (13A)                                   |
| 1.377.788 | (49)                                    |
| 1.377.791 | (49)                                    |
| 1.377.793 | (49)                                    |
| 1.377.799 | (13A)                                   |
| 1.377.800 | (47)                                    |
| 1.377.801 | (47)                                    |
| 1.377.802 | (47), (49)                              |
| 1.377.803 | (47), (49)                              |
| 1.377.804 | (15A), (15C)                            |
| 1.377.805 | (15A), (15C)                            |
| 1.377.806 | (15A), (15C)                            |
| 1.377.807 | (15A), (15C)                            |
| 1.377.808 | (15A), (15C)                            |
| 1.377.809 | (14A), (14B), (15A), (15C)              |
| 1.377.810 | (14A), (15A), (15C)                     |
| 1.377.811 | (14B)                                   |
| 1.377.812 | (15A)                                   |
| 1.377.813 | (14A), (14C), (15A)                     |
| 1.377.814 | (14A), (14B), (14C), (15A), (15C), (49) |
| 1.377.815 | (14A), (14B), (14C), (15A), (15C), (49) |
| 1.377.816 | (48), (49)                              |
| 1.377.817 | (48), (49)                              |
| 1.377.834 | (18A)                                   |
| 1.377.837 | (18A)                                   |
| 1.377.839 | (18A)                                   |
| 1.377.842 | (19A)                                   |
| 1.377.843 | (24A), (19A)                            |
| 1.377.844 | (19A)                                   |
| 1.377.845 | (19A)                                   |
| 1.377.846 | (19A)                                   |

|           |                                          |
|-----------|------------------------------------------|
| 1.377.847 | (19A)                                    |
| 1.377.851 | (18A)                                    |
| 1.377.852 | (19A)                                    |
| 1.377.853 | (19A)                                    |
| 1.377.855 | (21A)                                    |
| 1.377.861 | (18A)                                    |
| 1.377.862 | (21A), (21B), (21C), (23A)               |
| 1.377.864 | (16A), (17A)                             |
| 1.377.865 | (16A), (17A)                             |
| 1.377.866 | (16A), (17A)                             |
| 1.377.867 | (16A)                                    |
| 1.377.868 | (16A)                                    |
| 1.377.869 | (16A)                                    |
| 1.377.870 | (16A)                                    |
| 1.377.871 | (16A)                                    |
| 1.377.872 | (16A)                                    |
| 1.377.873 | (16A)                                    |
| 1.377.874 | (16A)                                    |
| 1.377.875 | (16A)                                    |
| 1.377.876 | (16A)                                    |
| 1.377.877 | (16A)                                    |
| 1.377.878 | (16A)                                    |
| 1.377.879 | (16A)                                    |
| 1.377.880 | (16A)                                    |
| 1.377.881 | (17A)                                    |
| 1.377.882 | (17A)                                    |
| 1.377.883 | (17A)                                    |
| 1.377.884 | (17A)                                    |
| 1.377.885 | (17A)                                    |
| 1.377.886 | (17A)                                    |
| 1.377.891 | (17A)                                    |
| 1.377.892 | (17A)                                    |
| 1.377.902 | (21A), (21B), (21C), (22A), (22B), (23A) |
| 1.377.905 | (7)                                      |
| 1.377.960 | (22A), (22B)                             |
| 1.377.961 | (22A), (22B)                             |
| 1.377.967 | (22A)                                    |
| 1.377.968 | (22A)                                    |
| 1.377.969 | (22A)                                    |
| 1.377.970 | (22A)                                    |
| 1.377.975 | (22A), (23A)                             |
| 1.377.976 | (22A), (23A)                             |
| 1.377.983 | (49)                                     |
| 1.377.984 | (49)                                     |
| 1.377.986 | (13A)                                    |
| 1.377.989 | (49)                                     |
| 1.377.990 | (49)                                     |
| 1.377.991 | (7)                                      |

# Part number index – 2021

20

Part number

Page ID

Part number

Page ID

|              |                     |
|--------------|---------------------|
| 1.377.992    | (7)                 |
| 1.378.048    | (23A)               |
| 1.378.049    | (23A)               |
| 1.378.053    | (21A), (21C), (23A) |
| 1.378.056    | (23A)               |
| 1.378.057    | (23A)               |
| 1.378.060    | (16A)               |
| 1.378.065.1  | (22A)               |
| 1.378.065.10 | (22A)               |
| 1.378.065.2  | (22A)               |
| 1.378.065.3  | (22A)               |
| 1.378.065.5  | (22A)               |
| 1.378.065.8  | (22A)               |
| 1.378.066.1  | (22A)               |
| 1.378.066.10 | (22A)               |
| 1.378.066.2  | (22A)               |
| 1.378.066.3  | (22A)               |
| 1.378.066.5  | (22A)               |
| 1.378.066.8  | (22A)               |
| 1.378.076    | (7)                 |
| 1.378.098    | (7)                 |
| 1.378.100    | (7)                 |
| 1.378.105    | (7)                 |
| 1.378.106    | (7)                 |
| 1.378.126    | (7)                 |
| 1.378.128    | (2), (2A)           |
| 1.378.129    | (2), (2A)           |
| 1.378.136    | (2)                 |
| 1.378.137    | (2)                 |
| 1.378.140    | (2), (2A)           |
| 1.378.141    | (2), (2A)           |
| 1.378.148    | (2), (2A)           |
| 1.378.149    | (2), (2A)           |
| 1.378.150    | (2)                 |
| 1.378.151    | (2)                 |
| 1.378.154    | (2), (2A)           |
| 1.378.155    | (2), (2A)           |
| 1.378.156    | (2)                 |
| 1.378.157    | (2)                 |
| 1.378.164    | (2)                 |
| 1.378.165    | (2)                 |
| 1.378.166    | (2)                 |
| 1.378.167    | (2)                 |
| 1.378.173    | (7)                 |
| 1.378.178    | (49)                |
| 1.378.179    | (7)                 |
| 1.378.199    | (7)                 |
| 1.378.224    | (17A)               |

|           |              |
|-----------|--------------|
| 1.378.225 | (17A)        |
| 1.378.226 | (7)          |
| 1.378.227 | (7)          |
| 1.378.269 | (21A), (21C) |
| 1.378.292 | (20)         |
| 1.378.293 | (20)         |
| 1.378.296 | (16A), (17A) |
| 1.378.297 | (16A), (17A) |
| 1.378.298 | (16A), (17A) |
| 1.378.299 | (16A)        |
| 1.378.300 | (16A)        |
| 1.378.301 | (16A)        |
| 1.378.302 | (16A)        |
| 1.378.303 | (16A)        |
| 1.378.304 | (16A)        |
| 1.378.305 | (16A)        |
| 1.378.306 | (16A)        |
| 1.378.307 | (16A)        |
| 1.378.308 | (16A)        |
| 1.378.309 | (16A)        |
| 1.378.310 | (16A)        |
| 1.378.311 | (17A)        |
| 1.378.312 | (17A)        |
| 1.378.313 | (17A)        |
| 1.378.314 | (17A)        |
| 1.378.315 | (17A)        |
| 1.378.316 | (17A)        |
| 1.378.317 | (17A)        |
| 1.378.318 | (17A)        |
| 1.378.319 | (17A)        |
| 1.378.320 | (17A)        |
| 1.378.321 | (17A)        |
| 1.378.322 | (17A)        |
| 1.378.323 | (17A)        |
| 1.378.324 | (17A)        |
| 1.378.325 | (17A)        |
| 1.378.326 | (17A)        |
| 1.378.327 | (17A)        |
| 1.378.328 | (17A)        |
| 1.378.334 | (17A)        |
| 1.378.335 | (17A)        |
| 1.378.336 | (17A)        |
| 1.378.337 | (17A)        |
| 1.378.338 | (17A)        |
| 1.378.339 | (17A)        |
| 1.378.340 | (16A), (17A) |
| 1.378.341 | (16A), (17A) |
| 1.378.342 | (17A)        |

# Part number index – 2021

21

Part number

Page ID

Part number

Page ID

|           |                        |
|-----------|------------------------|
| 1.378.343 | (17A)                  |
| 1.378.344 | (13A)                  |
| 1.378.345 | (17A)                  |
| 1.378.346 | (17A)                  |
| 1.378.347 | (13A)                  |
| 1.378.348 | (17A)                  |
| 1.378.349 | (17A)                  |
| 1.378.350 | (17A)                  |
| 1.378.351 | (17A)                  |
| 1.378.353 | (17A)                  |
| 1.378.354 | (17A)                  |
| 1.378.355 | (17A)                  |
| 1.378.356 | (17A)                  |
| 1.378.360 | (16A)                  |
| 1.378.361 | (16A)                  |
| 1.378.372 | (24A)                  |
| 1.378.373 | (24A)                  |
| 1.378.376 | (24A)                  |
| 1.378.377 | (24A)                  |
| 1.378.378 | (24A)                  |
| 1.378.379 | (24A)                  |
| 1.378.380 | (24A)                  |
| 1.378.381 | (24A)                  |
| 1.378.382 | (24A)                  |
| 1.378.390 | (20)                   |
| 1.378.391 | (20)                   |
| 1.378.398 | (15A)                  |
| 1.378.399 | (14B), (15A)           |
| 1.378.400 | (14A), (15A)           |
| 1.378.403 | (7)                    |
| 1.378.407 | (7)                    |
| 1.378.409 | (7)                    |
| 1.378.410 | (7)                    |
| 1.378.411 | (7)                    |
| 1.378.415 | (7), (24A), (24A2)     |
| 1.378.440 | (47)                   |
| 1.378.441 | (47)                   |
| 1.378.443 | (6)                    |
| 1.378.444 | (6)                    |
| 1.378.446 | (6), (7), (43A), (43B) |
| 1.378.448 | (10), (8), (9)         |
| 1.378.449 | (10), (8), (9)         |
| 1.378.453 | (10), (8), (9)         |
| 1.378.472 | (49)                   |
| 1.378.474 | (49)                   |
| 1.378.475 | (7)                    |
| 1.378.493 | (43A)                  |
| 1.378.497 | (43A), (43B)           |

|           |                              |
|-----------|------------------------------|
| 1.378.501 | (43A), (43B)                 |
| 1.378.507 | (48)                         |
| 1.378.521 | (10), (8), (9)               |
| 1.378.522 | (24A), (24A1), (24A2)        |
| 1.378.523 | (10), (8), (9)               |
| 1.378.524 | (10), (8), (9)               |
| 1.378.526 | (24A), (24A1), (24A2)        |
| 1.378.528 | (28)                         |
| 1.378.530 | (24A)                        |
| 1.378.531 | (6)                          |
| 1.378.532 | (6)                          |
| 1.378.533 | (6)                          |
| 1.378.534 | (6)                          |
| 1.378.612 | (24A), (24A1), (24A2)        |
| 1.378.613 | (24A), (24A1)                |
| 1.378.614 | (24A), (24A1)                |
| 1.378.615 | (24A)                        |
| 1.378.616 | (24A), (24A1)                |
| 1.378.619 | (24A), (24A1)                |
| 1.378.637 | (24A), (24B)                 |
| 1.378.638 | (24A), (24B)                 |
| 1.378.639 | (24A), (24A2)                |
| 1.378.641 | (24A)                        |
| 1.378.642 | (24A)                        |
| 1.378.643 | (24A)                        |
| 1.378.644 | (24A)                        |
| 1.378.645 | (24A)                        |
| 1.378.646 | (24A)                        |
| 1.378.647 | (24A)                        |
| 1.378.648 | (24A)                        |
| 1.378.679 | (7)                          |
| 1.378.685 | (6), (7)                     |
| 1.378.689 | (6), (7)                     |
| 1.378.690 | (6), (7)                     |
| 1.378.696 | (24A), (24A1), (24A2), (24B) |
| 1.378.697 | (65), (13A)                  |
| 1.378.751 | (16A)                        |
| 1.378.752 | (16A)                        |
| 1.378.760 | (2), (2A)                    |
| 1.378.764 | (16A)                        |
| 1.378.765 | (16A)                        |
| 1.378.791 | (16A)                        |
| 1.378.792 | (16A)                        |
| 1.378.793 | (16A)                        |
| 1.378.795 | (16A)                        |
| 1.378.796 | (16A)                        |
| 1.378.797 | (16A)                        |
| 1.378.798 | (16A)                        |

# Part number index – 2021

22

Part number

Page ID

Part number

Page ID

|           |                           |
|-----------|---------------------------|
| 1.378.799 | (16A)                     |
| 1.378.800 | (16A)                     |
| 1.378.801 | (16A)                     |
| 1.378.802 | (16A)                     |
| 1.378.803 | (16A)                     |
| 1.378.804 | (16A)                     |
| 1.378.805 | (16A)                     |
| 1.378.806 | (16A)                     |
| 1.378.807 | (16A)                     |
| 1.378.808 | (55)                      |
| 1.378.809 | (55)                      |
| 1.378.822 | (55)                      |
| 1.378.825 | (55)                      |
| 1.378.830 | (55)                      |
| 1.378.831 | (55)                      |
| 1.378.835 | (55)                      |
| 1.378.836 | (24A), (24A1), (24A2)     |
| 1.378.837 | (24A), (24A1), (24A2)     |
| 1.378.838 | (14A), (14B), (14C), (49) |
| 1.378.839 | (14A), (14B), (14C), (49) |
| 1.378.840 | (48)                      |
| 1.378.841 | (48)                      |
| 1.378.842 | (24A)                     |
| 1.378.844 | (24A), (24A1), (24A2)     |
| 1.378.845 | (24A)                     |
| 1.378.846 | (24A)                     |
| 1.378.851 | (54)                      |
| 1.378.852 | (54)                      |
| 1.378.853 | (54)                      |
| 1.378.854 | (24A)                     |
| 1.378.855 | (54)                      |
| 1.378.856 | (54)                      |
| 1.378.857 | (24A)                     |
| 1.378.858 | (55), (56), (56A)         |
| 1.378.859 | (55), (56), (56A)         |
| 1.378.860 | (55), (56), (56A)         |
| 1.378.861 | (55), (56), (56A)         |
| 1.378.862 | (55)                      |
| 1.378.863 | (55)                      |
| 1.378.866 | (6)                       |
| 1.378.896 | (15A)                     |
| 1.378.897 | (15A)                     |
| 1.378.900 | (6)                       |
| 1.378.963 | (16A)                     |
| 1.378.964 | (16A), (16B)              |
| 1.378.969 | (16A), (16B)              |
| 1.378.970 | (16A), (16B)              |
| 1.378.971 | (16A)                     |

|           |                     |
|-----------|---------------------|
| 1.378.972 | (16A), (16B)        |
| 1.378.973 | (16A), (16B), (17A) |
| 1.378.974 | (16A), (16B), (17A) |
| 1.378.975 | (16A), (16B)        |
| 1.378.976 | (16A)               |
| 1.378.977 | (16A), (16B)        |
| 1.378.978 | (16A), (16B)        |
| 1.378.979 | (16A), (16B)        |
| 1.378.980 | (16A)               |
| 1.378.985 | (2), (2A)           |
| 1.378.987 | (2), (2A)           |
| 1.378.988 | (6)                 |
| 1.378.989 | (6)                 |
| 1.378.997 | (2), (2A)           |
| 1.378.999 | (2), (2A)           |
| 1.379.034 | (16B)               |
| 1.379.035 | (16B)               |
| 1.379.036 | (16B)               |
| 1.379.037 | (16B)               |
| 1.379.038 | (16B)               |
| 1.379.041 | (16B)               |
| 1.379.042 | (16B)               |
| 1.379.043 | (16B)               |
| 1.379.060 | (2A)                |
| 1.379.061 | (2)                 |
| 1.379.062 | (2), (2A)           |
| 1.379.063 | (2), (2A)           |
| 1.379.064 | (2), (2A)           |
| 1.379.065 | (24A2), (24B)       |
| 1.379.066 | (24A2), (24B)       |
| 1.379.067 | (24A2), (24B)       |
| 1.379.071 | (14A)               |
| 1.379.075 | (49)                |
| 1.379.080 | (4)                 |
| 1.379.081 | (4)                 |
| 1.379.082 | (4)                 |
| 1.379.084 | (8)                 |
| 1.379.087 | (8)                 |
| 1.379.096 | (14B)               |
| 1.379.099 | (16A), (16B), (17A) |
| 1.379.105 | (32), (32A)         |
| 1.379.138 | (31A), (31B)        |
| 1.379.140 | (54)                |
| 1.379.141 | (7)                 |
| 1.379.142 | (31B)               |
| 1.379.143 | (31B)               |
| 1.379.146 | (2), (2A)           |
| 1.379.151 | (21A), (23A)        |

# Part number index – 2021

23

Part number

Page ID

Part number

Page ID

|           |                                  |
|-----------|----------------------------------|
| 1.379.152 | (21A), (23A)                     |
| 1.379.153 | (4)                              |
| 1.379.155 | (6)                              |
| 1.379.156 | (6)                              |
| 1.379.157 | (6)                              |
| 1.379.158 | (6)                              |
| 1.379.159 | (6)                              |
| 1.379.160 | (6)                              |
| 1.379.246 | (6), (7)                         |
| 1.379.292 | (56), (56A)                      |
| 1.379.298 | (13A)                            |
| 1.379.299 | (7)                              |
| 1.379.306 | (54)                             |
| 1.379.307 | (25B)                            |
| 1.379.308 | (25B)                            |
| 1.379.322 | (25B)                            |
| 1.379.323 | (25B)                            |
| 1.379.391 | (2), (2A)                        |
| 1.379.392 | (2), (2A)                        |
| 1.379.394 | (29A), (29B), (29C), (58A), (59) |
| 1.379.396 | (2), (2A)                        |
| 1.379.397 | (2), (2A)                        |
| 1.379.398 | (29A), (29B)                     |
| 1.379.399 | (29A), (29B)                     |
| 1.379.419 | (15C)                            |
| 1.379.421 | (16A)                            |
| 1.379.422 | (16A)                            |
| 1.379.423 | (16A)                            |
| 1.379.424 | (16A)                            |
| 1.379.440 | (6), (7)                         |
| 1.379.443 | (58A)                            |
| 1.379.456 | (24A), (24A1), (24A2)            |
| 1.379.457 | (24A), (24A1), (24A2)            |
| 1.379.458 | (24A), (24A1), (24A2), (24B)     |
| 1.379.464 | (54)                             |
| 1.379.465 | (13A)                            |
| 1.379.472 | (29A), (29B), (29C), (58A), (59) |
| 1.379.473 | (29B)                            |
| 1.379.474 | (29A)                            |
| 1.379.475 | (58A)                            |
| 1.379.476 | (10), (8), (9)                   |
| 1.379.477 | (24A), (24A1), (24A2)            |
| 1.379.485 | (10), (8)                        |
| 1.379.487 | (10), (8)                        |
| 1.379.488 | (10), (8)                        |
| 1.379.489 | (21B)                            |

|              |                     |
|--------------|---------------------|
| 1.379.490    | (21B)               |
| 1.379.494    | (21B)               |
| 1.379.495    | (21B)               |
| 1.379.496    | (21B)               |
| 1.379.499    | (21B)               |
| 1.379.500.1  | (21B)               |
| 1.379.500.10 | (21B)               |
| 1.379.500.2  | (21B)               |
| 1.379.500.3  | (21B)               |
| 1.379.500.5  | (21B)               |
| 1.379.500.8  | (21B)               |
| 1.379.501.1  | (21B)               |
| 1.379.501.10 | (21B)               |
| 1.379.501.2  | (21B)               |
| 1.379.501.3  | (21B)               |
| 1.379.501.5  | (21B)               |
| 1.379.501.8  | (21B)               |
| 1.379.502.1  | (21B)               |
| 1.379.502.10 | (21B)               |
| 1.379.502.2  | (21B)               |
| 1.379.502.3  | (21B)               |
| 1.379.502.5  | (21B)               |
| 1.379.502.8  | (21B)               |
| 1.379.503.1  | (21B)               |
| 1.379.503.10 | (21B)               |
| 1.379.503.2  | (21B)               |
| 1.379.503.3  | (21B)               |
| 1.379.503.5  | (21B)               |
| 1.379.503.8  | (21B)               |
| 1.379.510    | (21B)               |
| 1.379.513    | (21B)               |
| 1.379.516    | (21B)               |
| 1.379.523    | (56)                |
| 1.379.524    | (56), (56A)         |
| 1.379.525    | (56), (56A)         |
| 1.379.526    | (56)                |
| 1.379.527    | (56)                |
| 1.379.528    | (56), (56A)         |
| 1.379.529    | (56)                |
| 1.379.530    | (56), (56A)         |
| 1.379.531    | (56), (56A)         |
| 1.379.532    | (56)                |
| 1.379.534    | (16A), (16B), (17A) |
| 1.379.535    | (16B)               |
| 1.379.536    | (35)                |
| 1.379.537    | (56), (56A)         |
| 1.379.538    | (56)                |
| 1.379.539    | (56)                |

# Part number index – 2021

24

Part number

Page ID

Part number

Page ID

|           |                     |
|-----------|---------------------|
| 1.379.540 | (29B)               |
| 1.379.541 | (56A)               |
| 1.379.542 | (56)                |
| 1.379.543 | (10), (8)           |
| 1.379.545 | (56)                |
| 1.379.550 | (10), (8)           |
| 1.379.551 | (56), (56A)         |
| 1.379.552 | (56), (56A)         |
| 1.379.553 | (56), (56A)         |
| 1.379.554 | (56)                |
| 1.379.555 | (56)                |
| 1.379.556 | (56)                |
| 1.379.560 | (10), (8)           |
| 1.379.561 | (10), (8)           |
| 1.379.562 | (56)                |
| 1.379.563 | (56)                |
| 1.379.564 | (56)                |
| 1.379.565 | (56)                |
| 1.379.566 | (56)                |
| 1.379.567 | (56)                |
| 1.379.568 | (56)                |
| 1.379.569 | (56)                |
| 1.379.570 | (56)                |
| 1.379.571 | (56)                |
| 1.379.572 | (56), (56A)         |
| 1.379.573 | (56), (56A)         |
| 1.379.574 | (56)                |
| 1.379.575 | (56)                |
| 1.379.576 | (56)                |
| 1.379.586 | (14B), (14C)        |
| 1.379.587 | (14A), (14B), (14C) |
| 1.379.588 | (14B), (14C), (15A) |
| 1.379.589 | (14B), (14C)        |
| 1.379.590 | (16B)               |
| 1.379.591 | (16B)               |
| 1.379.592 | (16B)               |
| 1.379.593 | (16B)               |
| 1.379.594 | (16B)               |
| 1.379.595 | (16B)               |
| 1.379.596 | (16B)               |
| 1.379.597 | (16B)               |
| 1.379.598 | (16B)               |
| 1.379.599 | (16B)               |
| 1.379.600 | (6)                 |
| 1.379.624 | (19A)               |
| 1.379.625 | (19A)               |
| 1.379.629 | (10), (8)           |
| 1.379.630 | (56), (56A)         |

|           |                    |
|-----------|--------------------|
| 1.379.631 | (25A)              |
| 1.379.632 | (25A)              |
| 1.379.634 | (2)                |
| 1.379.635 | (26), (27)         |
| 1.379.636 | (8)                |
| 1.379.637 | (8)                |
| 1.379.642 | (10), (8), (9)     |
| 1.379.643 | (59)               |
| 1.379.644 | (16B)              |
| 1.379.645 | (16B)              |
| 1.379.646 | (16B)              |
| 1.379.647 | (16B)              |
| 1.379.648 | (16B)              |
| 1.379.649 | (16B)              |
| 1.379.650 | (6)                |
| 1.379.668 | (19A)              |
| 1.379.669 | (19A)              |
| 1.379.674 | (8)                |
| 1.379.678 | (24B)              |
| 1.379.679 | (24B)              |
| 1.379.680 | (56), (56A)        |
| 1.379.681 | (56), (56A)        |
| 1.379.682 | (56), (56A)        |
| 1.379.683 | (56), (56A)        |
| 1.379.684 | (56), (56A)        |
| 1.379.686 | (13A)              |
| 1.379.687 | (13A)              |
| 1.379.701 | (21B)              |
| 1.379.702 | (21B)              |
| 1.379.704 | (21B)              |
| 1.379.706 | (14A)              |
| 1.379.707 | (13A), (49)        |
| 1.379.708 | (16A), (17A)       |
| 1.379.709 | (48)               |
| 1.379.710 | (48)               |
| 1.379.711 | (14B), (14C), (49) |
| 1.379.712 | (14B), (14C), (49) |
| 1.379.727 | (54)               |
| 1.379.733 | (54)               |
| 1.379.736 | (54)               |
| 1.379.737 | (54)               |
| 1.379.738 | (54)               |
| 1.379.747 | (54)               |
| 1.379.748 | (16A)              |
| 1.379.749 | (16A)              |
| 1.379.750 | (16A)              |
| 1.379.751 | (16A)              |
| 1.379.755 | (56)               |

# Part number index – 2021

25

Part number

Page ID

Part number

Page ID

|             |                                   |
|-------------|-----------------------------------|
| 1.379.756   | (56)                              |
| 1.379.757   | (56), (56A)                       |
| 1.379.758   | (56)                              |
| 1.379.759   | (56)                              |
| 1.379.760   | (56)                              |
| 1.379.761   | (56)                              |
| 1.379.762   | (56)                              |
| 1.379.763   | (56)                              |
| 1.379.776   | (24A), (24A1), (24A2), (24B)      |
| 1.379.779   | (47)                              |
| 1.379.780   | (47)                              |
| 1.379.887   | (21B)                             |
| 1.379.889   | (21B)                             |
| 1.379.913   | (21A), (22A)                      |
| 1.379.914   | (21A), (22A), (23A)               |
| 1.379.957   | (7)                               |
| 1.379.958   | (7)                               |
| 1.379.963   | (19A)                             |
| 1.379.973   | (47)                              |
| 1.379.974   | (47)                              |
| 11 17 10    | (32)                              |
| 111095 W1   | (31A)                             |
| 111096 W1   | (31A)                             |
| 111670 W1   | (31A)                             |
| 111671 W1   | (31A)                             |
| 111672 W1   | (31A)                             |
| 2.405.227   | (4)                               |
| 213.607.0   | (28)                              |
| 234.364.0   | (51)                              |
| 514.038.0   | (31B)                             |
| 616.068.0   | (10), (8), (9)                    |
| 665.840.0   | (8)                               |
| 668.800.0   | (28)                              |
| 668.818.0   | (28)                              |
| 676.304     | (10), (8)                         |
| 683.721.1   | (28)                              |
| 683.722.1   | (28)                              |
| 683.725.0   | (28)                              |
| 71 38 50 03 | (37)                              |
| 714C1050060 | (18A)                             |
| 714D1050060 | (18A)                             |
| 905.875.0   | (28)                              |
| 967PSF30526 | (21A), (21B), (21C), (22A), (23A) |
| 975PV615000 | (20)                              |
| 985AZ102725 | (20)                              |
| 993.454.0   | (21A), (21C), (23A)               |
| 994.610.0   | (28)                              |

|              |                  |
|--------------|------------------|
| ALUBIA 00 EP | (49)             |
| Loctite 243  | (7), (13A), (49) |
| Loctite 5910 | (13A), (49)      |
| Loctite 603  | (13A)            |

**MacDon Industries Ltd.**

680 Moray Street  
Winnipeg, Manitoba  
Canada R3J 3S3  
t. (204) 885-5590 f. (204) 832-7749

**MacDon, Inc.**

10708 N. Pomona Avenue  
Kansas City, Missouri  
United States 64153-1924  
t. (816) 891-7313 f. (816) 891-7323

**MacDon Australia Pty. Ltd.**

A.C.N. 079 393 721  
P.O. Box 103 Somerton, Victoria, Australia  
Australia 3061  
t.+61 3 8301 1911 f.+61 3 8301 1912

**MacDon Brasil Agribusiness Ltda.**

Rua Grã Nicco, 113, sala 404, B. 04  
Mossunguê, Curitiba, Paraná  
CEP 81200-200 Brasil  
t. +55 (41) 2101-1713 f. +55 (41) 2101-1699

**LLC MacDon Russia Ltd.**

123317 Moscow, Russia  
10 Presnenskaya nab, Block C  
Floor 5, Office No. 534, Regus Business Centre  
t. +7 495 775 6971 f. +7 495 967 7600

**MacDon Europe GmbH**

Hagenauer Strasse 59  
65203 Wiesbaden  
Germany

**CUSTOMERS****MacDon.com****DEALERS****Portal.MacDon.com**

Trademarks of products are the marks of their  
respective manufacturers and/or distributors.

Printed in Canada